

MFE MATLAB Function Reference
Financial Econometrics

Kevin Sheppard

October 30, 2009

Contents

Notes	v
1 Included but not documented functions	1
2 Cross Sectional Analysis	5
2.1 Regression	5
2.1.1 Regression: <code>ols</code>	5
3 Stationary Time Series	9
3.1 ARMA Simulation	9
3.1.1 Simulation: <code>armaxfilter_simulate</code>	9
3.2 ARMA Estimation	13
3.2.1 Estimation: <code>armaxfilter</code>	13
3.2.2 Heterogeneous Autoregression: <code>heterogeneousar</code>	19
3.2.3 Residual Plotting: <code>tsresidualplot</code>	23
3.2.4 Characteristic Roots: <code>armaroots</code>	26
3.2.5 Information Criteria: <code>aicsbic</code>	29
3.3 ARMA Forecasting	31
3.3.1 Forecasting: <code>arma_forecaster</code>	31
3.4 Sample autocorrelation and partial autocorrelation	33
3.4.1 Sample Autocorrelations: <code>sacf</code>	33
3.4.2 Sample Partial Autocorrelations: <code>spacf</code>	35
3.5 Theoretical autocorrelation and partial autocorrelation	37
3.5.1 ARMA Autocorrelations: <code>acf</code>	37
3.5.2 ARMA Partial Autocorrelations: <code>pacf</code>	39
3.6 Testing for serial correlation	41
3.6.1 Ljung-Box Q Statistic: <code>ljungbox</code>	41
3.6.2 LM Serial Correlation Test: <code>lmtest1</code>	43
3.7 Filtering	45
3.7.1 Baxter-King Filtering: <code>bkfilter</code>	45
3.7.2 Hodrick-Prescott Filtering: <code>hp_filter</code>	47
3.8 Regression with Time Series Data	49
3.8.1 Regression with time-series data: <code>olsnw</code>	49

3.9	Long-run Covariance Estimation	51
3.9.1	Newey-West covariance estimation <code>covnw</code>	51
3.9.2	Den Hann-Levin covariance estimation <code>covvar</code>	53
4	Nonstationary Time Series	55
4.1	Unit Root Testing	55
4.1.1	Augmented Dickey-Fuller testing: <code>augdf</code>	55
4.1.2	Augmented Dickey-Fuller testing with automated lag selection: <code>augdfautolag</code>	58
5	Vector Autoregressions	61
5.1	Stationary Vector Autoregression	61
5.1.1	Vector Autoregression estimation: <code>vectorar</code>	61
5.1.2	Granger Causality Testing: <code>grangercause</code>	67
5.1.3	Impulse Response function calculation: <code>impulseresponse</code>	70
6	Volatility Modeling	73
6.1	GARCH Model Simulation	73
6.1.1	ARCH/GARCH/AVARCH/TARCH/ZARCH Simulation: <code>tarch_simulate</code>	73
6.1.2	EGARCH Simulation: <code>egarch_simulate</code>	76
6.1.3	APARCH Simulation: <code>aparch_simulate</code>	78
6.1.4	FIGARCH Simulation: <code>figarch_simulate</code>	81
6.2	GARCH Model Estimation	84
6.2.1	ARCH/GARCH/GJR-GARCH/TARCH/AVGARCH/ZARCH Estimation: <code>tarch</code>	84
6.2.2	EGARCH Estimation: <code>egarch</code>	89
6.2.3	APARCH Estimation: <code>aparch</code>	91
6.2.4	AGARCH and NAGARCH estimation: <code>agarch</code>	94
6.2.5	IGARCH estimation <code>igarch</code>	97
6.2.6	FIGARCH estimation <code>figarch</code>	100
7	Density Estimation	103
7.1	Kernel Density Estimation: <code>pltdens</code>	103
7.2	Distributional Fit Testing	106
7.2.1	Jarque-Bera Test: <code>jarquebera</code>	106
7.2.2	Kolmogorov-Smirnov Test: <code>kolmogorov</code>	108
7.2.3	Berkowitz Test: <code>berkowitz</code>	110
8	Bootstrap and Multiple Hypothesis Tests	113
8.1	Bootstraps	113
8.1.1	Block Bootstrap: <code>block_bootstrap</code>	113
8.1.2	Stationary Bootstrap: <code>stationary_bootstrap</code>	115
8.2	Multiple Hypothesis Tests	116
8.2.1	Reality Check and Test for Superior Predictive Accuracy <code>bsds</code>	116
8.2.2	Model Confidence Set <code>mcs</code>	118

9	Helper Functions	121
9.1	Date Functions	121
9.1.1	Excel Date Transformation: x2mdate	121
9.1.2	CRSP Date Transformation: c2mdate	123

Notes

License

This software and documentation is provided "as is", without warranty of any kind, express or implied, including but not limited to the warranties of merchantability, fitness for a particular purpose and non-infringement. In no event shall the authors or copyright holders be liable for any claim, damages or other liability, whether in an action of contract, tort or otherwise, arising from, out of or in connection with the software or the use or other dealings in the software.

Copyright

Except where explicitly noted, all contents of the toolbox and this documentation are ©2001-2009 Kevin Sheppard.

MATLAB® is a registered trademark The Mathworks, Inc.

Bug Reports and Feedback

I welcome bug reports and feedback about the software. The best type of bug report should include the command run that produced the errors, a description of the data used (a zipped .MAT file with the data may be useful) and the version of MATLAB run. I am usually working on a recent version of MATLAB (currently R2009b, 7.9) and while I try to ensure some backward compatibility, it is likely that this code will not run flawlessly on ancient versions of MATLAB.

Please do not ask me for code or advice finding code that I do not provide, unless that code is directly related to my own original research (e.g. certain correlation models). Also, please do not ask for help with your homework.

Notable Missing Documentation

- `pca`: Principal Component Analysis
- `dcc_mvgarch`: DCC Multivariate GARCH
- `scalar_vt_vech`: Scalar BEKK Multivariate GARCH

Chapter 1

Included but not documented functions

The toolbox comes with a large number of functions that are used to support other functions, for example functions that are used to compute numerical Hessians. Please consult the help contained within the function for more details.

Data Files

- `GDP.mat` - US GDP data and dates from FRED II

General Support Functions

- `convert_ma_roots` - Convert MA roots to their invertible counterpart
- `gradient_2sided` - 2 sided numerical gradient calculation
- `hessian_2sided` - 2 sided numerical Hessian calculation
- `inverse_ar_roots` - Compute inverse AR roots
- `ivech` - Inverse vech
- `mprint` - Pretty printing of matrices
- `newlagmatrix` - Convert a vector to lagged values
- `pca` - Principal component analysis
- `robustvcv` - Automatic sandwich covariance estimation using numerical derivatives
- `standardize` - Standardizes residuals
- `vech` - Half-vec operator for a symmetric matrix.

Private Support Functions

- `agarch_core` - `agarch` support function.
- `agarch_display` - `agarch` support function.

- `agarch_itransform` - `agarch` support function.
- `agarch_likelihood` - `agarch` support function.
- `agarch_parameter_check` - `agarch` support function.
- `agarch_starting_values` - `agarch` support function.
- `agarch_transform` - `agarch` support function.
- `aparch_core` - `aparch` support function.
- `aparch_itransform` - `aparch` support function.
- `aparch_likelihood` - `aparch` support function.
- `aparch_loglikelihood` - `aparch` support function.
- `aparch_parameter_check` - `aparch` support function.
- `aparch_starting_values` - `aparch` support function.
- `aparch_transform` - `aparch` support function.
- `armaxerrors` - `armaxfilter` support function.
- `armaxfilter_core` - `armaxfilter` support function.
- `armaxfilter_likelihood` - `armaxfilter` support function.
- `augdfcv` - `augdf` support function.
- `augdf_cvsim_tieup` - `augdf` support function.
- `egarch_core` - `egarch` support function.
- `egarch_display` - `egarch` support function.
- `egarch_itransform` - `egarch` support function.
- `egarch_likelihood` - `egarch` support function.
- `egarch_nlcon` - `egarch` support function.
- `egarch_parameter_check` - `egarch` support function.
- `egarch_starting_values` - `egarch` support function.
- `egarch_transform` - `egarch` support function.
- `igarch_core` - `igarch` support function.
- `igarch_display` - `igarch` support function.
- `igarch_itransform` - `igarch` support function.

-
- `igarch_likelihood` - `igarch` support function.
 - `igarch_parameter_check` - `igarch` support function.
 - `igarch_starting_values` - `igarch` support function.
 - `igarch_transform` - `igarch` support function.
 - `tarch_core` - `tarch` support function.
 - `tarch_display` - `tarch` support function.
 - `tarch_itransform` - `tarch` support function.
 - `tarch_likelihood` - `tarch` support function.
 - `tarch_parameter_check` - `tarch` support function.
 - `tarch_starting_values` - `tarch` support function.
 - `tarch_transform` - `tarch` support function.

Distributions and Random Variables

- `beta_inv` - Beta inverse CDF
- `beta_pdf` - Beta PDF
- `gedcdf` - Generalized Error Distribution CDF
- `gedinv` - Generalized Error Distribution inverse CDF
- `gedloglik` - Generalized Error Distribution Loglikelihood CDF
- `gedpdf` - Generalized Error Distribution PDF
- `gedrnd` - Generalized Error Random Number Generator PDF
- `mvnormloglik`
- `skewtcdf` - Skew t CDF
- `skewtinv` - Skew t inverse CDF
- `skewtloglik` - Skew t Loglikelihood
- `skewtpdf` - Skew t PDF
- `skewtrnd` - Skew t Random Number Generator
- `stdtcdf` - Standardized t CDF
- `stdtinv` - Standardized t inverse CDF
- `stdtloglik` - Standardized t Loglikelihood

- `stdtpdf` - Standardized t PDF
- `stdtrnd` - Standardized t Random Number Generator
- `tdis_inv` - Student's t inverse CDF

MATLAB Compatability

These functions are work-a-like functions of a few MATLAB provided functions so that the statistics toolbox may not be needed in some cases. If you have the Statistics toolbox, you should not use these functions.

- `chi2cdf`
- `kurtosis`
- `iscompatible`
- `normcdf`
- `norminv`
- `normloglik`
- `normpdf`

Chapter 2

Cross Sectional Analysis

2.1 Regression

2.1.1 Regression: ols

Regression with both classical (homoskedastic) and White (heteroskedasticity robust) variance covariance estimation, with an option to exclude the intercept.

$$\hat{\beta} = (\mathbf{X}'\mathbf{X})^{-1}\mathbf{X}'\mathbf{y}$$

where \mathbf{X} is an n by k matrix of regressors and \mathbf{y} is an n by 1 vector of regressands. If the intercept is included, the R^2 and \bar{R}^2 are calculated using centered versions,

$$R_C^2 = 1 - \frac{\hat{\mathbf{e}}'\hat{\mathbf{e}}}{\tilde{\mathbf{y}}'\tilde{\mathbf{y}}}$$

where $\tilde{\mathbf{y}} = \mathbf{y} - \bar{y}$ are the demeaned regressands and $\hat{\mathbf{e}} = \mathbf{y} - \mathbf{X}\hat{\beta}$ are the estimated residuals. If the intercept is excluded, these are computed using uncentered estimators,

$$R_U^2 = 1 - \frac{\hat{\mathbf{e}}'\hat{\mathbf{e}}}{\mathbf{y}'\mathbf{y}}$$

Examples

```
% Set up some experimental data
n = 100; y = randn(n,1); X = randn(n, 2);
% Regression with a constant
b = ols(y,X)
% Regression through the origin (uncentered)
b = ols(y,X,0)
```

Required Inputs

```
[outputs] = ols(Y,X)
```

The required inputs are:

- Y: An n by 1 vector containing the regressand.

- X : An n by k vector containing the regressors. X should be full rank and *should not* contain a constant column.

Optional Inputs

```
[outputs] = ols(Y,X,C)
```

The optional inputs are:

- C : A scalar (0 or 1) indicating whether the regression should include a constant. If 1 the X data are augmented by a columns of 1s before the regression coefficients are estimated. If omitted or empty, the default value is 1. C determines whether centered or uncentered estimators of R^2 and \bar{R}^2 are computed.

Outputs

`ols` provides many other outputs than the estimated parameters. The full `ols` command can return

```
[B, TSTAT, S2, VCV, VCVWHITE, R2, RBAR, YHAT] = ols(inputs)
```

The outputs are:

- B : k by 1 vector of estimated parameters.
- $TSTAT$: k by 1 vector of t-stats computed using heteroskedasticity robust standard errors.
- $S2$: Estimated variance of the regression error. Computed using a degree of freedom adjustment ($n - k$).
- VCV : Classical variance-covariance matrix of the estimated parameters.
- $VCVWHITE$: White's heteroskedasticity robust variance-covariance matrix.
- $R2$: R^2 . Centered if C is 1 or omitted.
- $RBAR$: \bar{R}^2 . Centered if C is 1 or omitted.
- $YHAT$: Fit values of Y

Comments

Linear regression estimation with homoskedasticity and White heteroskedasticity robust standard errors.

USAGE:

```
[B, TSTAT, S2, VCV, VCV_WHITE, R2, RBAR, YHAT] = ols(Y,X,C)
```

INPUTS:

```
Y      - N by 1 vector of dependent data
X      - N by K vector of independent data
C      - 1 or 0 to indicate whether a constant should be included (1: include constant)
```

OUTPUTS:

```
B      - A K(+1 is C=1) vector of parameters. If a constant is included, it is the first
```

parameter.

TSTAT - A $K(+1)$ vector of t-statistics computed using White heteroskedasticity robust standard errors.
S2 - Estimated error variance of the regression.
VCV - Variance covariance matrix of the estimated parameters. (Homoskedasticity assumed)
VCVWHITE - Heteroskedasticity robust VCV of the estimated parameters.
R2 - R-squared of the regression. Centered if $C=1$.
RBAR - Adjusted R-squared. Centered if $C=1$.
YHAT - Fit values of the dependent variable

COMMENTS:

The model estimated is $Y = X*B + \text{epsilon}$ where $\text{Var}(\text{epsilon})=S2$

EXAMPLES:

Estimate a regression with a constant

```
b = ols(y,x)
```

Estimate a regression without a constant

```
b = ols(y,x,0)
```

See also OLSNW

Chapter 3

Stationary Time Series

3.1 ARMA Simulation

3.1.1 Simulation: `armaxfilter_simulate`

ARMA and ARMAX simulation using either normal innovations or user-provided residuals.

ARMA(P,Q) simulation

An ARMA(P,Q) model is expressed as

$$y_t = \phi_0 + \sum_{p=1}^P \phi_p y_{t-p} + \sum_{q=1}^Q \theta_q \epsilon_{t-q} + \epsilon_t.$$

ARMA(P,Q) simulation requires the orders for both the AR and MA portions to be defined. To simulate an irregular AR(P) - an AR(P) with some coefficients 0 - simply simulate a regular AR(P) and insert 0 for omitted lags.

Examples

The five examples below refer, in order, to

$$y_t = 1 + .9y_{t-1} + \epsilon_t \tag{3.1}$$

$$y_t = 1 + .8\epsilon_{t-1} + \epsilon_t \tag{3.2}$$

$$y_t = 1 + 1.5y_{t-1} - .9y_{t-2} + .8\epsilon_{t-1} + .4\epsilon_{t-2} + \epsilon_t \tag{3.3}$$

$$y_t = 1 + y_{t-1} - .8y_{t-3} + \epsilon_t \tag{3.4}$$

$$y_t = 1 + .9y_{t-1} + \eta_t \tag{3.5}$$

where $\epsilon_t \stackrel{\text{i.i.d.}}{\sim} N(0, 1)$ are standard normally distributed and $\eta_t \stackrel{\text{i.i.d.}}{\sim} t_6$ are Student's T with 6 degrees of freedom distributed.

```
% Simulates 1000 draws from an AR(1) with phi0 = 1
T=1000; phi = .9; constant = 1; ARorder = 1;
y = armaxfilter_simulate(T, constant, ARorder, phi);
```

```

% Simulates 1000 draws from an MA(1) with phi0 = 1
theta = .8; MAorder=1; ARorder=0;
y = armaxfilter_simulate(T, constant, 0, [], MAorder, theta);

% Simulates 1000 draws from an ARMA(2,2) with phi0 = 1.
% The parameters are ordered phi = [phi1 phi2] and theta = [theta1 theta2]
theta=[.8 .4]; phi = [1.5 -.9]; MAorder=2; ARorder=2;
y = armaxfilter_simulate(T, constant, ARorder, phi , MAorder, theta);

% Simulates and AR(3) with some coefficients 0 and phi0=0;
constant = 0; phi = [ 1 0 -.8]; ARorder = 3;
y = armaxfilter_simulate(T, constant, ARorder, phi);

% Simulates 1000 draws from an AR(1) with phi0 = 1 using Students-t innovations
e = trnd(6,1000,1);
e=e./sqrt(6/4); % Transforms the errors to have unit variance
T=1000; phi = .9; constant = 1; ARorder = 1;
y = armaxfilter_simulate(e,constant, ARorder, phi);

```

ARMAX(P,Q) simulation

ARMAX simulation extends standard ARMA(P,Q) simulation to include the possibility of exogenous regressors, x_{kt} for $k = 1, \dots, K$. An ARMAX(P,Q) model is specified

$$y_t = \phi_0 + \sum_{p=1}^P \phi_p y_{t-p} + \sum_{k=1}^K \beta_k x_{k,t-1} + \sum_{q=1}^Q \theta_q \epsilon_{t-q} + \epsilon_t$$

Note: While the $x_{k,t-1}$ terms are all written with a $t - 1$ index, they can be from any time before t by simply redefining $x_{k,t-1}$ to refer to some variable at $t - j$. For example, $x_{1,t-1} = SP500_{t-1}$, $x_{2,t-1} = SP500_{t-2}$ and so on.

Examples

The two examples below refer, in order, to

$$y_t = 1 + .9y_{t-1} + .5x_{t-1} + \epsilon_t \quad (3.6)$$

$$y_t = 1 + .9y_{t-1} + .5x_{t-1} - .2x_{t-2} + \epsilon_t \quad (3.7)$$

where $\epsilon_t \stackrel{i.i.d.}{\sim} N(0, 1)$ are standard normally distributed and $x_t = .8 * x_{t-1} + \epsilon_t$.

```

% First simulate x
T=1001; phi = .8; constant = 0; ARorder = 1; % 1001 needed due to
% losses in lagging
x = armaxfilter_simulate(T, constant, ARorder, phi);
% Then lags x
[x, xlags1] = newlagmatrix(x,1,0);
T=1000; phi = .9; constant = 1; ARorder = 1; Xp=.5; X=xlags1;
y = armaxfilter_simulate(T, constant, ARorder, phi, 0, [], X, Xp);

```

```

% First simulate x
T=1002; phi = .8; constant = 0; ARorder = 1; % 1002 needed due to
% losses in lagging
x = armaxfilter_simulate(T, constant, ARorder, phi);
% Then lags x
[x, xlags12] = newlagmatrix(x,2,0);
T=1000; phi = .9; constant = 1; ARorder = 1; Xp=[.5 -.2]; X=xlags12;
y = armaxfilter_simulate(T, constant, ARorder, phi, 0, [], X, Xp);

```

Required Inputs

```
[outputs] = armaxfilter_simulate(T,CONST)
```

- T: Either a scalar integer or a vector of random numbers. If scalar, T represents the length of the time series to simulate. If a T by 1 vector of random numbers, these will be used to construct the simulated time series.
- CONST: Scalar value containing the constant term in the simulated model

Optional Inputs

```
[outputs] = armaxfilter_simulate(T,CONST,AR,ARPARAMS,MA,MAPARAMS,X,XPARAMS)
```

- AR: Order of AR in simulated model
- ARPARAMS: Column vector containing AR elements containing the values of the parameters on the AR terms. Ordered from smallest to largest.
- MA: Order of MA in simulated model
- MAPARAMS: Column vector containing MA elements containing the values of the parameters on the MA terms. Ordered from smallest to largest.
- X: T by k matrix of exogenous variables
- XPARAMS: k by 1 vector of parameters for the exogenous variables.

Outputs

```
[Y,ERRORS] = armaxfilter_simulate(inputs)
```

- Y: T by 1 vector of simulated data
- ERRORS: T by 1 vector of errors used to construct the simulated data

Comments

ARMAX(P,Q) simulation with normal errors. Also simulates AR, MA and ARMA models.

USAGE:

AR:

```
[Y,ERRORS]=armaxfilter_simulate(T,CONST,AR,ARPARAMS)
```

MA:

```
[Y,ERRORS]=armaxfilter_simulate(T,CONST,0,[],MA,MAPARAMS)
```

ARMA:

```
[Y,ERRORS]=armaxfilter_simulate(T,CONST,AR,ARPARAMS,MA,MAPARAMS);
```

ARMAX:

```
[Y,ERRORS]=armaxfilter_simulate(T,CONST,AR,ARPARAMS,MA,MAPARAMS,X,XPARAMS);
```

INPUTS:

- T - Length of data series to be simulated OR
T by 1 vector of user supplied random numbers (e.g. rand(1000,1)-0.5)
- CONST - Value of the constant in the model. To omit, set to 0.
- AR - Order of AR in model. To include only selected lags, for example t-1 and t-3, use 3 and set the coefficient on 2 to 0
- ARPARAMS - AR by 1 vector of parameters for the AR portion of the model
- MA - Order of MA in model. To include only selected lags of the error, for example t-1 and t-3, use 3 and set the coefficient on 2 to 0
- MAPARAMS - MA by 1 vector of parameters for the MA portion of the model
- X - T by K matrix of exogenous variables
- XPARAMS - K by 1 vector of parameters on the exogenous variables

OUTPUTS:

- Y - A T by 1 vector of simulated data
- ERRORS - The errors used in the simulation

COMMENTS:

The ARMAX(P,Q) model simulated is:

$$\begin{aligned}
 y(t) = & \text{const} + \text{arp}(1)*y(t-1) + \text{arp}(2)*y(t-2) + \dots + \text{arp}(P) y(t-P) + \\
 & + \text{ma}(1)*e(t-1) + \text{ma}(2)*e(t-2) + \dots + \text{ma}(Q) e(t-Q) \\
 & + \text{xp}(1)*x(t,1) + \text{xp}(2)*x(t,2) + \dots + \text{xp}(K)x(t,K) \\
 & + e(t)
 \end{aligned}$$

EXAMPLES:

Simulate an AR(1) with a constant

```
y = armaxfilter_simulate(500, .5, 1, .9)
```

Simulate an AR(1) without a constant

```
y = armaxfilter_simulate(500, 0, 1, .9)
```

Simulate an ARMA(1,1) with a constant

```
y = armaxfilter_simulate(500, .5, 1, .95, 1, -.5)
```

Simulate a MA(1) with a constant

```
y = armaxfilter_simulate(500, .5, [], [], 1, -.5)
```

Simulate a seasonal MA(4) with a constant

```
y = armaxfilter_simulate(500, .5, [], [], 4, [.6 0 0 .2])
```

See also ARMAXFILTER, HETEROGENEOUSAR

3.2 ARMA Estimation

3.2.1 Estimation: `armaxfilter`

Provides ARMA and ARMAX estimation for time-series models.

AR(1) and AR(P)

As special cases of an ARMAX, AR(1) and AR(P), both regular and irregular, can be estimated using `armaxfilter`. The AR(1),

$$y_t = \phi_0 + \phi_1 y_{t-1} + \epsilon_t$$

can be estimated using

```
parameters = armaxfilter(y,1,1)
```

where the first argument is the time series, the second argument takes the value 1 or 0 to indicate whether a constant should be included in the model (i.e. if it were 0, the model $y_t = \phi_1 y_{t-1} + \epsilon_t$ would be estimated), and the third argument contains the autoregressive lags to be included in the model. An AR(P),

$$y_t = \phi_0 + \phi_1 y_{t-1} + \dots + \phi_P y_{t-P} + \epsilon_t$$

can be similarly estimated

```
P = 3;
parameters = armaxfilter(y,1,[1:P])
```

which would estimate an AR(3). The final argument in `armaxfilter` is `[1:3]` because all three lags of y , y_{t-1} , y_{t-2} and y_{t-3} should be included (Note that `[1:3] = [1 2 3]`). An irregular AR(3) that includes only the first and third lag, $y_t = \phi_0 + \phi_1 y_{t-1} + \phi_3 y_{t-3} + \epsilon_t$ can be fit using

```
parameters = armaxfilter(y,1,[1 3])
```

where the final argument changes from `[1:3]` to `[1 3]` to indicate that only lags 1 and 3 should be included.

MA(1) and MA(P)

Estimation of MA(1) and MA(Q) models is similar to estimation of AR(P) models. The commands to the MA coefficient in `armaxfilter` are identical and the AR coefficients are set to 0 (or empty, `[]`). Estimation of an MA(1),

$$y_t = \theta_1 \epsilon_{t-1} + \epsilon_t$$

can be accomplished by calling

```
parameters = armaxfilter(y,1,[],1)
```

where the empty argument (`[]`) indicates that no AR terms are to be included. Parameter estimates for an MA(Q),

$$y_t = \phi_0 + \theta_1 \epsilon_{t-1} + \dots + \theta_Q \epsilon_{t-Q} + \epsilon_t$$

can be computed by calling

```
Q=3;
parameters = armaxfilter(y,1,[],[1:Q])
```

and an irregular MA(3) that only includes lags 1 and 3 can be estimated by replacing the final argument, [1:3], with [1 3].

```
parameters = armaxfilter(y,1,[],[1 3])
```

ARMA(P,Q)

Regular and Irregular ARMA(P,Q) estimation simply combines the two above steps. For example, to estimate a regular ARMA(1,1),

$$y_t = \phi_0 + \phi_1 y_{t-1} + \theta_1 \epsilon_{t-1} + \epsilon_t$$

call

```
parameters = armaxfilter(y,1,1,1)
```

Estimation of regular ARMA(P,Q) is straightforward.

$$y_t = \phi_0 + \phi_1 y_{t-1} + \dots + \phi_P y_{t-P} + \theta_1 \epsilon_{t-1} + \dots + \theta_Q \epsilon_{t-Q} + \epsilon_t$$

is estimated using the command

```
P=3; Q=4;
parameters = armaxfilter(y,1,1:P,1:Q)
```

and irregular ARMA(P,Q) processes can be computed by replacing the regular arrays [1:P] and [1:Q] with arrays of only the lags to be included,

```
parameters = armaxfilter(y,1,[1 3],[1 4])
```

ARX(P), MAX(Q) and ARMAX(P,Q)

Including exogenous variables in AR(P), MA(Q) and ARMA(P,Q) models is identical to the above save one additional step needed to align the data. Suppose that two time series $\{y_t\}$ and $\{x_t\}$ are available and that they are aligned, so that x_1 and y_1 are from the same point in time. To regress y_t on one lag of itself and a lag of x_t , it is necessary to promote x so that the element in the s^{th} position is actually x_{s-1} and thus that y_t will be coupled with x_{t-1} . This is simple to do using the command `newlagmatrix`. `newlagmatrix` produces two outputs, a vector of contemporary values that has been adjusted to remove lags (i.e. if the original series has T observations, and `newlagmatrix` is requested to produce 2 lags, the new series will have $T - 2$.) and a matrix of lags of the form $y_{t-1} y_{t-2} \dots y_{t-P}$. To estimate an ARX(P), it is necessary to adjust both x and y so that they line up. For example, to estimate

$$y_t = \phi_0 + \phi_1 y_{t-1} + \beta_1 x_{t-1} + \epsilon_t,$$

call

```
[yadj, ylags] = newlagmatrix(y,1,0);
[xadj, xlags] = newlagmatrix(x,1,0);
% Regress the adjusted values of y on the lags of x
```

```
X = xlags;
parameters = armaxfilter(yadj,1,1,0,X);
```

Aside from the step needed to properly align the data, estimating ARX(P), MAX(Q) and ARMAX(P,Q) models is identical to AR(P), MA(Q) and ARMA(P,Q). Regular models can be estimated by including 1:P or 1:Q and irregular models can be estimated using irregular arrays (e.g. [1 3] or [1 2 4]).

The key to estimating ARMAX(P,Q) models is to lags both y and x by as many lags of x as are included in the model. Consider the final example of an ARMAX(1,1) where 3 lags of x are to be included,

$$y_t = \phi_0 + \phi_1 y_{t-1} + \beta_1 x_{t-1} + \beta_2 x_{t-2} + \beta_3 x_{t-3} + \theta_1 \epsilon_{t-1} + \epsilon_t.$$

Assuming that the original x and y data “line-up” - so that $x(1)$ and $y(1)$ occurred at the same point in time - this model can be estimated using the following code:

```
[yadj, ylags] = newlagmatrix(y,3,0);
[xadj, xlags] = newlagmatrix(x,3,0);
% Regress the adjusted values of y on the lags of x
X = xlags;
parameters = armaxfilter(yadj,1,1,1,X);
```

Required Inputs

```
[outputs] = armaxfilter(Y,CONSTANT)
```

The required inputs are:

- Y: T by 1 vector containing the dependant variable.
- CONSTANT: Logical value indicating whether to include a constant (1 to include, 0 to exclude).

Note: The required inputs only estimate the (unconditional) mean, and so it will generally be necessary to use some of the optional inputs.

Optional Inputs

```
[outputs] = armaxfilter(Y,CONSTANT,P,Q,X,STARTINGVALS,OPTIONS,HOLDBACK)
```

The optional inputs are:

- P: Column vector containing indices for the AR component in the model.
- Q: Column vector containing indices for the MA component in the model
- X: T by k matrix of exogenous regressors. Should be aligned with Y so that the i^{th} row of X is known when the observation in the i^{th} row of Y is observed.
- STARTINGVALS: Column vector containing starting values for estimation. Used only for models with an MA component.
- OPTIONS: MATLAB options structure for optimization using [lsqnonlin](#).
- HOLDBACK: Scalar integer indicating the number of observations to withhold at the start of the sample. Useful when testing models with different lag lengths to produce comparable likelihoods, AICs and SBICs. Should be set to the highest lag length (AR or MA) in the models studied.

Outputs

`armaxfilter` provides many other outputs than the estimated parameters. The full `armaxfilter` command can return

```
[PARAMETERS, LL, ERRORS, SEREGRESSION, DIAGNOSTICS, VCVROBUST, VCV, LIKELIHOODS, SCORES]
    =armaxfilter(inputs here)
```

The outputs are:

- **PARAMETERS:** A vector of estimated parameters. The size of parameters is determined by whether the constant is included, the number of lags included in the AR and MA portions and the number of exogenous variables included (if any).
- **LL:** The log-likelihood computed using the estimated residuals and assuming a normal distribution.
- **ERRORS:** A T by 1 vector of estimated errors from the model
- **SEREGRESSION:** Standard error of the regression. Estimated using a degree-of-freedom adjustment.
- **DIAGNOSTICS:** A MATLAB structure of output that may be useful. To access elements of a structure, enter `diagnostics.fieldname` where *fieldname* is one of:
 - **P:** The AR lags used in estimation
 - **Q:** The MA lags used in estimation
 - **C:** An indicator (1 or 0) indicating whether a constant was included.
 - **NX:** The number of X variables in the regression
 - **AIC:** The Akaike Information Criteria (AIC) for the estimated model
 - **SBIC:** The Schwartz/Bayesian Information Criteria (SBIC) for the estimated model
 - **T:** The number of observations in the original data series
 - **ADJT:** The number of observations used for estimation after adjusting for `HOLDBACK` or requires AR lag adjustments.
 - **ARROOTS:** The characteristic roots of the characteristic equation corresponding to the estimated ARMA model.
 - **ABSARROOTS:** The absolute value of the arroots
- **VCVROBUST:** Heteroskedasticity-robust covariance matrix for the estimated parameters. The square-root of the i^{th} diagonal element is the standard deviation of the i^{th} element of **PARAMETERS**.
- **VCV:** Non-heteroskedasticity robust covariance matrix of the estimated parameters.
- **LIKELIHOODS:** A T by 1 vector of the log-likelihood of each observation.
- **SCORES:** A T by # parameters matrix of scores of the model. These are used in some advanced test.

Examples

See above.

Comments

ARMAX(P,Q) estimation

USAGE:

```
[PARAMETERS]=armaxfilter(Y,CONSTANT,P,Q)
[PARAMETERS, LL, ERRORS, SEREGRESSION, DIAGNOSTICS, VCVROBUST, VCV, LIKELIHOODS, SCORES]
=armaxfilter(Y,CONSTANT,P,Q,X,STARTINGVALS,OPTIONS,HOLDBACK)
```

INPUTS:

Y - A column of data

CONSTANT - Scalar variable: 1 to include a constant, 0 to exclude

P - Non-negative integer vector representing the AR orders to include in the model.

Q - Non-negative integer vector representing the MA orders to include in the model.

X - [OPTIONAL] a T by K matrix of exogenous variables. These line up exactly with the Y's and if they are time series, you need to shift them down by 1 place, i.e. pad the bottom with 1 observation and cut off the top row [T by K]. For example, if you want to include X(t-1) as a regressor, Y(t) should line up with X(t-1)

STARTINGVALS - [OPTIONAL] A (CONSTANT+length(P)+length(Q)+K) vector of starting values. [constant ar(1) ... ar(P) xp(1) ... xp(K) ma(1) ... ma(Q)]'

OPTIONS - [OPTIONAL] A user provided options structure. Default options are below.

HOLDBACK - [OPTIONAL] Scalar integer indicating the number of observations to withhold at the start of the sample. Useful when testing models with different lag lengths to produce comparable likelihoods, AICs and SBICs. Should be set to the highest lag length (AR or MA) in the models studied.

OUTPUTS:

PARAMETERS - A 1+length(p)+size(X,2)+length(q) column vector of parameters with [constant ar(1) ... ar(P) xp(1) ... xp(K) ma(1) ... ma(Q)]'

LL - The log-likelihood of the regression

ERRORS - A T by 1 length vector of errors from the regression

SEREGRESSION - The standard error of the regressions

DIAGNOSTICS - A structure of diagnostic information containing:

- P - The AR lags used in estimation
- Q - The MA lags used in estimation
- C - Indicator if constant was included
- nX - Number of X variables in the regression
- AIC - Akaike Information Criteria for the estimated model
- SBIC - Bayesian (Schwartz) Information Criteria for the estimated model
- ADJT - Length of sample used for estimation after HOLDBACK adjustments
- T - Number of observations
- ARROOTS - The characteristic roots of the ARMA process evaluated at the estimated parameters
- ABSARROOTS - The absolute value (complex modulus if complex) of the ARROOTS

VCVROBUST - Robust parameter covariance matrix%

VCV - Non-robust standard errors (inverse Hessian)

LIKELIHOODS - A T by 1 vector of log-likelihoods

SCORES - Matrix of scores (# of params by T)

COMMENTS:

The ARMAX(P,Q) model is:

$$\begin{aligned} y(t) = & \text{const} + \text{arp}(1)*y(t-1) + \text{arp}(2)*y(t-2) + \dots + \text{arp}(P) y(t-P) + \\ & + \text{ma}(1)*e(t-1) + \text{ma}(2)*e(t-2) + \dots + \text{ma}(Q) e(t-Q) \\ & + \text{xp}(1)*x(t,1) + \text{xp}(2)*x(t,2) + \dots + \text{xp}(K)x(t,K) \\ & + e(t) \end{aligned}$$

The main optimization is performed with `lsqnonlin` with the default options:

```
options = optimset('lsqnonlin');
options.MaxIter = 10*(maxp+maxq+constant+K);
options.Display='iter';
```

You should use the MEX file (or compile if not using Win64 Matlab) for `armaxerrors.c` as it provides speed ups of approx 10 times relative to the m file version `armaxerrors.m`

EXAMPLE:

To fit a standard ARMA(1,1), use

```
parameters = armaxfilter(y,1,1,1)
```

To fit a standard ARMA(3,4), use

```
parameters = armaxfilter(y,1,[1:3],[1:4])
```

To fit an ARMA that includes lags 1 and 3 of y and 1 and 4 of the MA term, use

```
parameters = armaxfilter(y,1,[1 3],[1 4])
```

See also `ARMAXFILTER_SIMULATE`, `HETEROGENEOUSAR`, `ARMAXERRORS`

3.2.2 Heterogeneous Autoregression: heterogeneousar

Estimates heterogeneous autoregressions, which are restricted parameterizations of standard ARs. A HAR is a model of the class

$$y_t = \phi_0 + \sum_{i=1}^P \phi_i \bar{y}_{t-1:i} + \epsilon_t$$

where $\bar{y}_{t-1:i} = i^{-1} \sum_{j=1}^i y_{t-j}$. If all lags are included from 1 to P then the HAR is just a re-parameterized Pth order AR, and so it is generally the case that most lags are set to zero, as in the common volatility HAR,

$$y_t = \phi_0 + \phi_1 y_{t-1} + \phi_5 \bar{y}_{t-1:5} + \phi_{22} \bar{y}_{t-1:22} + \epsilon_t$$

where $\bar{y}_{t-1:1} = y_{t-1}$.

Examples

```
% Simulate data from a HAR model
y = armaxfilter_simulate(1000,1,22,[.1 .3/4*ones(1,4) .55/17*ones(1,17)])
% Standard HAR with 1, 5 and 22 day lags
parameters = heterogeneousar(Y,1,[1 5 22]')
% Standard HAR with 1, 5 and 22 days lags using matrix notation
parameters = heterogeneousar(Y,1,[1 1;1 5;1 22])
% Standard HAR with 1, 5 and 22 day lags using the non-overlapping reparameterization
parameters = heterogeneousar(Y,1,[1 5 22]',[],'MODIFIED')
% Standard HAR with 1, 5 and 22 day lags with Newey-West standard errors
[parameters, errors, seregression, diagnostics, vcvrobust, vcv] = ...
heterogeneousar(Y,1,[1 5 22]',ceil(length(Y)^(1/3)))
% Nonstandard HAR with lags 1, 2 and 10-22 day lags
parameters = heterogeneousar(Y,1,[1 1;2 2;10 22])
```

Required Inputs

```
[outputs] = heterogeneousar(Y,CONSTANT,P)
```

The required inputs are:

- Y: T by 1 vector containing the dependant variable.
- CONSTANT: Logical value indicating whether to include a constant (1 to include, 0 to exclude).
- P: Vector or Matrix. If a vector, must be a column vector. The values are interpreted as the number of lags to average in each term. For example, [1 5 22] would fit the HAR

$$y_t = \phi_0 + \phi_1 y_{t-1} + \phi_5 \bar{y}_{t-1:5} + \phi_{22} \bar{y}_{t-1:22} + \epsilon_t.$$

If a matrix, must be number of terms by 2 where the first column indicates the start point and the

second indicates the end point. The matrix equivalent to the above vector notation is

$$\begin{bmatrix} 1 & 1 \\ 1 & 5 \\ 1 & 22 \end{bmatrix}.$$

The matrix notation allows a HAR with non-overlapping intervals to be specified, such as

$$\begin{bmatrix} 1 & 1 \\ 2 & 5 \\ 10 & 22 \end{bmatrix}$$

which would fit the model

$$y_t = \phi_0 + \phi_1 y_{t-1} + \phi_5 \bar{y}_{t-2:5} + \phi_{22} \bar{y}_{t-10:22} + \epsilon_t.$$

Optional Inputs

[outputs] = heterogeneousar(Y,CONSTANT,P,NW,SPEC)

The optional inputs are:

- NW: Number of lags to include when computing the covariance of the estimated parameters. Default is 0.
- SPEC: String value, either **'STANDARD'** or **'MODIFIED'**. Modified reparameterizes the usual HAR as a series of non-overlapping intervals, and so

$$y_t = \phi_0 + \phi_1 y_{t-1} + \phi_5 \bar{y}_{t-1:5} + \phi_{22} \bar{y}_{t-1:22} + \epsilon_t$$

would be reparameterized as

$$y_t = \phi_0 + \phi_1 y_{t-1} + \phi_5 \bar{y}_{t-2:5} + \phi_{22} \bar{y}_{t-6:22} + \epsilon_t$$

when estimated. The model fits are identical, and the **'MODIFIED'** version is only helpful for presentation and interpretation.

Outputs

[PARAMETERS, ERRORS, SEREGRESSION, DIAGNOSTICS, VCVROBUST, VCV] = heterogeneousar(inputs)

- PARAMETERS: A vector of estimated parameters. The size of parameters is determined by whether the constant is included and the number of lags included in the HAR.
- ERRORS: A T by 1 vector of estimated errors from the model. The first $\max(\max(P))$ are set to 0.
- SEREGRESSION: Standard error of the regression. Estimated using a degree-of-freedom adjustment.
- DIAGNOSTICS: A MATLAB structure of output that may be useful. To access elements of a structure, enter `diagnostics.fieldname` where `fieldname` is one of:

- P: The AR lags used in estimation
 - C: An indicator (1 or 0) indicating whether a constant was included.
 - AIC: The Akaike Information Criteria (AIC) for the estimated model
 - SBIC: The Schwartz/Bayesian Information Criteria (SBIC) for the estimated model
 - T: The number of observations in the original data series
 - ADJT: The number of observations used for estimation after adjusting for AR lag length.
 - ARROOTS: The characteristic roots of the characteristic equation corresponding to the estimated ARMA model.
 - ABSARROOTS: The absolute value of the arroots
- VCVROBUST: Heteroskedasticity-robust covariance matrix for the estimated parameters. Also autocorrelation robust if NW selected appropriately. The square-root of the i^{th} diagonal element is the standard deviation of the i^{th} element of PARAMETERS.
 - VCV: Non-heteroskedasticity robust covariance matrix of the estimated parameters.

Comments

Heterogeneous Autoregression parameter estimation

USAGE:

```
[PARAMETERS] = heterogeneousar(Y,CONSTANT,P)
```

```
[PARAMETERS, ERRORS, SEREGRESSION, DIAGNOSTICS, VCVROBUST, VCV]  
= heterogeneousar(Y,CONSTANT,P,NW,SPEC)
```

INPUTS:

- Y - A column of data
- CONSTANT - Scalar variable: 1 to include a constant, 0 to exclude
- P - A column vector or a matrix.
If a vector, should include the indices to use for the lag length, such as in the usual case for monthly volatility data $P=[1; 5; 22]$. This indicates that the 1st lag, average of the first 5 lags, and the average of the first 22 lags should be used in estimation. NOTE: When using the vector format, P MUST BE A COLUMN VECTOR to avoid ambiguity with the matrix format. If P is a matrix, the values indicate the start and end points of the averages. The above vector can be equivalently expressed as $P=[1\ 1;1\ 5;1\ 22]$. The matrix notation allows for the possibility of skipping lags, for example $P=[1\ 1; 5\ 5; 1\ 22]$; would have the 1st lag, the 5th lag and the average of lags 1 to 22. NOTE: When using the matrix format, P MUST be # Entries by 2.
- NW - [OPTIONAL] Number of lags to use when computing the long-run variance of the scores in VCVROBUST. Default is 0.
- SPEC - [OPTIONAL] String value indicating which representation to use in parameter estimation. May be:
'STANDARD' - Usual representation with overlapping lags
'MODIFIED' - Modified representation with non-overlapping lags

OUTPUTS:

- PARAMETERS - A $1+\text{length}(p)$ column vector of parameters with
[constant har(1) ... har(P)]'

```

ERRORS      - A T by 1 length vector of errors from the regression with 0s in first max(max(P))
             places
SREGRESSION - The standard error of the regressions
DIAGNOSTICS - A structure of diagnostic information containing:
             P      - List of HAR lags used in estimation
             C      - Indicator if constant was included
             AIC    - Akaike Information Criteria for the estimated model
             SBIC   - Bayesian (Schwartz) Information Criteria for the
                   estimated model
             T      - Number of observations
             ADJT   - Length of sample used for estimation
             ARROOTS - The characteristic roots of the ARMA
                   process evaluated at the estimated parameters
             ABSARROOTS - The absolute value (complex modulus if
                   complex) of the ARROOTS
VCVROBUST  - Robust parameter covariance matrix, White if NW = 0,
             Newey-West if NW>0
VCV        - Non-robust standard errors (inverse Hessian)

```

EXAMPLES:

```

Simulate data from a HAR model
  y = armaxfilter_simulate(1000,1,22,[.1 .3/4*ones(1,4) .55/17*ones(1,17)])
Standard HAR with 1, 5 and 22 day lags
  parameters = heterogeneousar(Y,1,[1 5 22]')
Standard HAR with 1, 5 and 22 days lags using matrix notation
  parameters = heterogeneousar(Y,1,[1 1;1 5;1 22])
Standard HAR with 1, 5 and 22 day lags using the non-overlapping reparameterization
  parameters = heterogeneousar(Y,1,[1 5 22]',[],'MODIFIED')
Standard HAR with 1, 5 and 22 day lags with Newey-West standard errors
  [parameters, errors, seregression, diagnostics, vcvrobust, vcv] = ...
    heterogeneousar(Y,1,[1 5 22]',ceil(length(Y)^(1/3)))
Nonstandard HAR with lags 1, 2 and 10-22 day lags
  parameters = heterogeneousar(Y,1,[1 1;2 2;10 22])

```

See also ARMAXFILTER, TARCH

3.2.3 Residual Plotting: `tsresidualplot`

Provides a convenient tool to quickly plot errors from ARMA models.

Examples

```
T=1000; phi = .9; constant = 1; ARorder = 1;
y = armaxfilter_simulate(T, constant, ARorder, phi);
% ARMA(1,1) with a constant;
[parameters, LL, errors] = armaxfilter(y, 1, 1, 1);
tsresidualplot(y,errors)

% With dates for 1000 days beginning at Jan 1 2007
dates = datenum('Jan-01-2007'):datenum('Jan-01-2007')+999;
% ARMA(1,1) with a constant;
[parameters, LL, errors] = armaxfilter(y, 1, 1, 1);
tsresidualplot(y,errors, dates)
```

The output of `tsresidualplot` is in figure 3.1 (this was generated using the second command above):

Required Inputs

```
[outputs] = tsresidualplot(Y,ERRORS)
```

- Y: T by 1 vector of modeled data
- ERRORS: T by 1 vector of residuals

Optional Inputs

```
[outputs] = tsresidualplot(Y,ERRORS,DATES)
```

- DATES: T by 1 vector of MATLAB serial dates

Outputs

```
[HAXIS,HFIG] = tsresidualplot(inputs)
```

- HAXIS: 2 by 1 vector of handles to the plot axes
- HFIG: Handle to the figure containing the residual plot

Comments

Produces a plot for visualizing time series data and residuals from a time series model

USAGE:

```
tsresidualplot(Y,ERRORS)
[HAXIS,HFIG] = tsresidualplot(Y,ERRORS,DATES)
```

INPUTS:

```
Y      - A  $T$  by 1 vector of data
```




Figure 3.1: The output of `tsresidplot` generated using the code in the second example.

ERRORS - A T by 1 vector of residuals, usually produced by `ARMAXFILTER`
DATES - [OPTIONAL] A T by 1 vector of MATLAB dates (i.e. should be 733043 rather than '1-1-2007').
 If provided, the data and residuals will be plotted against the date rather than the observation index

OUTPUTS:

HAXIS - A 2 by 1 vector axis handles to the top subplots
HFIG - A scalar containing the figure handle

COMMENTS:

HAXIS can be used to change the format of the dates on the x-axis when MATLAB dates are provided by calling

```
datetick(HAXIS(j), 'x', DATEFORMAT, 'keeplimits')
```

where *j* is 1 (top) or 2 (bottom subplot) and `DATEFORMAT` is a numeric value between 28. See `doc datetick` for more details. For example,


```
datetick(HAXIS(1),'x',25,'keeplimits')
```

will change the top subplot's x-axis labels to the form yy/mm/dd.

EXAMPLES:

Estimate a model and produce a plot of fitted and residuals

```
[parameters, LL, errors] = armaxfilter(y, 1, 1, 1);  
tsresidualplot(y, errors)
```

Estimate a model and produce a plot of fitted and residuals with dates

```
[parameters, LL, errors] = armaxfilter(y, 1, 1, 1);  
dates = datenum('01Jan2007') + (1:length(y));  
tsresidualplot(y, errors, dates)
```

See also ARMAXFILTER, DATETICK

3.2.4 Characteristic Roots: `armaroots`

Computes the characteristic roots (and their absolute values) of the characteristic equation that correspond to an ARMAX(P,Q) equation. It is usually called after or during `armaxfilter`.

Examples

`armaroots` can be used with either the output of `armaxfilter` or with hypothetical parameters. The first example shows how to use them with `armaxfilter` while the second and third demonstrate their use with hypothetical ARMA parameters. Note that the AR and MA lag lengths are identical to those used in `armaxfilter`, so a regular ARMA(P,Q) requires `[1:P]` and `[1:Q]` to be input. This allows roots of irregular ARMA(P,Q) to be computed by including the indices of the lags used (i.e. `[1 3]`).

```
T=1000; phi = .9; constant = 1; ARorder = 1;
y = armaxfilter_simulate(T, constant, ARorder, phi);
% ARMA(1,1) with a constant;
[parameters, LL, errors] = armaxfilter(y, 1, 1, 1);
[arroots, absarroots] = armaroots(parameters, 1, 1, 1)

arroots =
    0.9023

absarroots =
    0.9023

% An ARMA(2,2)
phi = [1.3 -.35]; theta = [.4 .3]; parameters=[1 phi theta]';
[arroots, absarroots] = armaroots(parameters, 1, [1 2], [1 2])

arroots =
    0.9193
    0.3807

absarroots =
    0.9193
    0.3807

% An irregular AR(3)
% Note that phi contains phi1 and phi3 and that there is no phi2
phi = [1.3 -.35]; parameters = [1 phi]';
% There will be three roots
[arroots, absarroots] = armaroots(parameters, 1, [1 3],[])

arroots =
    0.8738 + 0.1364i
    0.8738 - 0.1364i
   -0.4475

absarroots =
    0.8843
```

```
0.8843
0.4475
```

Required Inputs

```
[outputs] = armaroots(PARAMETERS, CONSTANT, P, Q)
```

- **PARAMETERS:** A vector of parameters. The size of parameters is determined by whether the constant is included, the number of lags included in the AR and MA portions and the number of exogenous variables included (if any).
- **CONSTANT:** Logical value indicating whether to include a constant (1 to include, 0 to exclude).
- **P:** Column vector containing indices for the AR component in the model.
- **Q:** Column vector containing indices for the MA component in the model

Optional Inputs

```
[outputs] = armaroots(PARAMETERS, CONSTANT, P, Q, X)
```

- **X:** T by k matrix of exogenous regressors

Outputs

```
[ARROOTS, ABSARROOTS] = armaroots(inputs)
```

- **ARROOTS:** Vector containing roots of characteristic function associated with AR. The highest lag in P determines the number of roots.
- **ABSARROOTS:** Complex modulus of the characteristic roots.

Comments

Computes the roots of the characteristic equation of an ARMAX(P,Q) as parameterized by ARMAXFILTER

USAGE:

```
[ARROOTS] = armaroots(PARAMETERS, CONSTANT, P, Q)
[ARROOTS, ABSARROOTS] = armaroots(PARAMETERS, CONSTANT, P, Q, X)
```

INPUTS:

PARAMETERS - A $\text{CONSTANT} + \text{length}(P) + \text{length}(Q) + \text{size}(X, 2)$ by 1 vector of parameters, usually an output from ARMAXFILTER

CONSTANT - Scalar variable: 1 to include a constant, 0 to exclude

P - Non-negative integer vector representing the AR orders to include in the model.

Q - Non-negative integer vector representing the MA orders to include in the model.

X - [OPTIONAL] A T by K matrix of exogenous variables.

OUTPUTS:

ARROOTS - A $\max(P)$ by 1 vector containing the roots of the characteristic equation corresponding to the ARMA model input

ABSARROOTS - Absolute value or complex modulus of the autoregressive roots

COMMENTS:

EXAMPLES:

Compute the AR roots of an ARMA(2,2)

```
phi = [1.3 -.35]; theta = [.4 .3]; parameters=[1 phi theta]';  
[arroots, absarroots] = armaroots(parameters, 1, [1 2], [1 2])
```

Compute the AR roots of an irregular AR(3)

```
phi = [1.3 -.35]; parameters = [1 phi]';  
[arroots, absarroots] = armaroots(parameters, 1, [1 3],[1])
```

See also ARMAXFILTER, ROOTS

3.2.5 Information Criteria: aicsbic

Computes the Akaike Information Criteria (AIC) and the Schwartz/Bayes Information Criterion for an ARMAX(P,Q). The AIC is given by

$$AIC = \ln \hat{\sigma}^2 + \frac{2k}{T}$$

where k is the number of parameters in the model, including the constant, AR coefficients, MA coefficient and any X variables. The SBIC is given by

$$SBIC = \ln \hat{\sigma}^2 + \frac{\ln Tk}{T}.$$

Examples

```
% This example continues the examples from the ARMAXFILTER section
```

```
T=1000; phi = .9; constant = 1; ARorder = 1;
```

```
y = armaxfilter_simulate(T, constant, ARorder, phi);
```

```
p=1; q=0; constant =1;
```

```
% AR(1) with a constant;
```

```
[parameters, LL, errors] = armaxfilter(y, constant, p, q);
```

```
[aic, sbic] = aicsbic(errors, constant, p, q)
```

```
p=1; q=1; constant =1;
```

```
% AR(1) with a constant;
```

```
[parameters, LL, errors] = armaxfilter(y, constant, p, q);
```

```
[aic, sbic] = aicsbic(errors, constant, p, q)
```

```
%AR(1), the smaller one (also true model)
```

```
aic =
```

```
    -0.0334
```

```
sbic =
```

```
    -0.0235
```

```
% ARMA(1,1)
```

```
aic =
```

```
    -0.0327
```

```
sbic =
```

```
    -0.0179
```

```
% If using exogenous variables,
```

```
[aic, sbic] = aicsbic(errors, constant, p, q, X)
```

Required Inputs

```
[outputs] = aicsbic(ERRORS, CONSTANT, P, Q)
```

- ERRORS: A T by 1 vector of estimated errors from the ARMAX model
- CONSTANT: Logical value indicating whether to include a constant (1 to include, 0 to exclude).
- P: Column vector containing indices for the AR component in the model.
- Q: Column vector containing indices for the MA component in the model

Optional Inputs

```
[outputs] = aicsbic(ERRORS,CONSTANT,P,Q,X)
```

- X: T by k matrix of exogenous regressors used in ARMAX estimation

Outputs

```
[AIC,SBIC] = aicsbic(inputs)
```

- AIC: Akaike Information Criteria
- SBIC: Schwartz/Bayesian Information Criteria

Comments

Computes the Akaike and Schwartz/Bayes Information Criteria for an ARMA(P,Q) as parameterized in ARMAXFILTER

USAGE:

```
[AIC] = aicsbic(ERRORS,CONSTANT,P,Q)
[AIC,SBIC] = aicsbic(ERRORS,CONSTANT,P,Q,X)
```

INPUTS:

```
ERRORS - A T by 1 length vector of errors from the regression
CONSTANT - Scalar variable: 1 to include a constant, 0 to exclude
P - Non-negative integer vector representing the AR orders to include in the model.
Q - Non-negative integer vector representing the MA orders to include in the model.
X - [OPTIONAL] a T by K matrix of exogenous variables.
```

OUTPUTS:

```
AIC - The Akaike Information Criteria
SBIC - The Schwartz/Bayes Information Criteria
```

COMMENTS:

This is a helper for ARMAXFILTER and uses the same inputs, CONSTANT, P, Q and X. ERRORS should be the errors returned from a call to ARMAXFILTER with the same values of P, Q, etc.

EXAMPLES:

```
Compute AIC and SBIC from an ARMA
[parameters, LL, errors] = armaxfilter(y, constant, p, q);
[aic, sbic] = aicsbic(errors, constant, p, q)
```

See also ARMAXFILTER, HETEROGENEOUSAR

3.3 ARMA Forecasting

3.3.1 Forecasting: arma_forecaster

Produces h -step ahead forecasts from an ARMA(P,Q) model. `arma_forecaster` also computed h -step ahead forecast standard deviation, aligns y_{t+h} and $\hat{y}_{t+h|t}$ (so that they both appear at time t) and computes forecast errors.

`arma_forecaster` produces $\hat{y}_{t+h|t}$, the h -step ahead forecast of y starting at time t , starting at observation R and continuing until the end of the sample. The function will return a vector containing R “NaN” values (since there are no forecasts for the first R observations) followed by $T - R$ elements forming the sequence $\hat{y}_{r+h|r}$, $\hat{y}_{r+h+1|r+1}$, \dots , $\hat{y}_{T+h|T}$. The function will also return y_{t+h} shifted back h places. The first R elements of y^{t+h} will also be “NaN”. The next $T - R - h$ will be y_{r+h} , y_{r+h+1} , \dots , y_{T+h} and the final h are also “NaN”. The h -NaNs at the end of the sample are present because y_{T+1} , \dots , y_{T+h} are not available (since by construction the series end at observation T). The function also produces the forecast errors which are simply $\hat{e}_{t+h|t} = y_{t+h} - \hat{y}_{t+h|t}$, with the error from the forecast computed at time- t placed in the t^{th} element of the vector. The final output of this function is the forecast standard deviation which is computed assuming homoskedasticity

Examples

```
T=1000; phi = .9; constant = 1; ARorder = 1;
y = armaxfilter_simulate(T, constant, ARorder, phi);
% AR(1) with a constant;
[parameters, LL, errors] = armaxfilter(y(1:500), 1, 1, 0);
% Produces the 1-step ahead forecast from an AR(1) starting from observation 500
[yhattph, yhat, forerr, ystd]=arma_forecaster(y, parameters, 1, 1, [], 500, 1);
% Produces the 10-step ahead forecast starting from observation 500
ystd
ystd =
    1

[yhattph, yhat, forerr, ystd]=arma_forecaster(y, parameters, 1, 1, [], 500, 10, 1);
ystd
ystd =
    1.9002
```

Comments

Produces h -step ahead forecasts from ARMA(P,Q) models starting at some point in the sample, R , and ending at the end of the sample. Also shifts the data to align $y(t+h)$ with $y(t+h|t)$ in slot t , computes the theoretical forecast standard deviation (assuming homoskedasticity) and the forecast errors.

USAGE:

```
[YHATTPH] = arma_forecaster(Y,PARAMETERS,CONSTANT,P,Q,R,H)
[YHATTPH, YTPH, FORERR, YSTD] =
    arma_forecaster(Y,PARAMETERS,CONSTANT,P,Q,R,H,SEREGRESSION)
```

INPUTS:

- Y - A column of data
- CONSTANT - Scalar variable: 1 if the model includes a constant, 0 to exclude
- P - Non-negative integer vector representing the AR orders included in the model.
- Q - Non-negative integer vector representing the MA orders included in the model.
- R - Length of sample used in estimation. Sample is split up between R and P, where the first R (regression) are used for estimating the model and the remainder are used for prediction (P) so that $R+P=T$.
- H - The forecast horizon
- SEREGRESSION - [OPTIONAL] The standard error of the regression. Used to compute confidence intervals. If omitted, SEREGRESSION is set to 1.

OUTPUTS:

- YHATTPH - h-step ahead forecasts of Y. The element in position t of YHATTPH is the time t forecast of $Y(t+h)$. The first R elements of YHATTPH are NaN. The next $T-R-H$ are pseudo in-sample forecasts while the final H are out-of-sample.
- YTPH - Value of original data at time $t+h$ shifted to position t. The first R elements of YTPH are NaN. The next $T-R-H$ are the values $y(R+H), \dots, y(T)$, and the final H are NaN since there is no data available for comparing to the final H forecasts.
- FORERR - The forecast errors, $YHATTPH - YTPH$
- YSTD - The theoretical standard deviation of the h-step ahead forecast (assumed homoskedasticity)

COMMENTS:

Values not relevant for the forecasting exercise have NaN returned.

See also `armaxfilter`

3.4 Sample autocorrelation and partial autocorrelation

3.4.1 Sample Autocorrelations: sacf

Computes the sample autocorrelations and standard errors. Standard errors can be computed under assumptions of homoskedasticity or heteroskedasticity. The s^{th} sample autocorrelation is computed using the regression

$$y_t = \rho_s y_{t-s} + \epsilon_t$$

where the mean has been subtracted from the data and the standard errors use the usual OLS covariance estimators, either the homoskedastic form or White's.

Examples

```
x=randn(1000,1);% Define x to be a 1000 by 1 vector or random data
[ac, acstd] = sacf(x,5) % Results will vary based on the random numbers used

ac =
  -0.0250
  -0.0608
  -0.0080
   0.0123
  -0.0067

acstd =
   0.0331
   0.0332
   0.0312
   0.0310
   0.0323

[ac, acstd] = sacf(x,5,0) % Non-heteroskedasticity robust result

ac =
  -0.0250
  -0.0608
  -0.0080
   0.0123
  -0.0067

acstd =
   0.0316
   0.0317
   0.0317
   0.0317
   0.0317
```

Comments

Computes sample autocorrelations and standard deviation using either

heteroskedasticity robust standard errors or classic (homoskedastic) standard errors

USAGE:

[AC,ACSTD] = sacf(DATA,LAGS)

[AC,ACSTD] = sacf(DATA,LAGS,ROBUST)

INPUTS:

DATA - A T by 1 vector of data
LAGS - The number of autocorrelations to compute
ROBUST - [OPTIONAL] Logical variable (0 (non-robust) or 1 (robust)) to indicate whether heteroskedasticity robust standard errors should be used. Default is to use robust standard errors (ROBUST=1).

OUTPUTS:

AC - A LAGS by 1 vector of autocorrelations
PVAL - A LAGS by 1 vector of standard deviations

COMMENTS:

Sample autocorrelations are computed using the maximum number of observations for each lag. For example, if DATA has 100 observations, the first autocorrelation is computed using 99 data points, the second with 98 data points and so on.

3.4.2 Sample Partial Autocorrelations: spacf

Computes the partial sample autocorrelations and standard errors. Standard errors can be computed under assumptions of homoskedasticity or heteroskedasticity. The s^{th} sample autocorrelation is computed using the regression

$$y_t = \phi_1 y_{t-1} + \dots + \phi_{s-1} y_{t-s+1} + \phi_s y_{t-s} + \epsilon_t$$

and the standard errors use the usual OLS covariance estimators, either the homoskedastic form or White's.

Examples

```
x=randn(1000,1);% Define x to be a 1000 by 1 vector or random data
[pac, pacstd] = spacf(x,5) % Results will vary based on the random numbers used

pac =
    0.0098
    0.0015
    0.0432
    0.0006
    0.0768

pacstd =
    0.0316
    0.0313
    0.0315
    0.0311
    0.0324

[pac, pacstd] = spacf(x,5,0) % Non-heteroskedasticity robust result

pac =
    0.0098
    0.0015
    0.0432
    0.0006
    0.0768

pacstd =
    0.0316
    0.0316
    0.0316
    0.0316
    0.0316
```

Comments

Computes sample partial autocorrelations and standard deviation using either heteroskedasticity robust standard errors or classic (homoskedastic) standard errors

USAGE:

```
[PAC,PACSTD] = spacf(DATA,LAGS)
[PAC,PACSTD] = spacf(DATA,LAGS,ROBUST)
```

INPUTS:

DATA - A T by 1 vector of data
LAGS - The number of autocorrelations to compute
ROBUST - [OPTIONAL] Logical variable (0 (non-robust) or 1 (robust)) to indicate whether heteroskedasticity robust standard errors should be used. Default is to use robust standard errors (ROBUST=1).

OUTPUTS:

PAC - A LAGS by 1 vector of partial autocorrelations
PACSTD - A LAGS by 1 vector of standard deviations

COMMENTS:

Sample partial autocorrelations computed from autocorrelations that are computed using the maximum number of observations for each lag. For example, if DATA has 100 observations, the first autocorrelation is computed using 99 data points, the second with 98 data points and so on.

3.5 Theoretical autocorrelation and partial autocorrelation

3.5.1 ARMA Autocorrelations: acf

Computes the theoretical autocorrelations from an ARMA(P,Q) by solving the Yule-Walker equations.

Examples

The two examples correspond to an AR(1) with $\phi_1 = .9$ and an ARMA(1,1) with $\phi_1 = .9$ and $\theta_1 = .9$.

```
ac = acf(.9,0,5)
```

```
ac =
  1.0000
  0.9000
  0.8100
  0.7290
  0.6561
  0.5905
```

```
ac = acf(.9,.9,5)
```

```
ac =
  1.0000
  0.9499
  0.8549
  0.7694
  0.6924
  0.6232
```

Comments

Computes the theoretical autocorrelations and long-run variance of an ARMA(p,q) process

USAGE:

```
[AUTOCORR, SIGMA2_T] = acf(PHI,THETA,N)
[AUTOCORR, SIGMA2_T] = acf(PHI,THETA,N,SIGMA2_E)
```

INPUTS:

```
PHI      - Autoregressive parameters, in the order t-1,t-2,...
THETA    - Moving average parameters, in the order t-1,t-2,...
N        - Number of autocorrelations to be computed
SIGMA2_E - [OPTIONAL] Variance of errors. If omitted, sigma2_e=1
```

OUTPUTS:

```
AUTOCORR - N+1 by 1 vector of autocorrelation. To recover the
          autocovariance of an ARMA(P,Q), use AUTOCOV = AUTOCORR * SIGMA2_Y
SIGMA2_Y  - Long-run variance, denoted gamma0 of ARMA process with
          innovation variance SIGMS2_E
```

COMMENTS:

Note: The ARMA model is parameterized as follows:

$$y(t) = \phi(1)y(t-1) + \phi(2)y(t-2) + \dots + \phi(p)y(t-p) + e(t) + \theta(1)e(t-1) + \theta(2)e(t-2) + \dots + \theta(q)e(t-q)$$

To compute the autocorrelations for an ARMA that does not include all lags 1 to P, insert 0 for any excluded lag. For example, if the model was $y(t) = \phi(2)y(t-1)$, $\text{THETA} = [0 \ \phi(2)]$

3.5.2 ARMA Partial Autocorrelations: pacf

Computes the theoretical partial autocorrelations from an ARMA(P,Q). The function uses `acf` to produce the theoretical autocorrelations and then transforms them to partial autocorrelations by noting that the s^{th} partial autocorrelation is given by ϕ_s in the regression

$$y_t = \phi_1 y_{t-1} + \phi_2 y_{t-2} + \dots + \phi_s y_{t-s} + \epsilon_t$$

and is computed using the first $s + 1$ autocorrelations and the population regression coefficients.

Examples

The two examples correspond to an AR(1) with $\phi_1 = .9$ and an ARMA(1,1) with $\phi_1 = .9$ and $\theta_1 = .9$.

```
pac = pacf(.9,0,5)
```

```
pac =
  1.0000
  0.9000
   0
   0
   0
   0
```

```
pac = pacf(.9,.9,5)
```

```
pac =
  1.0000
  0.9499
 -0.4843
  0.3226
 -0.2399
  0.1892
```

Comments

Computes the theoretical partial autocorrelations an ARMA(p,q) process

USAGE:

```
[PAUTOCORR] = pacf(PHI,THETA,N)
```

INPUTS:

```
PHI      - Autoregressive parameters, in the order t-1,t-2,...
THETA    - Moving average parameters, in the order t-1,t-2,...
N        - Number of autocorrelations to be computed
```

OUTPUTS:

```
PAUTOCORR - N+1 by 1 vector of partial autocorrelations.
```

COMMENTS:

Note: The ARMA model is parameterized as follows:

$$y(t) = \phi(1)y(t-1) + \phi(2)y(t-2) + \dots + \phi(p)y(t-p) + e(t) + \theta(1)e(t-1) + \theta(2)e(t-2) + \dots + \theta(q)e(t-q)$$

To compute the autocorrelations for an ARMA that does not include all lags 1 to P, insert 0 for any excluded lag. For example, if the model was $y(t) = \phi(2)y(t-1)$, $\text{THETA} = [0 \ \phi(2)]$

3.6 Testing for serial correlation

3.6.1 Ljung-Box Q Statistic: `ljungbox`

The Ljung-Box statistic tests whether the first k autocorrelations are zero against an alternative that at least one is non-zero. The Ljung-Box Q is computed

$$Q = T(T+2) \sum_{i=1}^k \frac{\hat{\rho}_i^2}{T-K}$$

where $\hat{\rho}_i$ is the i^{th} sample autocorrelation. This test statistic has an asymptotic χ_K^2 distribution. **Note:** The Ljung-Box statistic is not appropriate for heteroskedastic data.

Examples

```
x = randn(1000,1); % Define x to be a 1000 by 1 vector of random data
[Q, pval] = ljungbox(x,5) % Results will vary based on the random numbers used
```

```
Q =
    0.2825
    1.2403
    2.0262
    2.0316
    3.8352
```

```
pval =
    0.4049
    0.4621
    0.4330
    0.2701
    0.4266
```

Comments

Ljung-Box tests for the presence of serial correlation in up to q lags. Returns LAGS Ljung-Box statistics tests, one for tests for each lag between 1 and LAGS. Under the null of no serial correlation and assuming homoskedasticity, the Ljung-Box test statistic is asymptotically distributed $X^2(q)$

USAGE:

```
[Q,PVAL] = ljungbox(DATA,LAGS)
```

INPUTS:

```
DATA    - A T by 1 vector of data
LAGS    - The maximum number of lags to compute the LB. The statistic and
          pval will be returned for all sets of lags up to and
          including LAGS
```

OUTPUTS:

```
Q       - A LAGS by 1 vector of Q statistics
PVAL    - A LAGS by 1 set of appropriate pvals
```

COMMENTS:

This test statistic is common but often inappropriate since it assumes homoskedasticity. For a heteroskedasticity consistent serial correlation test, see `lmtest1`

SEE ALSO:

`lmtest1`, `lmtest2`

3.6.2 LM Serial Correlation Test: `lmtest1`

Conducts an LM test that there is no evidence of serial correlation up to an including Q lags of the dependant variable. The test is an LM-test for testing the null that all of the regression coefficients are zero in

$$y_t = \phi_0 + \phi_1 y_{t-1} + \phi_2 y_{t-2} + \dots + \phi_Q y_{t-Q} + \epsilon_t.$$

The null tested is $H_0 : \phi_1 = \phi_2 = \dots = \phi_Q = 0$ and the test is computed as an LM test of the form

$$LM = T\hat{\mathbf{s}}\hat{\mathbf{S}}^{-1}\hat{\mathbf{s}}$$

where $\mathbf{s} = T^{-1}\mathbf{X}'\tilde{\epsilon}$ and $\mathbf{S} = T^{-1}\sum_{t=1}^T \tilde{\epsilon}_t \mathbf{x}_t \mathbf{x}_t'$ where $\mathbf{x}_t = [y_{t-1} y_{t-2} \dots y_{t-Q}]$ and $\tilde{\epsilon}_t = y_t - \bar{y}$. The function is called by passing the data and the number of lags to test into the function

and returns a Q by 1 vector of LM tests where the first value tests 1 lag, the second value tests 2 lags, and so on up to the Q th which returns the Q -lag LM test for serial correlation. `\texttt{lmtest1}` can take an optional third argument which determines the covariance estimator ($\hat{\mathbf{S}}$): 0 uses a non-heteroskedasticity robust estimator while 1 (default) uses a heteroskedasticity robust estimator. To use the alternative form, use the three parameter form

```
\begin{MATLAB}LM = lmtest1(data, Q, robust)
```

where robust is either 0 or 1. `lmtest1` also returns an optional second output, the p-values of each test statistic computed using a χ_j^2 where j is the number of lags used in that test, so 1 for the first value of LM, 2 for the second and so on up to a χ_Q^2 for the final value.

```
\subsubsection{Examples}
```

```
\begin{MATLAB}
```

```
x = randn(1000,1); % Define x to be a 1000 by 1 vector or random data
[LM, pval] = lmtest1(x,5) % Results will vary based on the random numbers used
```

```
LM =
    0.0223
    0.1279
    0.5606
    0.7200
    0.5851
```

```
pval =
    0.8813
    0.9381
    0.9054
    0.9488
    0.9887
```

```
[LM, pval] = lmtest1(x,5,0) % Non-robust standard errors
```

```
LM =
    0.0229
```

```
0.1256
0.5827
0.7308
0.5879

pval =
0.8798
0.9391
0.9004
0.9475
0.9886
```

Comments

LM tests for the presence of serial correlation in q lags, with or without heteroskedasticity. Returns Q LM tests, one for tests for each lag between 1 and Q . Under the null of no serial correlation, the LM-test is asymptotically distributed $X^2(q)$

USAGE:

```
[LM,PVAL] = lmtest1(DATA,Q)
[LM,PVAL] = lmtest1(DATA,Q,ROBUST)
```

INPUTS:

DATA - A set of deviates from a process with or without mean
Q - The maximum number of lags to regress on. The statistic and pval will be returned for all sets of lags up to and including q
ROBUST - [OPTIONAL] Logical variable (0 (non-robust) or 1 (robust)) to indicate whether heteroskedasticity robust standard errors should be used. Default is to use robust standard errors (ROBUST=1).

OUTPUTS:

LM - A $Q \times 1$ vector of statistics
PVAL - A $Q \times 1$ set of appropriate pvals

COMMENTS:

To increase power of this test, the variance estimator is computed under the alternative. As a result, this test is an LR-class test but, aside from the variance estimator, is identical to the usual LM test for serial correlation

3.7 Filtering

3.7.1 Baxter-King Filtering: `bkfilter`

Baxter & King (1999) filter for extracting the trend and cyclic component from macroeconomic time series.

Examples

```
% Load US GDP data
load GDP
% Standard BK Filter with periods of 6 and 32
[trend, cyclic] = bkfilter(log(GDP),6,32)
% BK Filter for low pass filtering only at 40 period, CYCLIC will be 0
[trend, cyclic] = bkfilter(log(GDP),40,40)
% BK Filter using a 2-sided 20 point approximation
trend = bkfilter(log(GDP),6,32,20)
```

Required Inputs

```
[outputs] = bkfilter(Y,P,Q)
```

The required inputs are:

- Y: T by k matrix of data to be filtered
- P: Number of periods for the high pass filter
- Q: Number of periods for the low pass filter

Optional Inputs

```
[outputs] = bkfilter(Y,P,Q,K)
```

The required inputs are:

- K: Number of points to use in the approximate optimal filter. Larger number of points provide more accurate approximations, although the first and last K data points will not be filtered. The default is 12.

Outputs

```
[TREND, CYCLIC, NOISE] = bkfilter(Y,P,Q,K)
```

- TREND: The filtered trend, which is the signal with a period larger than Q . The first and last K points of TREND will be equal to Y .
- CYCLIC: The cyclic component, which is the signal with a period between P and Q . The first and last K points of CYCLIC will be 0.
- NOISE: The high frequency noise component, which is the signal with a period shorter than P . The first and last K points of NOISE will be 0.

Comments

Baxter-King filtering of multiple time series

USAGE:

```
[TREND,CYCLIC,NOISE] = bkfilter(Y,P,Q,K)
```

INPUTS:

- Y - A T by K matrix of data to be filtered.
- P - Number of periods to use in the higher frequency filter (e.g. 6 for quarterly data). Must be at least 2.
- Q - Number of periods to use in the lower frequency filter (e.g. 32 for quarterly data). Q can be inf, in which case the low pass filter is a 2K+1 moving average.
- K - [OPTIONAL] Number of points to use in the finite approximation bandpass filter. The default value is 12. The filter throws away the first and last K points.

OUTPUTS:

- TREND - A T by K matrix containing the filtered trend. The first and last K points equal Y.
- CYCLIC - A T by K matrix containing the filtered cyclic component. The first and last K points are 0.
- NOISE - A T by K matrix containing the filtered noise component. The first and last K points are 0.

COMMENTS:

The noise component is simply the original data minus the trend and cyclic component, $NOISE = Y - TREND - CYCLIC$ where the trend is produced by the low pass filter and the cyclic component is produced by the difference of the high pass filter and the low pass filter. The recommended values of P and Q are 6 and 32 or 40 for quarterly data, or 18 and 96 or 120 for monthly data. Setting Q=P produces a single bandpass filter and the cyclic component will be 0.

EXAMPLES:

```
Load US GDP data
load GDP
Standard BK Filter with periods of 6 and 32
[trend, cyclic] = bkfilter(log(GDP),6,32)
BK Filter for low pass filtering only at 40 period, CYCLIC will be 0
[trend, cyclic] = bkfilter(log(GDP),40,40)
BK Filter using a 2-sided 20 point approximation
trend = bkfilter(log(GDP),6,32,20)
```

See also HP_FILTER, BEVERIDGENELSON

3.7.2 Hodrick-Prescott Filtering: `hp_filter`

Hodrick & Prescott (1997) filter for extracting the trend and cyclic component from macroeconomic time series. The HP filter identifies the trend as the solution to

$$\min_{\{\mu_t\}} \sum_{t=1}^T (y_t - \mu_t)^2 + \lambda (\mu_{t-1} - \mu_t - \mu_t + \mu_{t+1})$$

where λ is a parameter which determines the cutoff frequency of the filter and any trend points outside of $1, \dots, T$ are dropped. If $\lambda = 0$ then $\mu_t = y_t$ and as $\lambda \rightarrow \infty$ μ_t limits to a least squares linear trend fit.

Examples

```
% Load US GDP data
load GDP
% Standard HP Filter with lambda = 1600
[trend, cyclic] = hp_filter(log(GDP),1600)
```

Required Inputs

```
[outputs] = hp_filter(Y,LAMBDA)
```

The required inputs are:

- Y: T by k matrix of data to be filtered
- LAMBDA: Smoothing parameter for HP filter. Values above 10^{10} produce unstable matrix inverses and so a linear trend is forced at this point.

Outputs

```
[TREND,CYCLIC] = hp_filter(inputs)
```

- TREND: The filtered trend.
- CYCLIC: The cyclic component.

Comments

Hodrick-Prescott filtering of multiple time series

USAGE:

```
[TREND,CYCLIC] = hp_filter(Y,LAMBDA)
```

INPUTS:

Y - A T by K matrix of data to be filtered.

LAMBDA - Positive, scalar integer containing the smoothing parameter of the HP filter.

OUTPUTS:

TREND - A T by K matrix containing the filtered trend

CYCLIC - A T by K matrix containing the filtered cyclic component

COMMENTS:

The cyclic component is simply the original data minus the trend, $CYCLIC = Y - TREND$. 1600 is the recommended value of LAMBDA for Quarterly Data while 14400 is the recommended value of LAMBDA for monthly data.

EXAMPLES:

```
Load US GDP data
  load GDP
Standard HP Filter with lambda = 1600
  [trend, cyclic] = hp_filter(log(GDP),1600)
```

See also BKFILTER, BEVERIDGENELSON

3.8 Regression with Time Series Data

3.8.1 Regression with time-series data: `olsnw`

Regression with Newey-West variance-covariance estimation. Aside from the difference variance-covariance estimator, is virtually identical to `ols`.

Examples

```
% Set up some experimental data
T = 500;
e = armaxfilter_simulate(T,0,1,.8);
x = armaxfilter_simulate(T,0,1,.8);
y = x + e;
% Regression with a constant
b = olsnw(y,x)
% Regression through the origin (uncentered)
b = olsnw(y,x,0)
% Regression using 10 lags in the NW covariance estimator
b = olsnw(y,x,1,10)
```

Required Inputs

```
[outputs] = ols(Y,X)
```

The required inputs are:

- Y: A T by 1 vector containing the regressand.
- X: A T by k vector containing the regressors. X should be full rank and *should not* contain a constant column.

Optional Inputs

```
[outputs] = olsnw(Y,X,C,NWLAGS)
```

The optional inputs are:

- C: A scalar (0 or 1) indicating whether the regression should include a constant. If 1 the X data are augmented by a columns of 1s before the regression coefficients are estimated. If omitted or empty, the default value is 1. C determines whether centered or uncentered estimators of R^2 and \bar{R}^2 are computed.
- NWLAGS: Number of lags to use when computing the variance-covariance matrix of the estimated parameters. The default value is $\lfloor T^{\frac{1}{3}} \rfloor$.

Outputs

`olsnw` provides many other outputs than the estimated parameters. The full `olsnw` command can return

```
[B,TSTAT,S2,VCVNW,R2,RBAR,YHAT] = olsnw(inputs)
```

The outputs are:

- B: k by 1 vector of estimated parameters.
- TSTAT: k by 1 vector of t-stats computed using heteroskedasticity robust inference.
- S2: Estimated variance of the regression error. Computed using a degree of freedom adjustment ($n - k$).
- VCVNW: Newey-West variance-covariance matrix
- R2: R^2 . Centered if C is 1 or omitted.
- RBAR: \bar{R}^2 . Centered if C is 1 or omitted.
- YHAT: Fit values of Y

Comments

Linear regression estimation with Newey-West HAC standard errors.

USAGE:

```
[B,TSTAT,S2,VCVNW,R2,RBAR,YHAT] = olsnw(Y,X,C,NWLAGS)
```

INPUTS:

```
Y      - T by 1 vector of dependent data
X      - T by K vector of independent data
C      - 1 or 0 to indicate whether a constant should be included (1: include constant)
NWLAGS - Number of lags to included in the covariance matrix estimator. If omitted or empty,
        NWLAGS = floor(T^(1/3)). If set to 0 estimates White's Heteroskedasticity Consistent
        variance-covariance.
```

OUTPUTS:

```
B      - A K(+1 is C=1) vector of parameters. If a constant is included, it is the first parameter
TSTAT  - A K(+1) vector of t-statistics computed using Newey-West HAC standard errors
S2     - Estimated error variance of the regression, estimated using Newey-West with NWLAGS
VCVNW  - Variance-covariance matrix of the estimated parameters computed using Newey-West
R2     - R-squared of the regression. Centered if C=1
RBAR   - Adjusted R-squared. Centered if C=1
YHAT   - Fit values of the dependent variable
```

COMMENTS:

The model estimated is $Y = X*B + \text{epsilon}$ where $\text{Var}(\text{epsilon})=S2$.

EXAMPLES:

```
Regression with automatic BW selection
  b = olsnw(y,x)
Regression without a constant
  b = olsnw(y,x,0)
Regression with a pre-specified lag-length of 10
  b = olsnw(y,x,1,10)
Regression with White standard errors
  b = olsnw(y,x,1,0)
```

See also OLS

3.9 Long-run Covariance Estimation

3.9.1 Newey-West covariance estimation covnw

covnw computes the Newey-West covariance estimator defined

$$\hat{\sigma}_{NW}^2 = \hat{\Gamma}_0 + \sum_{i=1}^L w_i (\hat{\Gamma}_i + \hat{\Gamma}_i')$$

where $w_i = (L - i + 1)/(L + 1)$ for $i = 1, 2, \dots, L$ and $\hat{\Gamma}_i = \sum_{t=i+1}^T \tilde{\mathbf{x}}_t \tilde{\mathbf{x}}_{t-i}'$ where $\tilde{\mathbf{x}}_t = \mathbf{x}_t - \bar{\mathbf{x}}$ are the (optionally) demeaned data.

Examples

```
y = armaxfilter_simulate(1000,0,1,.9);
% Newey-West covariance with automatic BW selection
lrcov = covnw(y)
% Newey-West covariance with 10 lags
lrcov = covnw(y, 10)
% Newey-West covariance with 10 lags and no demeaning
lrcov = covnw(y, 10, 0)
```

Required Inputs

```
[outputs] = covnw(DATA)
```

The required inputs are:

- DATA: T by k matrix of time-series data.

Optional Inputs

```
[outputs] = covnw(DATA, NLAGS, DEMEAN)
```

The optional inputs are:

- NLAGS: Number of lags to use in the Newey-West estimator. If omitted, $NLAGS = \lfloor T^{\frac{1}{3}} \rfloor$.
- DEMEAN: Logical value indicating whether to demean the data (1) or to compute the long-run covariance of the data directly. Default is to demean.

Outputs

```
[V] = covnw(inputs)
```

- V: k by k covariance matrix.

Comments

Long-run covariance estimation using Newey-West (Bartlett) weights

USAGE:

```
V = covnw(DATA)
V = covnw(DATA,NLAG,DEMEAN)
```

INPUTS:

```
DATA - T by K vector of dependent data
NLAG - Non-negative integer containing the lag length to use. If empty or not included,
       NLAG=min(floor(1.2*T^(1/3)),T) is used
DEMEAN - Logical true or false (0 or 1) indicating whether the mean should be subtracted when
         computing the covariance
```

OUTPUTS:

```
V - A K by K covariance matrix estimated using Newey-West (Bartlett) weights
```

COMMENTS:

EXAMPLES:

```
y = armaxfilter_simulate(1000,0,1,.9);
% Newey-West covariance with automatic BW selection
lrcov = covnw(y)
% Newey-West covariance with 10 lags
lrcov = covnw(y, 10)
% Newey-West covariance with 10 lags and no demeaning
lrcov = covnw(y, 10, 0)
```

See also COVVAR

3.9.2 Den Hann-Levin covariance estimation covvar

Long-run covariance estimation using the VAR-based estimator of μ . The basic idea of their estimator is to compute the long-run variance of a process from a Vector Autoregression. Suppose a vector of data \mathbf{y}_t follows a stationary VAR,

$$(\mathbf{y}_t - \boldsymbol{\mu}) = \Phi_1 (\mathbf{y}_{t-1} - \boldsymbol{\mu}) + \dots + \Phi_k (\mathbf{y}_{t-k} - \boldsymbol{\mu}) + \boldsymbol{\epsilon}_t$$

where $\boldsymbol{\mu} = E[\mathbf{y}_t]$, then the variance of \mathbf{y}_t can be computed

$$(\mathbf{y}_t - \boldsymbol{\mu}) - \Phi_1 (\mathbf{y}_{t-1} - \boldsymbol{\mu}) - \dots - \Phi_k (\mathbf{y}_{t-k} - \boldsymbol{\mu}) = \boldsymbol{\epsilon}_t$$

from the VAR as

$$V[\mathbf{y}_t] = [\mathbf{I} - \Phi_1 - \dots - \Phi_k]^{-1} \boldsymbol{\Sigma} [\mathbf{I} - \Phi_1' - \dots - \Phi_k']^{-1}$$

where $\boldsymbol{\Sigma} = E[\boldsymbol{\epsilon}_t \boldsymbol{\epsilon}_t']$ is the unconditional covariance of the residuals (assumed to be a vector White Noise process).

Note: This function differs slightly from the procedure of Den Haan and Levin in that it only conduct a global lag length search, and so the resultant VAR will not have any zero elements. Den Haan and Levin recommend using a series-by-series search with the possibility of having different lag lengths of own lags and other lags. Changing to their procedure is something that may happen in future releases. Despite this difference, the estimator in the code is still consistent as long as the maximum lag length

Examples

```
y = armaxfilter_simulate(1000,0,1,.9);
% VAR HAC covariance with automatic BW selection
lrcov = covvar(y)
% VAR HAC with at most 10 lags
lrcov = covvar(y, 10)
% VAR HAC with at most 10 lags selected using AIC
lrcov = covnw(y, 10, 3)
```

Required Inputs

```
[outputs] = covvar(DATA)
```

The required inputs are:

- DATA: T by k matrix of time-series data.

Optional Inputs

```
[outputs] = covnw(DATA, MAXLAGS, METHOD)
```

The optional inputs are:

- MAXLAGS: The maximum number of lags to consider when selecting the VAR lag length. If omitted is set to $\lfloor 1.2T^{\frac{1}{3}} \rfloor$ or T/K , whichever is less.
- METHOD: A scalar numeric value indicating the method to use when searching:

1. Use MAXLAGS in the VAR and do not search
2. Use up to MAXLAG and select the VAR order using SIC. This is the default.
3. Use up to MAXLAG and select the VAR order using AIC.
4. Use up to MAXLAG and select the VAR order using SIC using a global search. This option differs from option 2 in that it can select an irregular VAR order (e.g. select lags 1 and 4 rather than 1, 2, 3 and 4.).
5. Use up to MAXLAG and select the VAR order using AIC using a global search.

Outputs

```
[V,LAGSUSED] = covvar(inputs)
```

- V: k by k covariance matrix.
- LAGSUSED: A vector indicating the lags used in estimating the covariance.

Comments

Long-run covariance estimation using Newey-West (Bartlett) weights

USAGE:

```
V = covnw(DATA)
```

```
V = covnw(DATA,NLAG,DEMEAN)
```

INPUTS:

DATA - T by K vector of dependent data

NLAG - Non-negative integer containing the lag length to use. If empty or not included, $NLAG = \min(\text{floor}(1.2 * T^{1/3}), T)$ is used

DEMEAN - Logical true or false (0 or 1) indicating whether the mean should be subtracted when computing the covariance

OUTPUTS:

V - A K by K covariance matrix estimated using Newey-West (Bartlett) weights

COMMENTS:

EXAMPLES:

```
y = armaxfilter_simulate(1000,0,1,.9);
```

```
% Newey-West covariance with automatic BW selection
```

```
lrcov = covnw(y)
```

```
% Newey-West covariance with 10 lags
```

```
lrcov = covnw(y, 10)
```

```
% Newey-West covariance with 10 lags and no demeaning
```

```
lrcov = covnw(y, 10, 0)
```

See also COVVAR

Chapter 4

Nonstationary Time Series

4.1 Unit Root Testing

4.1.1 Augmented Dickey-Fuller testing: `augdf`

Estimates an Augmented Dickey-Fuller regression and returns the appropriate p-value for the assumption made on the model and data generating process. The estimated model is

$$y_t = \alpha + \rho y_{t-1} + \gamma t + \delta_1 \Delta y_{t-1} + \dots + \delta_p \Delta y_{t-p}$$

The deterministic terms, α and γ may be included or excluded depending on which case it used and the number of lags used in the estimation can be specified. `augdf` supports 4 cases:

- Case 0: DGP and estimated model contain no deterministic trends
- Case 1: DGP contains no deterministic time trend but estimated model includes a constant and a time-trend
- Case 2: DGP contains a constant or a time trend. Estimated model includes both a constant and a time trend.
- Case 3: DGP and estimated model contain a constant

A basic DF with no deterministic component can be estimated

```
[ADFstat, ADFpval] = augdf(y,0,0)
```

Other versions including lags in the ADF and deterministic trends can be estimated using

```
lags = 10; %set the number of ADF lags  
p = 1;% Case 1  
[ADFstat, ADFpval] = augdf(y,1,lags)  
p = 2;  
[ADFstat, ADFpval] = augdf(y,1,lags)
```

P-values were computed from 2 million simulations using gaussian errors. The function `augdfcv` returns the appropriate critical values and p-values for the choice of case and size of the data sample (T).

Examples

```
x = cumsum(randn(1000,1)); % Define x to be a 1000 by 1 random walk
[ADFstat, ADFpval] = augdf(x,0,0) % Results will vary based rand. num. used

ADFstat =
    -0.3941

ADFpval =
     0.5472

[ADFstat, ADFpval] = augdf(x,1,0) % Assume a constant

ADFstat =
    -2.3527

ADFpval =
     0.1584

x = cumsum(1+randn(1000,1)); % Define x to be a 1000 by 1 random walk
% Case 3, Results will vary based on the random numbers used
[ADFstat, ADFpval] = augdf(x,3,0)
ADFstat =
     0.6028

ADFpval =
     0.7267

x = cumsum(randn(1000,1)); % Define x to be a 1000 by 1 random walk
[ADFstat, ADFpval, critval] = augdf(x,1,0) % Get the critical values
% for the 1%, 5%, 10%, 90%, 95% and 99% of the case-specific distribution

ADFstat =
    -3.3738

ADFpval =
    -0.0139

critval =
    -3.4494
    -2.8739
    -2.5769
    -0.4366
    -0.0758
     0.6123
```

Comments

Dickey-Fuller and Augmented Dickey Fuller testing

USAGE:

```
[ADFSTAT,PVAL,CRITVAL] = augdf(Y,P,LAGS)
[ADFSTAT,PVAL,CRITVAL,RESID] = augdf(Y,P,LAGS)
```

INPUTS:

```
Y      - A T by 1 vector of data
P      - Order of the polynomial of include in the ADF regression:
          0 : No deterministic terms
          1 : Constant
          2 : Time Trend
          3 : Constant, DGP assumed to have a time trend
LAGS   - The number of lags to include in the ADF test (0 for DF test)
```

OUTPUTS:

```
ADFSTAT - Dickey-Fuller statistic
PVAL    - Probability the series is a unit root
CRITVALS - A 6 by 1 vector with the [.01 .05 .1 .9 .95 .99] values from the DF distribution
RESID   - Residual (adjusted for lags) from the ADF regression
```

COMMENTS:

See also AUGDFAUTOLAG

4.1.2 Augmented Dickey-Fuller testing with automated lag selection: `augdfautolag`

Conducts an ADF test using up to a maximum number of lags where the lag length is automatically selected according to the AIC or BIC. All of the actual testing is done by `augdf`.

Examples

```
% Simulate an MA(3)
x = armaxfilter_simulate(1000,0, 0, [], 3, [.8 .3 .9]);
x = cumsum(x); % Integrate x
maxlag = 24;
% Default is to use AIC
[ADFstat, ADFpval, critval, resid, lags] = augdfautolag(x,1,maxlag);
lags

lags =
    15

% Can also use BIC
[ADFstat, ADFpval, critval, resid, lags] = augdfautolag(x,1,maxlag,'BIC');
lags

lags =
     9
```

Comments

Dickey-Fuller and Augmented Dickey Fuller with automatic lag selection

USAGE:

```
[ADFSTAT,PVAL,CRITVAL] = augdfautolag(Y,P,LAGS,IC)
[ADFSTAT,PVAL,CRITVAL,RESID,LAGS] = augdfautolag(Y,P,LAGS,IC)
```

INPUTS:

```
Y      - A T by 1 vector of data
P      - Order of the polynomial of include in the ADF regression:
          0 : No deterministic terms
          1 : Constant
          2 : Time Trend
          3 : Constant, DGP assumed to have a time trend
MAXLAGS - The maximum number of lags to include in the ADF test
IC      - [OPTIONAL] String, either 'AIC' (default) or 'BIC' to choose the criteria to select
          the model
```

OUTPUTS:

```
ADFSTAT - Dickey-Fuller statistic
PVAL    - Probability the series is a unit root
CRITVALS - A 6 by 1 vector with the [.01 .05 .1 .9 .95 .99] values from the DF distribution
LAGS    - The selected number of lags
```

COMMENTS:

See also AUGDF

Chapter 5

Vector Autoregressions

5.1 Stationary Vector Autoregression

5.1.1 Vector Autoregression estimation: `vectorar`

Estimates P^{th} order (regular and irregular) vector autoregressions. The options for `vectorar` include the ability to include or exclude a constant, choose the lag order, and to specify which assumptions should be made for computing the covariance matrix of the estimated parameters. The parameter covariance matrix can be estimated under 4 sets of assumptions on the errors:

- Uncorrelated and Homoskedastic
- Correlated and Homoskedastic
- Uncorrelated and Heteroskedastic
- Correlated and Heteroskedastic

To examine the outputs and choices of the covariance estimator consider a regular bivariate VAR(2),

$$\mathbf{y}_t = \Phi_0 + \Phi_1 \mathbf{y}_{t-1} + \Phi_2 \mathbf{y}_{t-2} + \epsilon_t$$

$$\begin{bmatrix} y_{1,t} \\ y_{2,t} \end{bmatrix} = \begin{bmatrix} \phi_{1,0} \\ \phi_{2,0} \end{bmatrix} + \begin{bmatrix} \phi_{11,1} & \phi_{12,1} \\ \phi_{21,1} & \phi_{22,1} \end{bmatrix} \begin{bmatrix} y_{1,t-1} \\ y_{2,t-1} \end{bmatrix} + \begin{bmatrix} \phi_{11,2} & \phi_{12,2} \\ \phi_{21,2} & \phi_{22,2} \end{bmatrix} \begin{bmatrix} y_{1,t-2} \\ y_{2,t-2} \end{bmatrix} + \begin{bmatrix} \epsilon_{1,t-2} \\ \epsilon_{2,t-2} \end{bmatrix}$$

The first four outputs of `vectorar` all share a common structure, cell arrays. Cell arrays are structures of other MATLAB elements. In this function, each of these are cell arrays of P elements where each element is a k by k matrix of parameters. (2 by 2 in the bivariate case). To estimate a bivariate VAR with a constant in MATLAB, call

```
[parameters, stderr, tstat, pval] = vectorar(y, 1, [1 2]);
```

where the first input is the T by k matrix of y data, the second is either 1 (include a constant) or 0 and the third is a vector of lags to include in the model. The outputs are cell arrays with P elements where each element is composed of a k by k matrix. Suppose y was T by 2, then

```
[parameters,stderr,tstat,pval] = vectorar(y,1,[1 2]);
parameters % Tells you this is a cell structure of 2 by 2s

parameters =
    [2x2 double]    [2x2 double]

parameters{1} % Access Phi(1)

ans =
    0.6885    0.1621
    0.1038    0.7500

parameters{2} % Access Phi(2)

ans =
    0.0267    0.0473
    0.0503   -0.0031
```

The elements of `parameters` are identical to the elements of Φ_j above. Thus, the (i,j) element of Φ_1 will be contained in the (i,j) element of `parameters{1}` and the (i,j) element of Φ_2 will be in the (i,j) element of `parameters{2}`. The other four outputs in the function call above return similar cell structures of standard errors, T-statistics and the corresponding p-values, all with the same ordering.

The full call to `vectorar` returns some additional information including the complete parameter covariance matrix.

```
[parameters,stderr,tstat,pval,const,conststd,r2,errors,s2,paramvec,vcv] ...
    = vectorar(y,1,[1 2]);
```

The new outputs have the following structure:

- `const`: k by 1 vector containing Φ_0 . If no constant is included in the model, this value will be empty (`[]`).
- `conststd`: k by 1 vector containing the standard errors of the estimated intercept parameters. If no constant is included in the model, this value will be empty (`[]`).
- `r2`: k by 1 vector of R^2 values for each data vector, y_1, y_2, \dots, y_K .
- `errors`: T by k matrix of estimated errors.
- `s2`: k by k matrix containing the estimated covariance matrix of the residuals, $\hat{\Sigma}$.
- `paramvec`: A $K \times$ number of lags by 1 (no constant) or $K \times$ number of lags + 1 by 1 (constant) vector of estimated parameters. `paramvec` reports the elements as if you were reading across a VAR. In the bivariate VAR above, the 10 elements of `paramvec` are

$$[\hat{\phi}_{1,0} \ \hat{\phi}_{11,1} \ \hat{\phi}_{12,1} \ \hat{\phi}_{11,2} \ \hat{\phi}_{12,2} \ \hat{\phi}_{2,0} \ \hat{\phi}_{21,1} \ \hat{\phi}_{22,1} \ \hat{\phi}_{21,2} \ \hat{\phi}_{22,2}]'$$

- `vcv`: A square matrix where each dimension is as large as the length of `paramvec`. The covariance matrix has the same order as the elements of `paramvec`. In the bivariate VAR, the $(1,1)$ element of `vcv`

would contain the estimated variance of $\hat{\phi}_{1,0}$, the (1,2) is the covariance between $\hat{\phi}_{1,0}$ and $\hat{\phi}_{11,1}$ and so on. The estimation strategy for vcv depends on the values on het and uncorr (see below).

The complete specification with all input options is given by

```
[parameters] = vectorar(y, constant, lags, het, uncorr);
```

where

- **y**: T by k vector of data.
- **constant**: Scalar value of either 1 (include a constant) or 0 (exclude a constant)
- **lags**: Vector of lags to include. A standard P^{th} order VAR can be called by setting lags to [1:P]. An irregular P^{th} order VAR can be called by leaving out some of the lags. For example [1 2 4] would produce an irregular 4th order VAR excluding lag 3.
- **het**: Scalar value of either 1 (assume heteroskedasticity) or 0 (assume homoskedasticity). The default value for this optional parameters is 1.
- **uncorr**: Scalar value of either 0 (assume the errors are correlated) or 1 (assume no error correlation). The default value for this optional parameters is 0.

The primary options are choosing het and uncorr. Since each can take one of 2 values, there are 4 combination.

Uncorrelated and Homoskedastic

This is the simplest estimator. This estimator assumes that Σ is diagonal. The estimated covariance matrix is given by

$$\hat{\Omega} = \hat{\Sigma} \otimes (\mathbf{X}'\mathbf{X})^{-1}$$

where $\hat{\Sigma}$ is a diagonal matrix with the variance of $\hat{\epsilon}_{i,t}$ on the i^{th} diagonal and \mathbf{X} is a T by PK (or $PK + 1$ if a constant is included) matrix of regressors in the regular VAR case. To understand the structure of \mathbf{X} , decompose it as

$$\mathbf{X} = \begin{bmatrix} \mathbf{x}_1 \\ \mathbf{x}_2 \\ \vdots \\ \mathbf{x}_T \end{bmatrix}$$

where \mathbf{x}_t is the set of regressors in any of the k regression equations in a VAR. In the bivariate example above,

$$\mathbf{x}_t = [1 \ y_{1,t-1} \ y_{2,t-1} \ y_{1,t-2} \ y_{2,t-2}]$$

The choice of \mathbf{X} is motivated by noticing that a P^{th} order VAR can be consistently estimated using OLS by regressing the k \mathbf{y}_i vector on \mathbf{X} , $\hat{\boldsymbol{\theta}}_i = (\mathbf{X}'\mathbf{X})^{-1}\mathbf{X}'\mathbf{y}_i$ where $\hat{\boldsymbol{\theta}}_i$ is the estimated “row” of parameters in a VAR. In the bivariate VAR(2) above,

$$\hat{\Omega} = \begin{bmatrix} \hat{\sigma}_{11}(\mathbf{X}'\mathbf{X})^{-1} & \mathbf{0}_{MM} \\ \mathbf{0}_{MM} & \hat{\sigma}_{22}(\mathbf{X}'\mathbf{X})^{-1} \end{bmatrix}$$

where $\hat{\sigma}_{ii}$ is the estimated variance of $\epsilon_{i,t}$, and M is the length of \mathbf{x}_t .

Correlated and Homoskedastic

The correlated homoskedastic case is similar to the previous case with the change that $\hat{\Sigma}$ is no longer assumed to be diagonal. Once this change has been made, the variance covariance estimator is identical

$$\hat{\Omega} = \hat{\Sigma} \otimes (\mathbf{X}'\mathbf{X})^{-1}$$

In the bivariate VAR(2) above,

$$\hat{\Omega} = \begin{bmatrix} \hat{\sigma}_{11}(\mathbf{X}'\mathbf{X})^{-1} & \hat{\sigma}_{12}(\mathbf{X}'\mathbf{X})^{-1} \\ \hat{\sigma}_{21}(\mathbf{X}'\mathbf{X})^{-1} & \hat{\sigma}_{22}(\mathbf{X}'\mathbf{X})^{-1} \end{bmatrix}$$

where $\hat{\sigma}_{ij}$ is the estimated covariance between $\epsilon_{i,t}$ and $\epsilon_{j,t}$ and $\hat{\sigma}_{12} = \hat{\sigma}_{21}$.

Uncorrelated and Heteroskedastic

When residuals are heteroskedastic a White (or sandwich) -style covariance estimator is required. The two parts of the sandwich are denoted $\hat{\mathbf{A}}$ and $\hat{\mathbf{B}}$. $\hat{\mathbf{A}}$ is given by

$$\hat{\mathbf{A}} = \left(\frac{\mathbf{X}'\mathbf{X}}{T} \right) \otimes I_K$$

and

$$\hat{\mathbf{B}} = T^{-1} \sum_{t=1}^T \epsilon_t \epsilon_t' \otimes \mathbf{x}_t \mathbf{x}_t'$$

Once these two components have been computed,

$$\hat{\Omega} = T^{-1} \hat{\mathbf{A}}^{-1} \hat{\mathbf{B}} \hat{\mathbf{A}}^{-1}$$

The assumption that the errors are uncorrelated in this form imposes that $T^{-1} \sum_{t=1}^T \epsilon_{i,t} \epsilon_{j,t} \mathbf{x}_t \mathbf{x}_t' \xrightarrow{p} \mathbf{0}_{MM}$ and so $\hat{\mathbf{B}}$ is a “block diagonal” matrix where all of the elements in the off diagonal blocks are 0. In the bivariate VAR(2) above,

$$\hat{\mathbf{A}} = \begin{bmatrix} \frac{\mathbf{X}'\mathbf{X}}{T} & \mathbf{0}_{MM} \\ \mathbf{0}_{MM} & \frac{\mathbf{X}'\mathbf{X}}{T} \end{bmatrix}$$

and

$$\hat{\mathbf{B}} = \begin{bmatrix} T^{-1} \sum_{t=1}^T \epsilon_{1,t}^2 \otimes \mathbf{x}_t \mathbf{x}_t' & \mathbf{0}_{MM} \\ \mathbf{0}_{MM} & T^{-1} \sum_{t=1}^T \epsilon_{2,t}^2 \otimes \mathbf{x}_t \mathbf{x}_t' \end{bmatrix}.$$

Finally the T^{-1} is present in the formula for $\hat{\Omega}$ since $\hat{\mathbf{A}}$ and $\hat{\mathbf{B}}$ both converge to constants although the variance of the estimated coefficients should be decreasing with T .

Correlated and Heteroskedastic

The correlated heteroskedastic case is essentially identical to the uncorrelated heteroskedastic case where the assumption that $T^{-1} \sum_{t=1}^T \epsilon_{i,t} \epsilon_{j,t} \mathbf{x}_t \mathbf{x}_t' \xrightarrow{p} \mathbf{0}_{MM}$ is not made. In the VAR(2) from above, $\hat{\mathbf{A}}$ is unchanged and $\hat{\mathbf{B}}$ is now

$$\hat{\mathbf{B}} = \begin{bmatrix} T^{-1} \sum_{t=1}^T \epsilon_{1,t}^2 \otimes \mathbf{x}_t \mathbf{x}_t' & T^{-1} \sum_{t=1}^T \epsilon_{1,t} \epsilon_{2,t} \otimes \mathbf{x}_t \mathbf{x}_t' \\ T^{-1} \sum_{t=1}^T \epsilon_{1,t} \epsilon_{2,t} \otimes \mathbf{x}_t \mathbf{x}_t' & T^{-1} \sum_{t=1}^T \epsilon_{2,t}^2 \otimes \mathbf{x}_t \mathbf{x}_t' \end{bmatrix}.$$

Using the new value of $\hat{\mathbf{B}}$,

$$\hat{\Omega} = T^{-1} \hat{\mathbf{A}}^{-1} \hat{\mathbf{B}} \hat{\mathbf{A}}^{-1}.$$

Examples

```
% To estimate a VAR(1)
parameters = vectorar(y,1,1);

% To estimate a regular VAR(P)
P=5;parameters = vectorar(y,1,[1:P]);

% To estimate an irregular VAR(4)
parameters = vectorar(y,1,[1 2 4]);

% To estimate a VAR(1) assuming homoskedastic and correlated errors
parameters = vectorar(y,1,1,0); % Or
parameters = vectorar(y,1,1,0,0);

% To estimate a VAR(1) assuming homoskedastic but uncorrelated errors
parameters = vectorar(y,1,1,0,1);

% To estimate a VAR(1) assuming heteroskedastic but uncorrelated errors
parameters = vectorar(y,1,1,[],1);
% Or
parameters = vectorar(y,1,1,1,1);
```

Comments

Estimate a Vector Autoregression and produce the parameter variance-covariance matrix under a variety of assumptions on the covariance of the errors:

- * Conditionally Homoskedastic and Uncorrelated
- * Conditionally Homoskedastic but Correlated
- * Heteroskedastic but Conditionally Uncorrelated
- * Heteroskedastic and Correlated

USAGE:

```
[PARAMETERS]=vectorar(Y,CONSTANT,LAGS)
```

```
[PARAMETERS,STDERR,TSTAT,PVAL,CONST,CONSTSTD,R2,ERRORS,S2,PARAMVEC,VEC]
= vectorar(Y,CONSTANT,LAGS,HET,UNCORR)
```

INPUTS:

```
Y           - A T by K matrix of data
CONSTANT    - Scalar variable: 1 to include a constant, 0 to exclude
LAGS        - Non-negative integer vector representing the VAR orders to include in the model.
HET         - [OPTIONAL] A scalar integer indicating the type of covariance estimator
              0 - Homoskedastic
              1 - Heteroskedastic [DEFAULT]
UNCORR      - [OPTIONAL] A scalar integer indicating the assumed structure of the error covariance
              matrix
              0 - Correlated errors [DEFAULT]
              1 - Uncorrelated errors
```

OUTPUTS:

```
PARAMETERS  - Cell structure containing K by K matrices in the position of the indicated in
              LAGS. For example if LAGS = [1 3], PARAMETERS{1} would be the K by K
              parameter matrix for the 1st lag and PARAMETERS{3} would be the K by K matrix
              of parameters for the 3rd lag
STDERR      - Cell structure with the same form as PARAMETERS containing parameter standard
              errors estimated according to UNCORR and HET
TSTAT       - Cell structure with the same form as PARAMETERS containing parameter t-stats
              computed using STDERR
PVAL        - P-values of the parameters
CONST       - K by 1 vector of constants
CONSTSTD    - K by 1 vector standard errors corresponding to constant
R2          - K by 1 vector of R-squares
ERRORS      - K by T vector of errors
S2          - K by K matrix containing the estimated error variance
PARAMVEC    - K*((# lags) + CONSTANT) by 1 vector of estimated parameters. The first (# lags
              + CONSTANT) correspond to the first row in the usual var form:
              [CONST(1) P1(1,1) P1(1,2) ... P1(1,K) P2(1,1) ... P2(1,K) ...]
              The next (# lags + CONSTANT) are the 2nd row
              [CONST(1) P1(2,1) P1(2,2) ... P1(2,K) P2(2,1) ... P2(2,K) ...]
              and so on through the Kth row
              [CONST(K) P1(K,1) P1(K,2) ... P1(K,K) P2(K,1) ... P2(K,K) ...]
VCV         - A K*((# lags) + CONSTANT) by K*((# lags) + CONSTANT) matrix of estimated
              parameter covariances computed using HET and UNCORR
```

COMMENTS:

Estimates a VAR including any lags.

$$y(:,t)' = \text{CONST} + P(1) * y(:,t-1) + P(2)*y(:,t-2) + \dots + P(1)*y(:,t-K)'$$

where $P(j)$ are K by K parameter matrices and CONST is a K by 1 parameter matrix (if CONSTANT==1)

EXAMPLE:

```
To fit a VAR(1) with a constant
parameters = vectorar(y,1,1)
```

```
To fit a VAR(3) with no constant
parameters = armaxfilter(y,0,[1:3])
```

```
To fit a VAR that includes lags 1 and 3 with a constant
parameters = armaxfilter(y,1,[1 3])
```

See also IMPULSERESPONSE, GRANGERCAUSE, VECTORARVCV

5.1.2 Granger Causality Testing: `grangercause`

Granger Causality testing in a VAR. Most of the choices in `grangercause` are identical to those in `vectorar` and knowledge of the features of `vectorar` is recommended. The only new options are the ability to choose one of the three test statistics:

- **Likelihood Ratio:** If the data are assumed to be homoskedastic, the classic likelihood ratio presented in the notes is used. If the data are heteroskedastic, an LM-type test based on the scores under the null but using a covariance estimator computed under the alternative is computed.
- **Lagrange Multiplier:** Computes the LM test using the scores and errors estimated under the null. The assumption about the heteroskedasticity of the residuals and whether the residuals are correlated are imposed when estimating the score covariance.
- **Wald:** Computes the GC test statistics using a Wald test where the parameter covariance matrix is estimated under the assumptions about heteroskedasticity and correlation of the residuals. For more on covariance matrix estimation, see `vectorar`.

Aside from these three changes, the inputs are identical to those in `vectorar`

```
[stat, pval]=grangercause(y, constant, lags, het, uncorr, inference)
```

The function has two outputs, the computed statistics, one for each y_i begin caused (in rows) and one for each y_j -lags causing. For example in a bivariate VAR(2),

$$\mathbf{y}_t = \Phi_0 + \Phi_1 \mathbf{y}_{t-1} + \Phi_2 \mathbf{y}_{t-2} + \epsilon_t$$

$$\begin{bmatrix} y_{1,t} \\ y_{2,t} \end{bmatrix} = \begin{bmatrix} \phi_{1,0} \\ \phi_{2,0} \end{bmatrix} + \begin{bmatrix} \phi_{11,1} & \phi_{12,1} \\ \phi_{21,1} & \phi_{22,1} \end{bmatrix} \begin{bmatrix} y_{1,t-1} \\ y_{2,t-1} \end{bmatrix} + \begin{bmatrix} \phi_{11,2} & \phi_{12,2} \\ \phi_{21,2} & \phi_{22,2} \end{bmatrix} \begin{bmatrix} y_{1,t-2} \\ y_{2,t-2} \end{bmatrix} + \begin{bmatrix} \epsilon_{1,t} \\ \epsilon_{2,t} \end{bmatrix}$$

the (1,1) value of `stat` contains the GC test statistic for the exclusion restriction of $\phi_{11,1} = \phi_{11,2} = 0$, the (1,2) value contains the test statistic for the exclusion restriction of $\phi_{12,1} = \phi_{12,2} = 0$ and so on. `pval` contains a matching matrix of p-values of the null of no Granger Causality.

Examples

```
% GC testing in a VAR(1) using the LR assuming hetero-corr residuals
[stat, pval] = grangercause(y,1,1);

% GC testing in a regular VAR(P) using the LR assuming hetero-corr residuals
P=5;[stat, pval] = grangercause(y,1,[1:P]);

% GC testing in an irregular VAR(4) using the LR assuming hetero-corr residuals
[stat, pval] = grangercause(y,1,[1 2 4]);

% GC testing in a VAR(1) using the LR assuming homo-corr residuals
[stat, pval] = grangercause(y,1,1,0);
```

```

% GC testing in a VAR(1) using the LR assuming homo-uncorr residuals
[stat, pval] = grangercause(y,1,1,0,1);

% GC testing in a VAR(1) using the LR assuming hetero-uncorr residuals
[stat, pval] = grangercause(y,1,1,1,1);
% or
[stat, pval] = grangercause(y,1,1,[],1);

% GC testing in a VAR(1) using the LM assuming hetero-corr residuals
[stat, pval] = grangercause(y,1,1,1,0,2);
% or
[stat, pval] = grangercause(y,1,1,[],[],2);

% GC testing in a VAR(1) using the Wald assuming hetero-corr residuals
[stat, pval] = grangercause(y,1,1,1,0,3);
% or
[stat, pval] = grangercause(y,1,1,[],[],3);

```

Comments

Granger causality testing with a variance-covariance matrix estimated under a variety of assumptions on the covariance of the errors:

- * Conditionally Homoskedastic and Uncorrelated
- * Conditionally Homoskedastic but Correlated
- * Heteroskedastic but Conditionally Uncorrelated
- * Heteroskedastic and Correlated

USAGE:

```

[STAT] = grangercause(Y,CONSTANT,LAGS)
[STAT,PVAL] = grangercause(Y,CONSTANT,LAGS,HET,UNCORR,INFERENCE)

```

INPUTS:

Y	- A T by K matrix of data
CONSTANT	- Scalar variable: 1 to include a constant, 0 to exclude
LAGS	- Non-negative integer vector representing the VAR orders to include in the model.
HET	- [OPTIONAL] A scalar integer indicating the type of covariance estimator 0 - Homoskedastic 1 - Heteroskedastic [DEFAULT]
UNCORR	- [OPTIONAL] A scalar integer indicating the assumed structure of the error covariance matrix 0 - Correlated errors [DEFAULT] 1 - Uncorrelated errors
INFERENCE	- [OPTIONAL] Inference method 1 - Likelihood ratio 2 - LM test 3 - Wald test

OUTPUTS:

STAT	- K by K matrix of Granger causality statistics computed using the specified covariance estimator and inference method STAT(i,j) corresponds to a test that $y(i)$ is caused by $y(j)$
PVAL	- K by K matrix of p-values corresponding to STAT

COMMENTS:

Granger causality tests based on a VAR including any lags.

$$y(:,t)' = \text{CONST} + P(1) * y(:,y-1) + P(2)*y(:,y-2) + \dots + P(K)*y(:,t-K)'$$

where $P(j)$ are K by K parameter matrices and CONST is a K by 1 parameter matrix (if $\text{CONSTANT}=1$)

EXAMPLE:

Conduct GC testing in a VAR(1) with a constant

```
parameters = grangercause(y,1,1)
```

Conduct GC testing in a VAR(3) with no constant

```
parameters = grangercause(y,0,[1:3])
```

Conduct GC testing in a VAR that includes lags 1 and 3 with a constant

```
parameters = grangercause(y,1,[1 3])
```

See also VECTORAR, VECTORARVCV

5.1.3 Impulse Response function calculation: `impulseresponse`

Impulse response function, standard errors and plotting. `impulseresponse` derives heavily from `vectorar` and uses much of the same syntax. The important new options to `impulseresponse` are the number of impulses to compute, `leads`, and the assumption used for decomposing the error covariance, `sqrttype`. `impulseresponse` always returns `leads+1` impulses and standard errors since the 0th is included. `leads` is a positive integer. `sqrttype` can be any one of:

- 0: Use non-scaled (unit) shocks
- 1: Use scaled but assume the correlation is zero. The scaling is the estimated standard deviation from the VAR specification used. This is the **default**.
- 2: Use a Choleski decomposition.
- 3: Use a Spectral decomposition.
- k by k positive definite user provided square root matrix. This option was provided to allow the user to impose a block spectral structure on the square root should they choose.

The general form of `impulseresponse` is

```
[impulses,impulsesstd,hfig] = impulseresponse(y,constant,lags,leads,...
                                             sqrttype,graph,het,uncorr)
```

where `y`, `constant`, `lags`, `het` and `uncorr` are the same as in `vectorar`. `leads` and `sqrttype` are as described above and `graph` is a 1 (produce plot) or 0 variable indicating whether a plot with 95% confidence bands should be produced. The outputs are:

- `impulses`: A k by k by `leads` 3-D matrix of impulse responses. The element in position (i,j,l) is the impulse response of y_i to a shock to ϵ_j , l -periods in the future.
- `impulsesstd`: A k by k by `leads` 3-D matrix of impulse response standard errors. These correspond directly to the impulse response in the same position.
- `hfig`: A handle to the plot produced. Empty if `graph` is 0.

Examples

```
% 12 Impulse responses for a VAR(1) assuming hetero-corr residuals
[impulses,impulsesstd] = impulseresponse(y,1,1,12);

% 12 Impulse responses for a VAR(P) assuming hetero-corr residuals
P=5;[impulses,impulsesstd] = impulseresponse(y,1,1:P,12);

% 12 Impulse responses for an irregular VAR(P) assuming hetero-corr residuals
P=5;[impulses,impulsesstd] = impulseresponse(y,1,[1 2 4],12);

% 12 Impulse responses for a VAR(1), no graphs
[impulses,impulsesstd] = impulseresponse(y,1,1,12,[],0);
```

```

% 12 Impulse responses for a VAR(1), Choleski
[impulses,impulsesstd] = impulseresponse(y,1,1,12,2);

% 12 Impulse responses for a VAR(1), Spectral
[impulses,impulsesstd] = impulseresponse(y,1,1,12,3);

% 12 Impulse responses for a VAR(1), Unit shocks
[impulses,impulsesstd] = impulseresponse(y,1,1,12,0);

% 12 Impulse responses for a VAR(1), assuming homoskedastic, uncorrelated residuals
[impulses,impulsesstd] = impulseresponse(y,1,1,12,[],[],0,1);

```

Comments

Computes impulse responses for a VAR(P) or irregular VAR(P) and standard errors under a variety of assumptions on the covariance of the errors:

- * Conditionally Homoskedastic and Uncorrelated
- * Conditionally Homoskedastic but Correlated
- * Heteroskedastic but Conditionally Uncorrelated
- * Heteroskedastic and Correlated

USAGE:

```

[IMPULSES]=impulseresponse(Y,CONSTANT,LAGS,LEADS)
[IMPULSES,IMPULSESTD,HFIG]=impulseresponse(Y,CONSTANT,LAGS,LEADS,SQRTTYPE,GRAPH,HET,UNCORR)

```

INPUTS:

Y - A T by K matrix of data

CONSTANT - Scalar variable: 1 to include a constant, 0 to exclude

LAGS - Non-negative integer vector representing the VAR orders to include in the model.

LEADS - Number of leads to compute the impulse response function

SQRTTYPE - [OPTIONAL] Either a scalar or a K by K positive definite matrix. This input determines the type of covariance decomposition used. If it is a scalar it must be one of:

- 0 - Unit (unscaled) shocks, covariance assumed to be an identity matrix
- 1 - [DEFAULT] Scaled but uncorrelated shocks. Scale is based on estimated error standard deviations.
- 2 - Scaled and correlated shocks, Choleski decomposition. Scale is based on estimated error standard deviations.
- 3 - Scaled and correlated shocks, spectral decomposition. Scale is based on estimated error standard deviations.

If the input is a K by K positive definite matrix, it is used as the covariance square root for computing the impulse response function.

GRAPH - [OPTIONAL] Logical variable (0 (no graph) or 1 (graph)) indicating whether the function should produce a bar plot of the sample autocorrelations and confidence intervals. Default is to produce a graphic (GRAPH=1).

HET - [OPTIONAL] A scalar integer indicating the type of covariance estimator

- 0 - Homoskedastic
- 1 - Heteroskedastic [DEFAULT]

UNCORR - [OPTIONAL] A scalar integer indicating the assumed structure of the error covariance matrix

- 0 - Correlated errors [DEFAULT]

1 - Uncorrelated errors

OUTPUTS:

IMPULSES - Cell structure containing K by K matrices in the position of the indicated in LAGS. For example if LAGS = [1 3], PARAMETERS{1} would be the K by K parameter matrix for the 1st lag and PARAMETERS{3} would be the K by K matrix of parameters for the 3rd lag

IMPULSESSTD - Cell structure containing K by K matrices in the containing parameter standard errors estimated according to UNCORR and HET

HFIG - Figure handle to the bar plot of the autocorrelations

COMMENTS:

Estimates a VAR including any lags.

$$y(:,t)' = \text{CONST} + P(1) * y(:,y-1) + P(2)*y(:,y-2) + \dots + P(1)*y(:,t-K)'$$

where P(j) are K by K parameter matrices and CONST is a K by 1 parameter matrix (if CONSTANT==1)

EXAMPLE:

To produce the IR for 12 leads form a VAR(1) with a constant

```
impulses = impulseresponse(y,1,1,12)
```

To produce the IR for 12 leads form a VAR(3) without a constant

```
impulses = impulseresponse(y,0,[1:3],12)
```

To produce the IR for 12 leads form an irregular VAR(3) with only lags 1 and 3 with a constant

```
impulses = impulseresponse(y,1,[1:3],12)
```

See also VECTORAR VECTORARVCV GRANGERCAUSE

Chapter 6

Volatility Modeling

6.1 GARCH Model Simulation

6.1.1 ARCH/GARCH/AVARCH/TARCH/ZARCH Simulation: `tarch_simulate`

ARCH/GARCH/AVARCH/TARCH/ZARCH model simulation with normal, Student's t , Generalized Error Distribution, Skew t or user supplied innovations.

Examples

```
% GARCH(1,1) simulation
simulatedData = tarch_simulate(1000, [1 .1 .8], 1, 0, 1)
% GJR-GARCH(1,1,1) simulation
simulatedData = tarch_simulate(1000, [1 .1 .1 .8], 1, 1, 1)
% GJR-GARCH(1,1,1) simulation with standardized Student's T innovations
simulatedData = tarch_simulate(1000, [1 .1 .1 .8 6], 1, 1, 1, 'STUDENTST')
% TARCH(1,1,1) simulation
simulatedData = tarch_simulate(1000, [1 .1 .1 .8], 1, 1, 1, [], 1)
```

Required Inputs

```
[outputs] = tarch_simulate(T, PARAMETERS, P, O, Q)
```

- T: Either a scalar integer or a vector of random numbers. If scalar, T represents the length of the time series to simulate. If a T by 1 vector of random numbers, these will be used to construct the simulated time series.
- PARAMETERS: $1 + P + O + Q$ by 1 vector of parameters in the order

$$[\omega \alpha_1 \dots \alpha_P \gamma_1 \dots \gamma_O \beta_1 \dots \beta_Q]'$$

- P: Order of symmetric innovations in model
- O: Order of asymmetric innovations in model
- Q: Order of lagged variances in model

Optional Inputs

```
[outputs] = tarch_simulate(T, PARAMETERS, P, O, Q, ERROR_TYPE, TARCH_TYPE)
```

- ERROR_TYPE: Sting value indicating distribution of standardized shock.
 - 'NORMAL': Normal
 - 'STUDENTST': Standardized Student's t . Parameters should contain 1 additional parameter containing the shape of the distribution.
 - 'GED': Generalized Error Distribution. Parameters should contain 1 additional parameter containing the shape of the distribution.
 - 'SKEWT': Skewed t . Parameters should contain 2 additional parameters containing the skewness and tail parameters, with skewness first.
- TARCH_TYPE: 1 for AVGARCH/TARCH/ZARCH, 2 for GARCH/GJR-GARCH. 2 is the default.

Outputs

```
[SIMULATEDATA, HT] = tarch_simulate(inputs)
```

- SIMULATEDATA: T by 1 vector of simulated data
- HT: T by 1 vector containing the conditional variance of the simulated data.

Comments

TARCH(P,0,Q) time series simulation with multiple error distributions

USAGE:

```
[SIMULATEDATA, HT] = tarch_simulate(T, PARAMETERS, P, O, Q, ERROR_TYPE, TARCH_TYPE)
```

INPUTS:

```
T          - Length of the time series to be simulated OR
             T by 1 vector of user supplied random numbers (i.e. randn(1000,1))
PARAMETERS - a 1+P+O+Q (+1 or 2, depending on error distribution) x 1 parameter vector
             ['omega alpha(1) ... alpha(p) gamma(1) ... gamma(o) beta(1) ... beta(q) [nu lambda]']
P          - Positive, scalar integer representing the number of symmetric innovations
O          - Non-negative scalar integer representing the number of asymmetric innovations (0
             for symmetric processes)
Q          - Non-negative, scalar integer representing the number of lags of conditional
             variance (0 for ARCH)
ERROR_TYPE - [OPTIONAL] The error distribution used, valid types are:
             'NORMAL'   - Gaussian Innovations [DEFAULT]
             'STUDENTST' - T distributed errors
             'GED'      - Generalized Error Distribution
             'SKEWT'    - Skewed T distribution
TARCH_TYPE - [OPTIONAL] The type of variance process, either
             1 - Model evolves in absolute values
             2 - Model evolves in squares [DEFAULT]
```

OUTPUTS:

```
SIMULATEDATA - A time series with ARCH/GARCH/GJR/TARCH variances
HT           - A vector of conditional variances used in making the time series
```

COMMENTS:

The conditional variance, $h(t)$, of a TARCH(P,0,Q) process is modeled as follows:

$$\begin{aligned} g(h(t)) = & \text{omega} \\ & + \alpha(1)*f(r_{\{t-1\}}) + \dots + \alpha(p)*f(r_{\{t-p\}}) \\ & + \gamma(1)*I(t-1)*f(r_{\{t-1\}}) + \dots + \gamma(o)*I(t-o)*f(r_{\{t-o\}}) \\ & + \beta(1)*g(h(t-1)) + \dots + \beta(q)*g(h(t-q)) \end{aligned}$$

where $f(x) = \text{abs}(x)$ if $\text{tarch_type}=1$
 $g(x) = \text{sqrt}(x)$ if $\text{tarch_type}=1$
 $f(x) = x^2$ if $\text{tarch_type}=2$
 $g(x) = x$ if $\text{tarch_type}=2$

NOTE: This program generates 2000 more than required to minimize any starting bias

See also TARCH

6.1.2 EGARCH Simulation: `egarch_simulate`

EGARCH simulation with normal, Student's t , Generalized Error Distribution, Skew t or user supplied innovations.

Examples

```
% Simulate a symmetric EGARCH(1,0,1) process
simulatedData = egarch_simulate(1000,[0 .1 .95],1,0,1);
% Simulate a standard EGARCH(1,1,1) process
simulatedData = egarch_simulate(1000,[0 .1 -.1 .95],1,1,1);
% Simulate a standard EGARCH(1,1,1) process with Student's T innovations
simulatedData = egarch_simulate(1000,[0 .1 -.1 .95 6],1,1,1,'STUDENTST');
% Simulate a standard EGARCH(1,1,1) process with GED innovations
simulatedData = egarch_simulate(1000,[0 .1 -.1 .95 1.5],1,1,1,'GED');
```

Required Inputs

```
[outputs] = egarch_simulate(T, PARAMETERS, P, O, Q)
```

- T: Either a scalar integer or a vector of random numbers. If scalar, T represents the length of the time series to simulate. If a T by 1 vector of random numbers, these will be used to construct the simulated time series.
- PARAMETERS: $1 + P+O+Q$ by 1 vector of parameters in the order

$$[\omega \ a_1 \ \dots \ a_P \ \gamma_1 \ \dots \ \gamma_O \ \beta_1 \ \dots \ \beta_Q]'$$

- P: Order of symmetric innovations in model
- O: Order of asymmetric innovations in model
- Q: Order of lagged variances in model

Optional Inputs

```
[outputs] = egarch_simulate(T, PARAMETERS, P, O, Q, ERROR_TYPE)
```

- ERROR_TYPE: Sting value indicating distribution of standardized shock.
 - 'NORMAL': Normal
 - 'STUDENTST': Standardized Student's t . Parameters should contain 1 additional parameter containing the shape of the distribution.
 - 'GED': Generalized Error Distribution. Parameters should contain 1 additional parameter containing the shape of the distribution.
 - 'SKEWT': Skewed t . Parameters should contain 2 additional parameters containing the skewness and tail parameters, with skewness first.

Outputs

```
[SIMULATEDATA, HT] = egarch_simulate(inputs)
```

- SIMULATEDATA: T by 1 vector of simulated data
- HT: T by 1 vector containing the conditional variance of the simulated data.

Comments

EGARCH(P,0,Q) time series simulation with multiple error distributions

USAGE:

```
[SIMULATEDATA, HT] = egarch_simulate(T, PARAMETERS, P, 0, Q, ERROR_TYPE)
```

INPUTS:

T - Length of the time series to be simulated OR
T by 1 vector of user supplied random numbers (i.e. randn(1000,1))

PARAMETERS - a 1+P+0+Q (+1 or 2, depending on error distribution) x 1 parameter vector
[omega alpha(1) ... alpha(p) gamma(1) ... gamma(o) beta(1) ... beta(q) [nu lambda]]'.

P - Positive, scalar integer representing the number of symmetric innovations

0 - Non-negative scalar integer representing the number of asymmetric innovations (0 for symmetric processes)

Q - Non-negative, scalar integer representing the number of lags of conditional variance (0 for ARCH)

ERROR_TYPE - [OPTIONAL] The error distribution used, valid types are:
'NORMAL' - Gaussian Innovations [DEFAULT]
'STUDENTST' - T distributed errors
'GED' - Generalized Error Distribution
'SKEWT' - Skewed T distribution

OUTPUTS:

SIMULATEDATA - A time series with EGARCH variances

HT - A vector of conditional variances used in making the time series

COMMENTS:

The conditional variance, $h(t)$, of a EGARCH(P,0,Q) process is modeled as follows:

$$\ln(h(t)) = \omega + \alpha(1) * (\text{abs}(e_{\{t-1\}}) - C) + \dots + \alpha(p) * (\text{abs}(e_{\{t-p\}}) - C) + \dots + \gamma(1) * e_{\{t-1\}} + \dots + e_{\{t-o\}} + \dots + \beta(1) * \ln(h(t-1)) + \dots + \beta(q) * \ln(h(t-q))$$

where: \ln is natural log
 $e_t = r_t / \sqrt{h_t}$
 $C = 1 / \sqrt{\pi/2}$

NOTE: This program generates 2000 more than required to minimize any starting bias

EXAMPLES:

See also EGARCH

6.1.3 APARCH Simulation: `aparch_simulate`

ARARCH simulation with normal, Student's t , Generalized Error Distribution, Skew t or user supplied innovations.

Examples

```
% Simulate a GARCH(1,1)
simulatedData = aparch_simulate(1000, [.1 .1 .85 2], 1, 0, 1)
% Simulate an AVARCH(1,1)
simulatedData = aparch_simulate(1000, [.1 .1 .85 1], 1, 0, 1)
% Simulate a GJR-GARCH(1,1,1)
simulatedData = aparch_simulate(1000, [.1 .1 .1 .8 2], 1, 1, 1)
% Simulate a TARCH(1,1,1)
simulatedData = aparch_simulate(1000, [.1 .1 .1 .8 1], 1, 1, 1)
% Simulate an APARCH(1,1,1)
simulatedData = aparch_simulate(1000, [.1 .1 .1 .8 .8], 1, 1, 1)
% Simulate an APARCH(1,1,1) with Student's T innovations
simulatedData = aparch_simulate(1000, [.1 .1 .85 2 6], 1, 0, 1, 'STUDENTST')
```

Required Inputs

```
[outputs] = aparch_simulate(T, PARAMETERS, P, 0, Q)
```

- T: Either a scalar integer or a vector of random numbers. If scalar, T represents the length of the time series to simulate. If a T by 1 vector of random numbers, these will be used to construct the simulated time series.
- PARAMETERS: $1 + P + O + Q$ by 1 vector of parameters in the order

$$[\omega \alpha_1 \dots \alpha_P \gamma_1 \dots \gamma_O \beta_1 \dots \beta_Q]'$$

- P: Order of symmetric innovations in model
- O: Order of asymmetric innovations in model
- Q: Order of lagged variances in model

Optional Inputs

```
[outputs] = aparch_simulate(T, PARAMETERS, P, 0, Q, ERROR_TYPE)
```

- ERROR_TYPE: Sting value indicating distribution of standardized shock.
 - 'NORMAL': Normal
 - 'STUDENTST': Standardized Student's t . Parameters should contain 1 additional parameter containing the shape of the distribution.
 - 'GED': Generalized Error Distribution. Parameters should contain 1 additional parameter containing the shape of the distribution.

- 'SKEWT': Skewed t . Parameters should contain 2 additional parameters containing the skewness and tail parameters, with skewness first.

Outputs

```
[SIMULATEDATA, HT] = aparch_simulate(inputs)
```

- SIMULATEDATA: T by 1 vector of simulated data
- HT: T by 1 vector containing the conditional variance of the simulated data.

Comments

APARCH(P,0,Q) time series simulation with multiple error distributions

USAGE:

```
[SIMULATEDATA, HT] = aparch_simulate(T, PARAMETERS, P, 0, Q, ERROR_TYPE)
```

INPUTS:

T - Length of the time series to be simulated OR
T by 1 vector of user supplied random numbers (i.e. randn(1000,1))

PARAMETERS - a 1+P+O+Q (+1 or 2, depending on error distribution) x 1 parameter vector
[omega alpha(1) ... alpha(p) gamma(1) ... gamma(o) beta(1) ... beta(q) delta
[nu lambda]]'

P - Positive, scalar integer representing the number of symmetric innovations

O - Non-negative scalar integer representing the number of asymmetric innovations (0 for symmetric processes). Must be less than or equal to P

Q - Non-negative, scalar integer representing the number of lags of conditional variance (0 for ARCH)

ERROR_TYPE - [OPTIONAL] The error distribution used, valid types are:
'NORMAL' - Gaussian Innovations [DEFAULT]
'STUDENTST' - T distributed errors
'GED' - Generalized Error Distribution
'SKEWT' - Skewed T distribution

OUTPUTS:

SIMULATEDATA - A time series with APARCH variances

HT - A vector of conditional variances used in making the time series

COMMENTS:

The conditional variance, $h(t)$, of a APARCH(P,0,Q) process is modeled as follows:

$$h(t)^{(\delta/2)} = \omega + \alpha(1) * (\text{abs}(r(t-1)) + \gamma(1) * r(t-1))^\delta + \dots + \alpha(p) * (\text{abs}(r(t-p)) + \gamma(p) * r(t-p))^\delta + \beta(1) * h(t-1)^{(\delta/2)} + \dots + \beta(q) * h(t-q)^{(\delta/2)}$$

Required restrictions on parameters:

$\delta > 0$
 $-1 < \gamma < 1$
 $-1 < \lambda < 1$
 $\nu > 2$ for T
 $\nu > 1$ for GED

```
alpha(i) > 0
```

NOTE: This program generates 2000 more than required to minimize any starting bias

EXAMPLES:

Simulate a GARCH(1,1)

```
[SIMULATEDATA, HT] = aparch_simulate(1000, [.1 .1 .85 2], 1, 0, 1)
```

Simulate an AVARCH(1,1)

```
[SIMULATEDATA, HT] = aparch_simulate(1000, [.1 .1 .85 1], 1, 0, 1)
```

Simulate a GJR-GARCH(1,1,1)

```
[SIMULATEDATA, HT] = aparch_simulate(1000, [.1 .1 -.1 .8 2], 1, 1, 1)
```

Simulate a TARCH(1,1,1)

```
[SIMULATEDATA, HT] = aparch_simulate(1000, [.1 .1 -.1 .8 1], 1, 1, 1)
```

Simulate an APARCH(1,1,1)

```
[SIMULATEDATA, HT] = aparch_simulate(1000, [.1 .1 -.1 .8 .8], 1, 1, 1)
```

Simulate an APARCH(1,1,1) with Student's T innovations

```
[SIMULATEDATA, HT] = aparch_simulate(1000, [.1 .1 -.1 .85 2 6], 1, 1, 1, 'STUDENTST')
```

See also APARCH, TARCH_SIMULATE, EGARCH_SIMULATE

6.1.4 FIGARCH Simulation: `figarch_simulate`

FIGARCH(p, d, q) simulation with normal, Student's t , Generalized Error Distribution, Skew t or user supplied innovations for $p \in \{0, 1\}$ and $q \in \{0, 1\}$ where d is the fractional integration order.

Examples

```
% FIGARCH(0,d,0) simulation
simulatedData = figarch_simulate(2500, [.1 .42],0,0)
% FIGARCH(1,d,1) simulation
simulatedData = figarch_simulate(2500, [.1 .1 .42 .4],1,1)
% FIGARCH(0,d,0) simulation with Student's T errors
simulatedData = figarch_simulate(2500, [.1 .42],0,0,'STUDENTST')
% FIGARCH(0,d,0) simulation with a truncation lag of 5000
simulatedData = figarch_simulate(2500, [.1 .42],0,0,[],5000)
```

Required Inputs

```
[outputs] = figarch_simulate(T, PARAMETERS, P, Q)
```

- T: Either a scalar integer or a vector of random numbers. If scalar, T represents the length of the time series to simulate. If a T by 1 vector of random numbers, these will be used to construct the simulated time series.
- PARAMETERS: $2 + P + Q$ by 1 vector of parameters in the order

$$[\omega \alpha d \beta]'$$

- P: Order of symmetric innovations in model. Must be 0 or 1.
- Q: Order of lagged variances in model. Must be 0 or 1.

Optional Inputs

```
[outputs] = figarch_simulate(T, PARAMETERS, P, Q, ERRORTYPE, TRUNCLAG, BCLENGTH)
```

- ERROR_TYPE: Sting value indicating distribution of standardized shock.
 - 'NORMAL': Normal
 - 'STUDENTST': Standardized Student's t . Parameters should contain 1 additional parameter containing the shape of the distribution.
 - 'GED': Generalized Error Distribution. Parameters should contain 1 additional parameter containing the shape of the distribution.
 - 'SKEWT': Skewed t . Parameters should contain 2 additional parameters containing the skewness and tail parameters, with skewness first.
- TRUNCLAG: Truncation point for ARCH(∞) representation.
- BCLENGTH: Length of additional data points. May need to be large if d is large.

Outputs

```
[SIMULATEDATA, HT, LAMBDA] = figarch_simulate(inputs)
```

- SIMULATEDATA: T by 1 vector of simulated data
- HT: T by 1 vector containing the conditional variance of the simulated data.
- LAMBDA: TRUNCLAG by 1 vector containing the ARCH(∞) weights on lagged squared returns

Comments

FIGARCH(Q,D,P) time series simulation with multiple error distributions for $P=\{0,1\}$ and $Q=\{0,1\}$

USAGE:

```
[SIMULATEDATA, HT, LAMBDA] = figarch_simulate(T, PARAMETERS, P, Q, ERRORTYPE, TRUNCLAG, BCLENGTH)
```

INPUTS:

T - Length of the time series to be simulated OR
T by 1 vector of user supplied random numbers (i.e. randn(1000,1))

PARAMETERS - a $2+P+Q$ (+1 or 2, depending on error distribution) x 1 parameter vector
[omega phi d beta [nu lambda]]'. Parameters should satisfy conditions in
FIGARCH_ITRANSFORM

P - 0 or 1 indicating whether the autoregressive term is present in the model (phi)

Q - 0 or 1 indicating whether the moving average term is present in the model (beta)

ERRORTYPE - [OPTIONAL] The error distribution used, valid types are:
'NORMAL' - Gaussian Innovations [DEFAULT]
'STUDENTST' - T distributed errors
'GED' - Generalized Error Distribution
'SKEWT' - Skewed T distribution

TRUNCLAG - [OPTIONAL] Truncation lag for use in the construction of lambda. Default value is
2500.

BCLENGTH - [OPTIONAL] Number of extra observations to produce to reduce start up bias.
Default value is 2500.

OUTPUTS:

SIMULATEDATA - A time series with ARCH/GARCH/GJR/TARCH variances

HT - A vector of conditional variances used in making the time series

LAMBDA - TRUNCLAG by 1 vector of weights used when computing the conditional variances

COMMENTS:

The conditional variance, $h(t)$, of a FIGARCH(1,d,1) process is modeled as follows:

$$h(t) = \omega + [1 - \beta L - \phi L (1-L)^d] \epsilon(t)^2 + \beta * h(t-1)$$

which is estimated using an ARCH(∞) representation,

$$h(t) = \omega + \sum(\lambda(i) * \epsilon(t-1)^2)$$

where $\lambda(i)$ is a function of the fractional differencing parameter, ϕ and β

EXAMPLES:

```
FIGARCH(0,d,0) simulation
simulatedData = figarch_simulate(2500, [.1 .42],0,0)
```

```
FIGARCH(1,d,1) simulation
  simulatedData = figarch_simulate(2500, [.1 .1 .42 .4],1,1)
FIGARCH(0,d,0) simulation with Student's T errors
  simulatedData = figarch_simulate(2500, [.1 .42],0,0,'STUDENTST')
FIGARCH(0,d,0) simulation with a truncation lag of 5000
  simulatedData = figarch_simulate(2500, [.1 .42],0,0,[],5000)
```

See also FIGARCH, FIGARCH_TRANSFORM, FIGARCH_ITRANSFORM

6.2 GARCH Model Estimation

6.2.1 ARCH/GARCH/GJR-GARCH/TARCH/AVGARCH/ZARCH Estimation: `tarch`

Many ARCH-family models can be estimated using the function `tarch`. This function allows estimation of ARCH, GARCH, TARCH, ZARCH and AVGARCH models all by restricting the lags included in the model.

The evolution of the conditional variance in the generic process is given by

$$\sigma_{\delta}^2 = \omega + \sum_{p=1}^P \alpha_p |\epsilon_{t-p}|^{\delta} + \sum_{o=1}^O \gamma_o |\epsilon_{t-o}|^{\delta} I_{[\epsilon_{t-o} < 0]} + \sum_{q=1}^Q \beta_q \sigma_{t-q}^{\delta}$$

where δ is either 1 (TARCH, AVGARCH or ZARCH) or 2 (ARCH, GARCH or GJR-GARCH). The basic form of `tarch` is

```
parameters = tarch(resid,p,o,q)
```

where `resid` is a T by 1 vector of mean 0 residuals from some conditional mean model and `p`, `o` and `q` are the (scalar integer) orders for the symmetric, asymmetric and lagged variance terms respectively. This function only estimated *regular* models so it is necessary to include the first lag to include the second of any variable. The output parameters are ordered

$$[\omega \ \alpha_1 \ \dots \ \alpha_p \ \gamma_1 \ \dots \ \gamma_o \ \beta_1 \ \dots \ \beta_q]'$$

If the distribution is specified as something other than a normal, the type hyper-parameters, ν and λ are appended to `parameters`

$$[\omega \ \alpha_1 \ \dots \ \alpha_p \ \gamma_1 \ \dots \ \gamma_o \ \beta_1 \ \dots \ \beta_q \ \nu]'$$

or

$$[\omega \ \alpha_1 \ \dots \ \alpha_p \ \gamma_1 \ \dots \ \gamma_o \ \beta_1 \ \dots \ \beta_q \ \nu \ \lambda]'$$

The complete input specification is given by

```
[outputs] = tarch(EPSILON,P,O,Q,ERROR_TYPE,TARCH_TYPE,STARTINGVALS,OPTIONS)
```

where

- `ERROR_TYPE`: The variable specifies the error distribution as a string and can take the values
 - `'NORMAL'`: Normal errors
 - `'STUDENTST'`: Standardized Students T errors
 - `'GED'`: Generalized Error Distribution errors
 - `'SKEWT'`: Hansen's Skew-T errors

if omitted or blank, the default is `'NORMAL'`. Specifying `'STUDENTST'` or `'GED'` will result in one extra output (ν). Specifying `'SKEWT'` will result in 2, ν (first additional output) and λ (second additional output).

- **TARCH_TYPE:** This variable is either 1 or 2. 1 indicates a ZARCH-subfamily model should be estimated while 2 indicates a GJR-GARCH-subfamily model should be estimated. If not input, or if `tarch_type` is empty (`[]`), the default is 2.
- **STARTINGVALS:** A $1+p+o+q$ vector of starting values. If `ERROR_TYPE` is 'STUDENTST' or 'GED', an additional starting value is needed. If `ERROR_TYPE` is 'SKEWT' two additional starting values are needed. If `startingvals` is empty or omitted, a simple grid search is used for starting values.
- **OPTIONS:** A valid `fminunc` options structure. The defaults are listed in the comments. This options is useful for preventing output from being displayed if calling the routine many times.

The complete output specification is given by

```
[PARAMETERS, LL, HT, VCVROBUST, VCV, SCORES, DIAGNOSTICS] = tarch(inputs)
```

where

- **PARAMETERS:** A $1+p+o+q$ vector of estimated parameters. If `ERROR_TYPE` is 'STUDENTST' or 'GED', an additional parameter (ν) is returned. If `ERROR_TYPE` is 'SKEWT', two additional parameters will be returned, ν (first additional output) and λ (second additional output).
- **LL:** Log-likelihood at the optimum.
- **HT:** T by 1 vector of fit conditional variances
- **VCVROBUST:** The Bollerslev-Wooldridge robust covariance matrix of the estimated parameters.
- **VCV:** The maximum likelihood covariance matrix (inverse Hessian) of the estimated parameters.
- **SCORES:** A T by number of parameters matrix of scores of the parameters. Used in some diagnostic tests.
- **DIAGNOSTICS:** A structure that contains information about the status of the optimizer. Useful for checking if there are convergence problems.

Some behind the scenes choices

This function has a number of behind the scenes choices that have been made based on my experience. These include:

- **Parameter restrictions:** The estimation routine used, `fminunc`, is unconstrained but this is deceptive. The parameters are constrained to satisfy:

- $\alpha_p > 0, p = 1, 2, \dots, P$
- $\alpha_p + \gamma_o > 0, p = 1, 2, \dots, P, o = 1, 2, \dots, O$
- $\beta_q > 0, q = 1, 2, \dots, Q$
- $\sum_{p=1}^P \alpha + 0.5 \sum_{o=1}^O \gamma + \sum_{q=1}^Q \beta < 1$
- $\nu > 2.1$ for a Student's T or Skew T
- $\nu > 1.05$ for a GED

– $-.995 < \lambda < .995$ for a Skew T .

Some of these are necessary but the $\beta_q > 0$ is not when $Q > 1$. This may lead to issues in estimating models with $Q > 1$ and the function will return constrained QML estimates.

- **Starting Values:** The starting values are computed using a grid of reasonable values (experience driven). The log-likelihood is evaluated on this grid and the best fit is used to start. If the optimizer fails to converge, other starting values will be tried to see if a convergent LL can be found. This said, `tarch` will never return parameter estimates from anything but the largest LL.
- **Back Casts:** Back casts are computed using a local algorithm using $T^{1/2}$ data points, $backcast = \sum_{i=1}^{\lfloor T^{1/2} \rfloor} w_i |r_i|^\delta$ where δ is 1 or 2 depending on the model specification.
- **Covariance Estimates:** The covariance estimated are produced using 2-sided numerical scores and Hessian.

Examples

```
% ARCH(5) estimation
parameters = tarch(y,5,0,0);

% GARCH(1,1) estimation
parameters = tarch(y,1,0,1);

% GJR-GARCH(1,1,1) estimation
parameters = tarch(y,1,1,1);

% ZARCH(1,1,1) estimation
parameters = tarch(y,1,1,1,[],1);

% ZARCH(1,1,1) estimation with SKEWT errors
parameters = tarch(y,1,1,1,'SKEWT',1);

% ZARCH(1,1,1) estimation with user supplied options
options = optimset('fminunc');
options.Display = 'iter';
parameters = tarch(y,1,1,1,[],[],[],options);

% ZARCH(1,1,1) estimation with user supplied starting values
parameters = tarch(y,1,1,1,[],[],[.1 .1 .1 .8]');
```

Comments

TARCH(P,0,Q) parameter estimation with different error distributions:
 Normal, Student's-T, Generalized Error Distribution, Skewed T
 Estimation of ARCH or GARCH models if $\alpha=0$ and `tarch_type=2`
 Estimation of TARCH or GJR asymmetric models if $\alpha>0$ and `tarch_type=1` or `2`

USAGE:

```
[PARAMETERS] = tarch(EPSILON,P,0,Q)
```

```
[PARAMETERS,LL,HT,VCVROBUST,VCV,SCORES,DIAGNOSTICS] =
    tarch(EPSILON,P,O,Q,ERROR_TYPE,TARCH_TYPE,STARTINGVALS,OPTIONS)
```

INPUTS:

EPSILON - A column of mean zero data

P - Positive, scalar integer representing the number of symmetric innovations

O - Non-negative scalar integer representing the number of asymmetric innovations (0 for symmetric processes)

Q - Non-negative, scalar integer representing the number of lags of conditional variance (0 for ARCH)

ERROR_TYPE - [OPTIONAL] The error distribution used, valid types are:
 'NORMAL' - Gaussian Innovations [DEFAULT]
 'STUDENTST' - T distributed errors
 'GED' - Generalized Error Distribution
 'SKEWT' - Skewed T distribution

TARCH_TYPE - [OPTIONAL] The type of variance process, either
 1 - Model evolves in absolute values
 2 - Model evolves in squares [DEFAULT]

STARTINGVALS - [OPTIONAL] A (1+p+o+q), plus 1 for STUDENTST OR GED (nu), plus 2 for SKEWT (nu,lambda), vector of starting values.
 [omega alpha(1) ... alpha(p) gamma(1) ... gamma(o) beta(1) ... beta(q) [nu lambda]]'.

OPTIONS - [OPTIONAL] A user provided options structure. Default options are below.

OUTPUTS:

PARAMETERS - A 1+p+o+q column vector of parameters with
 [omega alpha(1) ... alpha(p) gamma(1) ... gamma(o) beta(1) ... beta(q) [nu lambda]]'.

LL - The log likelihood at the optimum

HT - The estimated conditional variances

VCVROBUST - Robust parameter covariance matrix

VCV - Non-robust standard errors (inverse Hessian)

SCORES - Matrix of scores (# of params by t)

DIAGNOSTICS - Structure of optimization output information. Useful to check for convergence problems

COMMENTS:

The following (generally wrong) constraints are used:

- (1) $\omega > 0$
- (2) $\alpha(i) \geq 0$ for $i = 1, 2, \dots, p$
- (3) $\gamma(i) + \alpha(i) > 0$ for $i=1, \dots, o$
- (3) $\beta(i) \geq 0$ for $i = 1, 2, \dots, q$
- (4) $\sum(\alpha(i) + 0.5*\gamma(j) + \beta(k)) < 1$ for $i = 1, 2, \dots, p$ and $j = 1, 2, \dots, o, k=1, 2, \dots, q$
- (5) $\nu > 2$ of Students T and $\nu > 1$ for GED
- (6) $-.99 < \lambda < .99$ for Skewed T

The conditional variance, $h(t)$, of a TARCH(P,0,Q) process is modeled as follows:

$$g(h(t)) = \omega + \alpha(1)*f(r_{\{t-1\}}) + \dots + \alpha(p)*f(r_{\{t-p\}}) + \dots + \gamma(1)*I(t-1)*f(r_{\{t-1\}}) + \dots + \gamma(o)*I(t-o)*f(r_{\{t-o\}}) + \dots + \beta(1)*g(h(t-1)) + \dots + \beta(q)*g(h(t-q))$$

where $f(x) = \text{abs}(x)$ if $\text{tarch_type}=1$

$g(x) = \text{sqrt}(x)$ if $\text{tarch_type}=1$

$f(x) = x^2$ if $\text{tarch_type}=2$

```
g(x) = x      if tarch_type=2
```

Default Options

```
options = optimset('fminunc');  
options = optimset(options , 'TolFun'      , 1e-005);  
options = optimset(options , 'TolX'       , 1e-005);  
options = optimset(options , 'Display'    , 'iter');  
options = optimset(options , 'Diagnostics' , 'on');  
options = optimset(options , 'LargeScale' , 'off');  
options = optimset(options , 'MaxFunEvals' , '400*numberOfVariables');
```

See also TARCH_LIKELIHOOD, TARCH_CORE, TARCH_PARAMETER_CHECK, TARCH_STARTING_VALUES, TARCH_TRANSFORM, TARCH_ITRANSFORM

You should use the MEX files (or compile if not using Win64 Matlab) as they provide speed ups of approx 100 times relative to the m file.

6.2.2 EGARCH Estimation: egarch

EGARCH estimation is *identical* to the estimation of GJR-GARCH models except uses the function `egarch` and no parameter constraints are imposed. The EGARCH model estimated is

$$\sigma_{\delta}^2 = \omega + \sum_{p=1}^P \alpha_p |\epsilon_{t-p}|^{\delta} + \sum_{o=1}^O \gamma_o |\epsilon_{t-o}|^{\delta} I_{[\epsilon_{t-o} < 0]} + \sum_{q=1}^Q \beta_q \sigma_{t-q}^{\delta}$$

where δ is estimated along with the other parameters. The basic form of `egarch` is

```
parameters = egarch(resid,p,o,q)
```

where the inputs and outputs are identical to `tarch`. The extended inputs

```
parameters = egarch(resid,p,o,q,error_type,startingvals,options)
```

and the extended outputs

```
[parameters,ll,ht,vcvrobust,vcv,scores,diagnostics] = egarch(resid,p,o,q)
```

are also identical with the exclusion of `tarch_type` which is not available.

Examples

```
% Symmetric EGARCH(1,0,1) estimation
parameters = egarch(y,1,0,1);

% Standard EGARCH(1,1,1) estimation
parameters = egarch(y,1,1,1);

% EGARCH(1,1,1) estimation with SKEWT errors
parameters = egarch(y,1,1,1,'SKEWT');

% EGARCH(1,1,1) estimation with user supplied options
options = optimset('fmincon');
options.Display = 'iter';
parameters = egarch(y,1,1,1,[],[],options);

% EGARCH(1,1,1) estimation with user supplied starting values
parameters = egarch(y,1,1,1,[],[.1 .1 -.1 .8]');
```

Comments

EGARCH(P,O,Q) parameter estimation with different error distributions:
Normal, Students-T, Generalized Error Distribution, Skewed T

USAGE:

```
[PARAMETERS] = egarch(DATA,P,O,Q)
[PARAMETERS,LL,HT,VCVROBUST,VCV,SCORES,DIAGNOSTICS]
= egarch(DATA,P,O,Q,ERROR_TYPE,STARTINGVALS,OPTIONS)
```

INPUTS:

```
DATA - A column of mean zero data
P - Positive, scalar integer representing the number of symmetric innovations
```

0 - Non-negative scalar integer representing the number of asymmetric innovations (0 for symmetric processes)
 Q - Non-negative, scalar integer representing the number of lags of conditional variance (0 for ARCH)
 ERROR_TYPE - [OPTIONAL] The error distribution used, valid types are:
 'NORMAL' - Gaussian Innovations [DEFAULT]
 'STUDENTST' - T distributed errors
 'GED' - Generalized Error Distribution
 'SKEWT' - Skewed T distribution
 STARTINGVALS - [OPTIONAL] A (1+p+o+q), plus 1 for STUDENTST OR GED (nu), plus 2 for SKEWT (nu,lambda), vector of starting values. [omega alpha(1)...alpha(p) gamma(1)...gamma(o) beta(1)...beta(q) [nu lambda]]'.
 OPTIONS - [OPTIONAL] A user provided options structure. Default options are below.

OUTPUTS:

PARAMETERS - A 1+p+o+q column vector of parameters with [omega alpha(1)...alpha(p) gamma(1)...gamma(o) beta(1)...beta(q) [nu lambda]]'.
 LL - The log likelihood at the optimum
 HT - The estimated conditional variances
 VCVROBUST - Robust parameter covariance matrix
 VCV - Non-robust standard errors (inverse Hessian)
 SCORES - Matrix of scores (# of params by t)
 DIAGNOSTICS - Structure of optimization output information. Useful to check for convergence problems

COMMENTS:

(1) Roots of the characteristic polynomial of beta are restricted to be less than 1

The conditional variance, $h(t)$, of an EGARCH(P,0,Q) process is modeled as follows:

$$\ln(h(t)) = \omega + \alpha(1) * (\text{abs}(e_{t-1}) - C) + \dots + \alpha(p) * (\text{abs}(e_{t-p}) - C) + \dots + \gamma(1) * e_{t-1} + \dots + e_{t-o} + \dots + \beta(1) * \ln(h(t-1)) + \dots + \beta(q) * \ln(h(t-q))$$

where: \ln is natural log
 $e_t = r_t / \sqrt{h_t}$
 $C = 1 / \sqrt{\pi/2}$

Default Options

```

options = optimset('fmincon');
options = optimset(options , 'TolFun'      , 1e-005);
options = optimset(options , 'TolX'       , 1e-005);
options = optimset(options , 'Display'    , 'iter');
options = optimset(options , 'LargeScale' , 'off');
options = optimset(options , 'MaxFunEvals' , 200*(2+p+q));
options = optimset(options , 'MaxSQPIter' , 500);
options = optimset(options , 'Algorithm'  , 'active-set');
  
```

See also EGARCH_LIKELIHOOD, EGARCH_CORE, EGARCH_PARAMETER_CHECK, EGARCH_STARTING_VALUES, EGARCH_TRANSFORM, EGARCH_ITRANSFORM, EGARCH_NLCOM

You should use the MEX files (or compile if not using Win64 Matlab) as they provide speed ups of approx 100 times relative to the m file

6.2.3 APARCH Estimation: aparch

APARCH estimation, like EGARCH estimation, is *identical* to the estimation of GJR-GARCH models except that it uses the function `aparch`, one extra parameter is returned and there is a user option to provide a fixed value of δ (in which case the number of parameters returned is the same as `tarch`). The APARCH model estimated is

$$\sigma_t^\delta = \omega + \sum_{j=1}^{\max(p,o)} \alpha_j (|\epsilon_{t-j}| + \gamma_j \epsilon_{t-j})^\delta + \sum_{q=1}^Q \beta_q \sigma_{t-q}^\delta$$

The basic form of is

```
parameters = aparch(resid,p,o,q)
```

where the inputs are nearly identical to `tarch` and the output parameters are ordered

$$[\omega \ \alpha_1 \ \dots \ \alpha_p \ \gamma_1 \ \dots \ \gamma_o \ \beta_1 \ \dots \ \beta_q \ \delta]'$$

If the distribution is specified as something other than a normal, the type hyper-parameters, ν and λ are appended to parameters

$$[\omega \ \alpha_1 \ \dots \ \alpha_p \ \gamma_1 \ \dots \ \gamma_o \ \beta_1 \ \dots \ \beta_q \ \delta \ \nu]'$$

or

$$[\omega \ \alpha_1 \ \dots \ \alpha_p \ \gamma_1 \ \dots \ \gamma_o \ \beta_1 \ \dots \ \beta_q \ \delta \ \nu \ \lambda]'$$

.

The extended inputs are

```
[outputs] = aparch(DATA,P,O,Q,ERRORTYPE,USERDELTA,STARTINGVALS,OPTIONS)
```

where `USERDELTA` is an input that lets the model be estimated for a fixed value of δ . This may be useful for testing against `TARCH` and `GJR-GARCH`. `TARCH_TYPE` is not applicable and hence not available. The extended outputs,

```
[parameters,ll,ht,vcvrobust,vcv,scores,diagnostics] = aparch(resid,p,o,q)
```

are identical.

Examples

```
% Symmetric APARCH(1,0,1) estimation
parameters = aparch(y,1,0,1);

% Standard APARCH(1,1,1) estimation
parameters = aparch(y,1,1,1);

% APARCH(1,1,1) estimation with SKEWT errors
parameters = aparch(y,1,1,1,'SKEWT');

% APARCH(1,1,1) estimation with fixed delta of 1.5
```

```

parameters = aparch(y,1,1,1,[],1.5);

% APARCH(1,1,1) estimation with user supplied options
options = optimset('fmincon');
options.Display = 'iter';
parameters = aparch(y,1,1,1,[],[],[],options);

% APARCH(1,1,1) estimation with user supplied starting values
parameters = aparch(y,1,1,1,[],[],[.1 .1 -.1 .8 1]');

```

Comments

APARCH(P,O,Q) parameter estimation with different error distributions:
Normal, Students-T, Generalized Error Distribution, Skewed T

USAGE:

```

[PARAMETERS] = aparch(DATA,P,O,Q)
[PARAMETERS,LL,HT,VCVROBUST,VCV,SCORES,DIAGNOSTICS]
    = aparch(DATA,P,O,Q,ERRORTYPE,USERDELTA,STARTINGVALS,OPTIONS)

```

INPUTS:

DATA - A column of mean zero data

P - Positive, scalar integer representing the number of symmetric innovations

O - Non-negative scalar integer representing the number of asymmetric innovations (0 for symmetric processes)

Q - Non-negative, scalar integer representing the number of lags of conditional variance (0 for ARCH)

ERRORTYPE - [OPTIONAL] The error distribution used, valid types are:
'NORMAL' - Gaussian Innovations [DEFAULT]
'STUDENTST' - T distributed errors
'GED' - Generalized Error Distribution
'SKEWT' - Skewed T distribution

USERDELTA - [OPTIONAL] A scalar value between 0.3 and 4 to use for delta in the estimation. When the user provides a fixed value for delta, the vector of PARAMETERS has one less element. This is useful for testing an unrestricted APARCH against TARCH or GJR-GARCH alternatives

STARTINGVALS - [OPTIONAL] A (1+p+o+q+1), plus 1 for STUDENTST OR GED (nu), plus 2 for SKEWT (nu,lambda), vector of starting values.
[omega alpha(1)...alpha(p) gamma(1)...gamma(o) beta(1)...beta(q) delta [nu lambda]]'

OPTIONS - [OPTIONAL] A user provided options structure. Default options are below.

OUTPUTS:

PARAMETERS - A 1+p+o+q+1 (+1 or 2) column vector of parameters with
[omega alpha(1)...alpha(p) gamma(1)...gamma(o) beta(1)...beta(q) delta [nu lambda]]'

LL - The log likelihood at the optimum

HT - The estimated conditional variances

VCVROBUST - Robust parameter covariance matrix

VCV - Non-robust standard errors (inverse Hessian)

SCORES - Matrix of scores (# of params by t)

DIAGNOSTICS - Structure of optimization output information. Useful to check for convergence problems

COMMENTS:

The following (generally wrong) constraints are used:

- (1) $\omega > 0$
- (2) $\alpha(i) \geq 0$ for $i = 1, 2, \dots, p$
- (3) $1 < \gamma < 1$ for $i = 1, \dots, p$
- (3) $\beta(i) \geq 0$ for $i = 1, 2, \dots, q$
- (4) $\delta > .3$
- (5) $\sum(\alpha(i) + \beta(k)) < 1$ for $i = 1, 2, \dots, p$ and $k = 1, 2, \dots, q$
- (6) $\nu > 2$ of Students T and $\nu > 1$ for GED
- (7) $-.99 < \lambda < .99$ for Skewed T

The conditional variance, $h(t)$, of a APARCH(P,0,Q) process is modeled as follows:

$$h(t)^{(\delta/2)} = \omega + \alpha(1) * (\text{abs}(r(t-1)) + \gamma(1) * r(t-1))^{\delta} + \dots + \alpha(p) * (\text{abs}(r(t-p)) + \gamma(p) * r(t-p))^{\delta} + \beta(1) * h(t-1)^{(\delta/2)} + \dots + \beta(q) * h(t-q)^{(\delta/2)}$$

Default Options

```
options = optimset('fmincon');
options = optimset(options , 'TolFun'      , 1e-005);
options = optimset(options , 'TolX'       , 1e-005);
options = optimset(options , 'Display'    , 'iter');
options = optimset(options , 'Diagnostics', 'on');
options = optimset(options , 'LargeScale' , 'off');
options = optimset(options , 'MaxFunEvals', '400*numberOfVariables');
```

See also APARCH_LIKELIHOOD, APARCH_CORE, APARCH_PARAMETER_CHECK, APARCH_STARTING_VALUES, APARCH_TRANSFORM, APARCH_ITRANSFORM

You should use the MEX files (or compile if not using Win64 Matlab) as they provide speed ups of approx 100 times relative to the m file

6.2.4 AGARCH and NAGARCH estimation: agarch

AGARCH and models have volatility dynamics which follow

$$h_t = \omega + \sum_{p=1}^P (r_{t-p} - \gamma)^2 + \sum_{q=1}^Q h_{t-q}$$

while NAGARCH models include the level of volatility in the asymmetry,

$$h_t = \omega + \sum_{p=1}^P \left(r_{t-p} - \gamma \sqrt{h_{t-p}} \right)^2 + \sum_{q=1}^Q h_{t-q}$$

Examples

```
% Estimate an AGARCH(1,1) model
parameters = agarch(y,1,1)
% Estimate a NAGARCH(1,1) model
parameters = agarch(y,1,1,'NAGARCH')
% Estimate a NAGARCH(1,1) model with Student's t innovations
parameters = agarch(y,1,1,'NAGARCH','STUDENTST')
```

Required Inputs

```
[outputs] = agarch(EPSILON,P,Q)
```

- EPSILON: T by 1 vector of mean 0 data
- P: Order of squared innovations in model
- Q: Order of lagged variance in model

Optional Inputs

```
[outputs] = agarch(EPSILON,P,Q,MODEL_TYPE,ERROR_TYPE,STARTINGVALS,OPTIONS)
```

- MODEL_TYPE: String value, either 'AGARCH' or 'NAGARCH'. 'AGARCH' is the default.
- ERROR_TYPE: The variable specifies the error distribution as a string and can take the values
 - 'NORMAL': Normal errors
 - 'STUDENTST': Standardized Students T errors
 - 'GED': Generalized Error Distribution errors
 - 'SKEWT': Hansen's Skew-T errors

if omitted or blank, the default is 'NORMAL'. Specifying 'STUDENTST' or 'GED' will result in one extra output (ν). Specifying 'SKEWT' will result in 2, ν (first additional output) and λ (second additional output).

- STARTINGVALS: $2 + P + Q$ by 1 vector of starting values. If not provided, a grid search is performed using common values.
- OPTIONS: Options structure for `fminunc` optimization.

Outputs

```
[PARAMETERS, LL, HT, VCVROBUST, VCV, SCORES, DIAGNOSTICS] = agarch(inputs)
```

- **PARAMETERS:** A $2+p+q$ vector of estimated parameters. If `ERROR_TYPE` is `'STUDENTST'` or `'GED'`, an additional parameter (ν) is returned. If `ERROR_TYPE` is `'SKEWT'`, two additional parameters will be returned, ν (first additional output) and λ (second additional output).
- **LL:** Log-likelihood at the optimum.
- **HT:** T by 1 vector of fit conditional variances
- **VCVROBUST:** The Bollerslev-Wooldridge robust covariance matrix of the estimated parameters.
- **VCV:** The maximum likelihood covariance matrix (inverse Hessian) of the estimated parameters.
- **SCORES:** A T by number of parameters matrix of scores of the parameters. Used in some diagnostic tests.
- **DIAGNOSTICS:** A structure that contains information about the status of the optimizer. Useful for checking if there are convergence problems.

Comments

AGARCH(P,Q) and NAGARCH(P,Q) with different error distributions:
Normal, Students-T, Generalized Error Distribution, Skewed T

USAGE:

```
[PARAMETERS] = agarch(EPSILON,P,Q)
[PARAMETERS,LL,HT,VCVROBUST,VCV,SCORES,DIAGNOSTICS]
    = agarch(EPSILON,P,Q,MODEL_TYPE,ERROR_TYPE,STARTINGVALS,OPTIONS)
```

INPUTS:

```
EPSILON    - A column of mean zero data
P          - Positive, scalar integer representing the number of symmetric innovations
Q          - Non-negative, scalar integer representing the number of lags of conditional
            variance (0 for ARCH-type model)
MODEL_TYPE - [OPTIONAL] The type of variance process, either
            'AGARCH' - Asymmetric GARCH, Engle (1990) [DEFAULT]
            'NAGARCH' - Nonlinear Asymmetric GARCH, Engle & Ng (1993)
ERROR_TYPE - [OPTIONAL] The error distribution used, valid types are:
            'NORMAL' - Gaussian Innovations [DEFAULT]
            'STUDENTST' - T distributed errors
            'GED' - Generalized Error Distribution
            'SKEWT' - Skewed T distribution
STARTINGVALS - [OPTIONAL] A (2+p+q), plus 1 for STUDENTST OR GED (nu), plus 2 for SKEWT
            (nu,lambda), vector of starting values.
            [omega alpha(1) ... alpha(p) gamma beta(1) ... beta(q) [nu lambda]]'.
OPTIONS     - [OPTIONAL] A user provided options structure. Default options are below.
```

OUTPUTS:

```
PARAMETERS - A 2+p+q column vector of parameters with
            [omega alpha(1) ... alpha(p) gamma beta(1) ... beta(q) [nu lambda]]'.
```

```

LL           - The log likelihood at the optimum
HT           - The estimated conditional variances
VCVROBUST   - Robust parameter covariance matrix
VCV         - Non-robust standard errors (inverse Hessian)
SCORES      - Matrix of scores (# of params by t)
DIAGNOSTICS - Structure of optimization output information. Useful to check for convergence
              problems

```

COMMENTS:

The following (generally wrong) constraints are used:

- (1) $\omega > 0$
- (2) $\alpha(i) \geq 0$ for $i = 1, 2, \dots, p$
- (3) $\beta(i) \geq 0$ for $i = 1, 2, \dots, q$
- (4) $-q(0.01, \text{EPSILON}) < \gamma < q(0.99, \text{EPSILON})$ for AGARCH
- (5) $\sum(\alpha(i) + \beta(k)) < 1$ for $i = 1, 2, \dots, p$ and $k=1, 2, \dots, q$ for AGARCH and $\sum(\alpha(i) \cdot (1 + \gamma^2) + \beta(k)) < 1$ for NAGARCH
- (6) $\nu > 2$ of Students T and $\nu > 1$ for GED
- (7) $-0.99 < \lambda < 0.99$ for Skewed T

The conditional variance, $h(t)$, of a AGARCH(P,Q) process is given by:

$$h(t) = \omega + \alpha(1) \cdot (r_{t-1} - \gamma)^2 + \dots + \alpha(p) \cdot (r_{t-p} - \gamma)^2 + \beta(1) \cdot h(t-1) + \dots + \beta(q) \cdot h(t-q)$$

The conditional variance, $h(t)$, of a NAGARCH(P,Q) process is given by:

$$h(t) = \omega + \alpha(1) \cdot (r_{t-1} - \gamma \cdot \sqrt{h(t-1)})^2 + \dots + \alpha(p) \cdot (r_{t-p} - \gamma \cdot \sqrt{h(t-p)})^2 + \beta(1) \cdot h(t-1) + \dots + \beta(q) \cdot h(t-q)$$

Default Options

```

options = optimset('fminunc');
options = optimset(options, 'TolFun',    , 1e-005);
options = optimset(options, 'TolX'     , 1e-005);
options = optimset(options, 'Display'   , 'iter');
options = optimset(options, 'Diagnostics', 'on');
options = optimset(options, 'LargeScale', 'off');
options = optimset(options, 'MaxFunEvals', '200*numberOfVariables');

```

See also AGARCH_LIKELIHOOD, AGARCH_CORE, AGARCH_PARAMETER_CHECK, AGARCH_TRANSFORM, AGARCH_ITRANSFORM

You should use the MEX files (or compile if not using Win64 Matlab) as they provide speed ups of approx 10 times relative to the m file

6.2.5 IGARCH estimation `igarch`

IGARCH and IAVARCH estimation both with and without a constant. IGARCH is the integrated version of a GARCH model with the sum of the coefficients on the dynamic parameters is forced to sum to 1. IAVARCH is the equivalent for AVARCH.

Examples

```
% IGARCH(1,1) with a constant
parameters = igarch(y,1,1)
% IAVARCH(1,1) with a constant
igarch(y,1,1,[],1)
% IGARCH(1,1) without a constant
parameters = igarch(y,1,1,[],[],0)
% IGARCH(1,1) with a constant and Student's t innovations
parameters = igarch(y,1,1,'STUDENTST')
```

Required Inputs

```
[outputs] = igarch(EPSILON,P,Q)
```

- EPSILON: T by 1 vector of mean 0 data
- P: Order of squared innovations in model
- Q: Order of lagged variance in model

Optional Inputs

```
[outputs] = igarch(EPSILON,P,Q,ERRORTYPE,IGARCHTYPE,CONSTANT,STARTINGVALS,OPTIONS)
```

- ERROR_TYPE: The variable specifies the error distribution as a string and can take the values
 - 'NORMAL': Normal errors
 - 'STUDENTST': Standardized Students T errors
 - 'GED': Generalized Error Distribution errors
 - 'SKEWT': Hansen's Skew-T errors

if omitted or blank, the default is 'NORMAL'. Specifying 'STUDENTST' or 'GED' will result in one extra output (ν). Specifying 'SKEWT' will result in 2, ν (first additional output) and λ (second additional output).

- IGARCHTYPE: This variable is either 1 or 2. 1 indicates a AVARCH-subfamily model should be estimated while 2 indicates a GARCH-subfamily model should be estimated. If not input, or if `tarch_type` is empty (`[]`), the default is 2.
- CONSTANT: Logical value indicating whether a constant should be included in the model. The default is 1.

- **STARTINGVALS**: A $\text{CONSTANT}+P+Q-1$ vector of starting values. If **ERROR_TYPE** is 'STUDENTST' or 'GED', an additional starting value is needed. If **ERROR_TYPE** is 'SKEWT' two additional starting values are needed. If **startingvals** is empty or omitted, a simple grid search is used for starting values.
- **OPTIONS**: A valid `fminunc` options structure. The defaults are listed in the comments. This options is useful for preventing output from being displayed if calling the routine many times.

Outputs

```
[PARAMETERS, LL, HT, VCVROBUST, VCV, SCORES, DIAGNOSTICS] = igarch(inputs)
```

- **PARAMETERS**: A $\text{CONSTANT}+P+Q-1$ vector of estimated parameters. If **ERROR_TYPE** is 'STUDENTST' or 'GED', an additional parameter (ν) is returned. If **ERROR_TYPE** is 'SKEWT', two additional parameters will be returned, ν (first additional output) and λ (second additional output).
- **LL**: Log-likelihood at the optimum.
- **HT**: T by 1 vector of fit conditional variances
- **VCVROBUST**: The Bollerslev-Wooldridge robust covariance matrix of the estimated parameters.
- **VCV**: The maximum likelihood covariance matrix (inverse Hessian) of the estimated parameters.
- **SCORES**: A T by number of parameters matrix of scores of the parameters. Used in some diagnostic tests.
- **DIAGNOSTICS**: A structure that contains information about the status of the optimizer. Useful for checking if there are convergence problems.

Comments

```
IGARCH(P,Q) parameter estimation with different error distributions
Normal, Students-T, Generalized Error Distribution, Skewed T
Estimation of IGARCH models if IGARCHTYPE=2
Estimation of IAVARCH if IGARCHTYPE=1
```

USAGE:

```
[PARAMETERS] = igarch(EPSILON,P,0,Q)
[PARAMETERS,LL,HT,VCVROBUST,VCV,SCORES,DIAGNOSTICS]
    = igarch(EPSILON,P,Q,ERRORTYPE,IGARCHTYPE,CONSTANT,STARTINGVALS,OPTIONS)
```

INPUTS:

```
EPSILON    - A column of mean zero data
P          - Positive, scalar integer representing the number of innovations
Q          - Positive, scalar integer representing the number of lags of conditional variance
ERRORTYPE  - [OPTIONAL] The error distribution used, valid types are:
              'NORMAL'    - Gaussian Innovations [DEFAULT]
              'STUDENTST' - T distributed errors
              'GED'       - Generalized Error Distribution
              'SKEWT'    - Skewed T distribution
IGARCHTYPE - [OPTIONAL] The type of variance process, either
              1 - Model evolves in absolute values
```

2 - Model evolves in squares [DEFAULT]
 CONSTANT - [OPTIONAL] Logical value indicating whether model should include a constant. Default is true (include).
 STARTINGVALS - [OPTIONAL] A (CONSTANT+p+q), plus 1 for STUDENTST OR GED (nu), plus 2 for SKEWT (nu,lambda), vector of starting values. [omega alpha(1) ... alpha(p) beta(1) ... beta(q) [nu lambda]]'.
 OPTIONS - [OPTIONAL] A user provided options structure. Default options are below.

OUTPUTS:

PARAMETERS - A CONSTANT+p+q column vector of parameters with [omega alpha(1) ... alpha(p) beta(1) ... beta(q-1) [nu lambda]]'. Note that the final beta is redundant and so excluded
 LL - The log likelihood at the optimum
 HT - The estimated conditional variances
 VCVROBUST - Robust parameter covariance matrix
 VCV - Non-robust standard errors (inverse Hessian)
 SCORES - Matrix of scores (# of params by t)
 DIAGNOSTICS - Structure of optimization output information. Useful to check for convergence problems

COMMENTS:

The following (generally wrong) constraints are used:

- (1) $\omega > 0$ if CONSTANT
- (2) $\alpha(i) \geq 0$ for $i = 1, 2, \dots, p$
- (3) $\beta(i) \geq 0$ for $i = 1, 2, \dots, q$
- (4) $\sum(\alpha(i) + \beta(j)) = 1$ for $i = 1, 2, \dots, p$ and $j = 1, 2, \dots, q$
- (5) $\nu > 2$ of Students T and $\nu > 1$ for GED
- (6) $-0.99 < \lambda < 0.99$ for Skewed T

The conditional variance, $h(t)$, of an IGARCH(P,Q) process is modeled as follows:

$$g(h(t)) = \omega + \alpha(1)*f(r_{t-1}) + \dots + \alpha(p)*f(r_{t-p}) + \dots + \beta(1)*g(h(t-1)) + \dots + \beta(q)*g(h(t-q))$$

where $f(x) = \text{abs}(x)$ if IGARCHTYPE=1
 $g(x) = \text{sqrt}(x)$ if IGARCHTYPE=1
 $f(x) = x^2$ if IGARCHTYPE=2
 $g(x) = x$ if IGARCHTYPE=2

Default Options

```
options = optimset('fminunc');
options = optimset(options, 'TolFun', 1e-005);
options = optimset(options, 'TolX', 1e-005);
options = optimset(options, 'Display', 'iter');
options = optimset(options, 'Diagnostics', 'on');
options = optimset(options, 'LargeScale', 'off');
options = optimset(options, 'MaxFunEvals', '400*numberOfVariables');
```

See also IGARCH_LIKELIHOOD, IGARCH_CORE, IGARCH_PARAMETER_CHECK, IGARCH_STARTING_VALUES, IGARCH_TRANSFORM, IGARCH_ITRANSFORM

You should use the MEX file for igarch_core (or compile if not using Win64 Matlab) as they provide speed ups of approx 100 times relative to the m file

6.2.6 FIGARCH estimation `figarch`

FIGARCH(p, d, q) estimation for $p \in \{0, 1\}$ and $q \in \{0, 1\}$. FIGARCH is a fractionally integrated version of GARCH, which is usually represented using its ARCH(∞) representation

$$h_t = \bar{\omega} + \sum_{i=1}^{\infty} \lambda_i \epsilon_{t-i}^2$$

where

$$\begin{aligned} \delta_1 &= d \\ \lambda_1 &= \phi - \beta + d \\ \delta_i &= \frac{i-1-d}{i} \delta_{i-1}, \quad i = 2, \dots \\ \lambda_i &= \beta \lambda_{i-1} + \delta_i - \phi \delta_{i-1}, \quad i = 2, \dots \end{aligned}$$

Examples

```
% FIGARCH(0,d,0)
parameters = figarch(y,0,0)
% FIGARCH(1,d,0)
parameters = figarch(y,1,0)
% FIGARCH(0,d,1)
parameters = figarch(y,0,1)
% FIGARCH(1,d,1)
parameters = figarch(y,1,1)
% FIGARCH(1,d,1) with Student's t Errors
parameters = figarch(y,1,1, 'STUDENTST')
```

Required Inputs

```
[outputs] = figarch(EPSILON,P,Q)
```

- EPSILON: T by 1 vector of mean 0 data
- P: Order of the short memory autoregressive process. Must be 0 or 1.
- Q: Order of the moving average process. Must be 0 or 1.

Optional Inputs

```
[outputs] = figarch(EPSILON,P,Q,ERRORTYPE,TRUNCLAG,STARTINGVALS,OPTIONS)
```

- ERROR_TYPE: The variable specifies the error distribution as a string and can take the values
 - 'NORMAL': Normal errors
 - 'STUDENTST': Standardized Students T errors
 - 'GED': Generalized Error Distribution errors

- 'SKEWT': Hansen's Skew-T errors

if omitted or blank, the default is 'NORMAL'. Specifying 'STUDENTST' or 'GED' will result in one extra output (ν). Specifying 'SKEWT' will result in 2, ν (first additional output) and λ (second additional output).

- TRUNCLAG: Truncation point for ARCH(∞) representation.
- STARTINGVALS: A 2+P+Q vector of starting values. If ERROR_TYPE is 'STUDENTST' or 'GED', an additional starting value is needed. If ERROR_TYPE is 'SKEWT' two additional starting values are needed. If startingvals is empty or omitted, a simple grid search is used for starting values.
- OPTIONS: A valid `fminunc` options structure. The defaults are listed in the comments. This options is useful for preventing output from being displayed if calling the routine many times.

Outputs

```
[PARAMETERS, LL, HT, VCVROBUST, VCV, SCORES, DIAGNOSTICS] = figarch(inputs)
```

- PARAMETERS: A 2+P+Q vector of estimated parameters. If ERROR_TYPE is 'STUDENTST' or 'GED', an additional parameter (ν) is returned. If ERROR_TYPE is 'SKEWT', two additional parameters will be returned, ν (first additional output) and λ (second additional output).
- LL: Log-likelihood at the optimum.
- HT: T by 1 vector of fit conditional variances
- VCVROBUST: The Bollerslev-Wooldridge robust covariance matrix of the estimated parameters.
- VCV: The maximum likelihood covariance matrix (inverse Hessian) of the estimated parameters.
- SCORES: A T by number of parameters matrix of scores of the parameters. Used in some diagnostic tests.
- DIAGNOSTICS: A structure that contains information about the status of the optimizer. Useful for checking if there are convergence problems.

Comments

FIGARCH(Q,D,P) parameter estimation for $P=\{0,1\}$ and $Q=\{0,1\}$ with different error distributions: Normal, Students-T, Generalized Error Distribution, Skewed T

USAGE:

```
[PARAMETERS] = figarch(EPSILON,P,Q)
[PARAMETERS, LL, HT, VCVROBUST, VCV, SCORES, DIAGNOSTICS]
= figarch(EPSILON,P,Q,ERRORTYPE,STARTINGVALS,OPTIONS)
```

INPUTS:

```
EPSILON - T by 1 Column vector of mean zero residuals
P        - 0 or 1 indicating whether the autoregressive term is present in the model (phi)
Q        - 0 or 1 indicating whether the moving average term is present in the model (beta)
```

ERRORTYPE - [OPTIONAL] The error distribution used, valid types are:
 'NORMAL' - Gaussian Innovations [DEFAULT]
 'STUDENTST' - T distributed errors
 'GED' - Generalized Error Distribution
 'SKEWT' - Skewed T distribution
TRUNCLAG - [OPTIONAL] Number of weights to compute in ARCH(oo) representation.
 Default is 1000.
STARTINGVALS - [OPTIONAL] A (2+p+q), plus 1 for STUDENTST OR GED (nu), plus 2 for SKEWT
 (nu,lambda), vector of starting values. [omega phi d beta [nu lambda]]'. If
 not provided, FIGARCH_STARTING_VALUES attempts to find reasonable values.
OPTIONS - [OPTIONAL] A user provided options structure. Default options are below.

OUTPUTS:

PARAMETERS - A 2+p+q column vector of parameters with [omega phi d beta [nu lambda]]'.
LL - The log likelihood at the optimum
HT - The estimated conditional variances
VCVROBUST - Robust parameter covariance matrix
VCV - Non-robust standard errors (inverse Hessian)
SCORES - Matrix of scores (# of params by t)
DIAGNOSTICS - Structure of optimization output information. Useful to check for convergence
 problems .

COMMENTS:

The following (generally wrong) constraints are used:

- (1) $\omega > 0$
- (2) $0 \leq d \leq 1$
- (3) $0 \leq \phi \leq (1-d)/2$
- (3) $0 \leq \beta \leq d + \phi$
- (5) $\nu > 2$ of Students T and $\nu > 1$ for GED
- (6) $-.99 < \lambda < .99$ for Skewed T

The conditional variance, $h(t)$, of a FIGARCH(1,d,1) process is modeled as follows:

$$h(t) = \omega + [1 - \beta L - \phi L (1-L)^d] \epsilon(t)^2 + \beta * h(t-1)$$

where L is the lag operator which is estimated using an ARCH(oo) representation,

$$h(t) = \omega + \sum(\lambda(i) * \epsilon(t-1)^2)$$

where $\lambda(i)$ is a function of the fractional differencing parameter, ϕ and β .

Default Options

```

options = optimset('fminunc');
options = optimset(options , 'TolFun'      , 1e-005);
options = optimset(options , 'TolX'       , 1e-005);
options = optimset(options , 'Display'    , 'iter');
options = optimset(options , 'Diagnostics', 'on');
options = optimset(options , 'LargeScale' , 'off');
options = optimset(options , 'MaxFunEvals', '400*numberOfVariables');

```

See also TARCH, APARCH, EGARCH, AGARCH, FIGARCH_LIKELIHOOD, FIGARCH_PARAMETER_CHECK, FIGARCH_WEIGHTS FIGARCH_STARTING_VALUES, FIGARCH_TRANSFORM, FIGARCH_ITRANSFORM

Chapter 7

Density Estimation

7.1 Kernel Density Estimation: `pltdens`

Kernel density estimation is a useful tool to visualize the distribution of returns which would have to make strong parametric assumptions. Let $\{y_t\}_{t=1}^T$ be a set of i.i.d. data. The kernel density around a point x is defined

$$\hat{f}(x) = \sum_{t=1}^T K\left(\frac{y_t - x}{h}\right)$$

where h is the bandwidth, a parameter that controls the width of the window. `pltdens` supports a number of kernels

- Gaussian

$$K(z) = \frac{1}{\sqrt{2\pi}} \exp(-z^2/2)$$

- Epanechnikov

$$K(z) = \begin{cases} \frac{3}{4}(1 - z^2) & -1 \leq z \leq 1 \\ 0 & \text{otherwise} \end{cases}$$

- Quartic (Biweight)

$$K(z) = \begin{cases} \frac{15}{16}(1 - z^2)^2 & -1 \leq z \leq 1 \\ 0 & \text{otherwise} \end{cases}$$

- Triweight

$$K(z) = \begin{cases} \frac{35}{32}(1 - z^2)^3 & -1 \leq z \leq 1 \\ 0 & \text{otherwise} \end{cases}$$

For i.i.d. data Silverman's bandwidth, $1.06\hat{\sigma}^2 T^{-\frac{1}{5}}$ has good properties and is used by default. The function can be used two ways. The first is to produce the kernel density plot and is simply

```
pltdens(y)
```

The second computes the weights but does not produce a plot

```
[h, f, y] = pltdens(y);
```

Data on the S&P 500 were used to produce 3 kernel densities, one with Silverman's BW, on over-smoothed (h large) and one under-smoothed (h small). The results of this code is contained in figure 7.1.

```
[h,f,y] = pltdens(SP500);
disp(h)
[hover,fover,yover] = pltdens(SP500,.01);
[hunder,funder,yunder] = pltdens(SP500,.0001);
fig = figure(1);
clf
set(fig, 'PaperOrientation', 'landscape', 'PaperSize', [11 8.5], ...
    'InvertHardCopy', 'off', 'PaperPositionMode', 'auto', ...
    'Position', [117 158 957 764], 'Color', [1 1 1]);
hfig = plot(y,f,yover,fover,yunder,funder);
axis tight
for i=1:3;set(hfig(i), 'LineWidth', 2);end
legend('Silvermann', 'Over smoothed', 'Under smoothed')
set(gca, 'FontSize', 14)

h =
.0027
```

Examples

```
% Produce a kernel plot
pltdens(y)

% Compute weights but do not produce a plot
[h,f,y] = pltdens(y);

% Produce the plot manually
plot(y,f)

% Specify a custom bandwidth
pltdens(y,3);
```

Comments

PURPOSE: Draw a nonparametric density estimate.

USAGE: [h,f,y] = pltdens(x,h,p,kernel)
or pltdens(x) which uses gaussian kernel default

where:

- x is a vector
- h is the kernel bandwidth
default=1.06 * std(x) * n^(-1/5); Silverman page 45
- p is 1 if the density is 0 for negative values
- k is the kernel type:
 - =1 Gaussian (default)
 - =2 Epanechnikov
 - =3 Biweight
 - =4 Triangular




Figure 7.1: A plot with kernel densities using Silverman's BW and over- and under- smoothed.

A jittered plot of the observations is shown below the density.

 RETURNS:

h = the interval used
 f = the density
 y = the domain of support
 plot(y,f) will produce a plot of the density

 SEE ALSO hist, histo

7.2 Distributional Fit Testing

7.2.1 Jarque-Bera Test: jarquebera

Jarque-Bera test for normality, defined as

$$(T - K) \left(\frac{sk^2}{6} + \frac{(\kappa - 3)^2}{24} \right)$$

where sk is the sample skewness and κ is the sample kurtosis.

Examples

```
% Jarque-Bera test on normal data
x = randn(100,1);
[statistic, pval] = jarquebera(x);
% Jarque-Bera test on regression errors
% where there were 4 regressors (4 mean parameters + 1 variance)
y=randn(100,1);x = randn(100,4); e = y - x*(x\y);
[statistic, pval] = jarquebera(e, 5)
```

Required Inputs

```
[outputs] = jarquebera(DATA)
```

- DATA: T by 1 vector of data to be tested.

Optional Inputs

```
[outputs] = jarquebera(DATA,K,ALPHA)
```

- K: Degree of freedom adjustment. Default is 2.
- ALPHA: Size of the test to use. Default is 5%.

Outputs

```
[STATISTIC,PVAL,H] = jarquebera(inputs)
```

- STATISTIC: Jarque-Bera test statistic.
- PVAL: P-value evaluated using the asymptotic χ_2^2 distribution.
- H: Logical indicating whether the test rejects at ALPHA.

Comments

Computes the Jarque-Bera test for normality using the skewness and kurtosis to determine if a distribution is normal.

USAGE:

```
[STATISTIC] = jarquebera(DATA)
[STATISTIC,PVAL,H] = jarquebera(DATA,K,ALPHA)
```

INPUTS:

DATA - A set of data to be tested for deviations from normality
K - [OPTIONAL] The number of dependant variables if any used in constructing the errors
(if omitted K=2)
ALPHA - [OPTIONAL] The level of the test used for the null of normality. Default is .05

OUTPUTS:

STATISTIC - A scalar representing the statistic
PVAL - A scalar pval of the null
H - A hypothesis dummy (0 for fail to reject the null of normality, 1 otherwise)

COMMENTS:

The data entered can be mean 0 or not. In either case the sample mean is subtracted and the data are standardized by the sample standard deviation before computing the statistic .

EXAMPLES:

```
J-B test on normal data
x = randn(100,1);
[statistic, pval] = jarquebeta(x);
J-B test on regression errors where there were 4 regressors (4 mean parameters + 1 variance)
x = randn(100,1);
[statistic, pval] = jarquebeta(x, 5)
```

7.2.2 Kolmogorov-Smirnov Test: `kolmogorov`

Kolmogorov-Smirnov test for correct unconditional distribution.

Examples

```
% Test data for uniformity
stat = kolmogorov(x)
% Test standard normal data
[stat,pval] = kolmogorov(x,[],'normcdf')
% Test normal mean 1, standard deviation 2 data
[stat,pval] = kolmogorov(x,[],'normcdf',1,2)
```

Required Inputs

```
[outputs] = kolmogorov(X)
```

- X: Data to be tested. X should have been transformed such that it is uniform (under the hypothesized distribution).

Optional Inputs

```
[outputs] = kolmogorov(X,ALPHA,DIST,VARARGIN)
```

- ALPHA: Size of the test to use. Default is 5%.
- DIST: A string or function handle containing the name of a CDF to use to transform X to be uniform (under the hypothesized distribution).
- VARARGIN: Optional arguments needed by DIST.

Outputs

```
[STAT,PVAL,H] = kolmogorov(inputs)
```

- STATISTIC: Kolmogorov-Smirnov test statistic.
- PVAL: P-value evaluated using a Monte Carlo distribution.
- H: Logical indicating whether the test rejects at ALPHA.

Comments

Performs a Kolmogorov-Smirnov test that the data are from a specified distribution

USAGE:

```
[STAT,PVAL,H] = kolmogorov(X,ALPHA,DIST,VARARGIN)
```

INPUTS:

```
X          - A set of random variable to be tested for distributional correctness
ALPHA      - [OPTIONAL] The size for the test or use for computing H. 0.05 if not entered or
```

empty.

- DIST - [OPTIONAL] A char string of the name of the CDF, i.e. 'normcdf' for the normal, 'stdtcdf' for standardized Student's T, etc. If not provided or empty, data are assumed to have a uniform distribution (i.e. that data have already been fed through a probability integral transform)
- VARARGIN - [OPTIONAL] Arguments passed to the CDF, such as the mean and variance for a normal or a d.f. for T. The VARARGIN should be such that DIST(X,VARARGIN) is a valid function with the correct inputs.

OUTPUTS:

- STAT - The KS statistic
- PVAL - The asymptotic probability of significance
- H - 1 for reject the null that the distribution is correct, using the size provided (or .05 if not), 0 otherwise

EXAMPLES:

Test data for uniformity

```
stat = kolmogorov(x);
```

Test standard normal data

```
[stat,pval] = kolmogorov(x,[],'normcdf');
```

Test normal mean 1, standard deviation 2 data

```
[stat,pval] = kolmogorov(x,[],'normcdf',1,2);
```

COMMENTS:

See also BERKOWITZ

7.2.3 Berkowitz Test: berkowitz

Berkowitz (2001) test for correct fit in conditional density models.

Examples

```
% Test uniform data from a TS model
stat = berkowitz(x);
% Test standard normal data from a TS model
[stat,pval] = berkowitz(x,'TS',[],'normcdf');
% Test normal mean 1, standard deviation 2 data from a TS model
[stat,pval] = berkowitz(x,'TS',[],'normcdf',1,2);
```

Required Inputs

```
[outputs] = berkowitz(X)
```

- X: Data to be tested. X should have been transformed such that it is uniform (under the hypothesized distribution).

Optional Inputs

```
[outputs] = berkowitz(X,TYPE,ALPHA,DIST,VARARGIN)
```

- TYPE: String either 'TS' or 'CS'. Determines whether the test statistics looks at the AR(1) coefficient ('TS' does, 'CS' does not). Default is 'TS'.
- ALPHA: Size of the test to use. Default is 5%.
- DIST: A string or function handle containing the name of a CDF to use to transform X to be uniform (under the hypothesized distribution).
- VARARGIN: Optional arguments needed by DIST.

Outputs

```
[STAT,PVAL,H] = berkowitz(inputs)
```

- STATISTIC: Berkowitz test statistic.
- PVAL: P-value evaluated using the asymptotic χ_q^2 distribution where $q = 2$ or $q = 3$, depending on TYPE.
- H: Logical indicating whether the test rejects at ALPHA.

Comments

Performs a Kolmogorov-Smirnov-like test using the Berkowitz transformation to a univariate normal that the data are from a specified distribution.

USAGE:

```
[STAT,PVAL,H] = berkowitz(X,TYPE,ALPHA,DIST,VARARGIN)
```

INPUTS:

- X - A set of random variable to be tested for distributional correctness
- TYPE - [OPTIONAL] A char string, either 'CS' if the data are cross-sectional or 'TS' for time series. The TS checks for autocorrelation in the prob integral transforms while the CS does not. 'TS' is the default value.
- ALPHA - [OPTIONAL] The size for the test or use for computing H. 0.05 if not entered or empty.
- DIST - [OPTIONAL] A char string of the name of the CDF of X, i.e. 'normcdf' for the normal, 'stdtcdf' for standardized Student's T, etc. If not provided or empty, data are assumed to have a uniform distribution (i.e. that data have already been fed through a probability integral transform)
- VARARGIN - [OPTIONAL] Arguments passed to the CDF, such as the mean and variance for a normal or a d.f. for T. The VARARGIN should be such that DIST(X,VARARGIN) is a valid function with the correct inputs.

OUTPUTS:

- STAT - The Berkowitz statistic computed as a likelihood ratio of normals
- PVAL - The asymptotic probability of significance
- H - 1 for reject the null that the distribution is correct using the size provided (or .05 if not), 0 otherwise

EXAMPLES:

Test uniform data from a TS model

```
stat = berkowitz(x);
```

Test standard normal data from a TS model

```
[stat,pval] = berkowitz(x,'TS',[],'normcdf');
```

Test normal mean 1, standard deviation 2 data from a TS model

```
[stat,pval] = berkowitz(x,'TS',[],'normcdf',1,2);
```

COMMENTS:

See also KOLMOGOROV

Chapter 8

Bootstrap and Multiple Hypothesis Tests

8.1 Bootstraps

8.1.1 Block Bootstrap: `block_bootstrap`

Examples

```
% 1000 block bootstraps with a block size of 12
bsData = block_bootstrap(data, 1000, 12)
% Vector block bootstraps with a block size of 12
[t,k] = size(data,1);
bsIndex = block_bootstrap(1:t, 1000, 12)
for i=1:1000
    bsData = data(bsIndex(:,i),:);
    % Statistics here
end
```

Required Inputs

```
[BSDATA, INDICES]=block_bootstrap(DATA,B,W)
```

- DATA: T by 1 vector of data.
- B: Positive integer containing the number of bootstrap replications.
- W: Positive integer containing the window size

Outputs

```
[BSDATA, INDICES]=block_bootstrap(inputs)
```

- BSDATA: T by B matrix of bootstrapped data.
- INDICES: T by B vector of bootstrap indices such that $BSDATA = DATA(INDICES)$.

Comments

Implements a circular block bootstrap for bootstrapping stationary, dependant series

USAGE:

```
[BSDATA, INDICES]=block_bootstrap(DATA,B,W)
```

INPUTS:

```
DATA - T by 1 vector of data to be bootstrapped  
B    - Number of bootstraps  
W    - Block length
```

OUTPUTS:

```
BSDATA - T by B matrix of bootstrapped data  
INDICES - T by B matrix of locations of the original BSDATA=DATA(indexes);
```

COMMENTS:

```
To generate bootstrap sequences for other uses, such as bootstrapping vector processes,  
simpleset DATA to (1:N)'
```

See also `stationary_bootstrap`

8.1.2 Stationary Bootstrap: `stationary_bootstrap`

Examples

```
% 1000 block bootstraps with an average block size of 12
bsData = stationary_bootstrap(data, 1000, 12)
% Vector block bootstraps with a block size of 12
[t,k] = size(data,1);
bsIndex = stationary_bootstrap(1:t, 1000, 12)
for i=1:1000
    bsData = data(bsIndex(:,i),:);
    % Statistics here
end
```

Required Inputs

```
[BSDATA, INDICES]=stationary_bootstrap(DATA,B,W)
```

- DATA: T by 1 vector of data.
- B: Positive integer containing the number of bootstrap replications.
- W: Positive integer containing the average window size. The probability of ending the block is $p = w^{-1}$.

Outputs

```
[BSDATA, INDICES]=stationary_bootstrap(inputs)
```

- BSDATA: T by B matrix of bootstrapped data.
- INDICES: T by B vector of bootstrap indices such that $BSDATA = DATA(INDICES)$.

Comments

Implements the stationay bootstrap for bootstrapping stationary, dependant series

USAGE:

```
[BSDATA, INDICES] = stationary_bootstrap(DATA,B,W)
```

INPUTS:

```
DATA - T by 1 vector of data to be bootstrapped
B - Number of bootstraps
W - Average block length. P, the probability of starting a new block is defined P=1/W
```

OUTPUTS:

```
BSDATA - T by B matrix of bootstrapped data
INDICES - T by B matrix of locations of the original BSDATA=DATA(indexes);
```

COMMENTS:

```
To generate bootstrap sequences for other uses, such as bootstrapping vector processes, simply
set DATA to (1:N)'
```

See also `block_bootstrap`

8.2 Multiple Hypothesis Tests

8.2.1 Reality Check and Test for Superior Predictive Accuracy bsds

Implementation of the [White's \(2000\)](#) Reality Check and [Hansen's \(2005\)](#) the Test for Superior Predictive Accuracy (SPA). BSDS refers to “bootstrap data snooper”.

Examples

```
% Standard Reality Check with 1000 bootstrap replications and a window size of 12
bench = randn(1000,1).^2;
models = randn(1000,100).^2;
[c,realityCheckPval] = bsds(bench, models, 1000, 12)
% Standard Reality Check with 1000 bootstrap replications, a window size of 12
% and a circular block bootstrap
[c,realityCheckPval] = bsds(bench, models, 1000, 12, 'BLOCK')
% Hansen's P-values
SPAPval = bsds(bench, models, 1000, 12)
% Both Pvals on "goods"
bench = .01 + randn(1000,1);
models = randn(1000,100);
[SPAPval,realityCheckPval] = bsds(-bench, -models, 1000, 12)
```

Required Inputs

```
[outputs] = bsds_studentized(BENCH,MODELS,B,W)
```

- BENCH: T by 1 vector of benchmark losses. If “goods” (e.g returns) , multiply by -1.
- MODELS: T by M matrix of model losses. If “goods” (e.g returns) , multiply by -1.
- B: Scalar integer number of bootstrap replications to perform.
- W: Scalar integer containing the average window length (stationary bootstrap) or window length (block bootstrap).

Optional Inputs

```
[outputs] = bsds_studentized(BENCH,MODELS,B,W,TYPE,BOOT)
```

- TYPE: String value, either 'STUDENTIZED' (default) or 'STANDATRD'. Studentized conducts the test using studentized data and should be more powerful.
- BOOT: String value, either 'STATIONARY' (default) or 'BLOCK'. Determines the type of bootstrap used.

Outputs

```
[C,U,L] = bsds_studentized(inputs)
```

- C: Hansen's consistent p-val, which adjusts the Reality Check p-val in the case of high variance but low mean models.

- U: White's Reality Check p-val.
- L: Hansen's lower p-val.

Comments

Calculate Whites and Hansens p-val's for out-performance using unmodified data or studentized residuals, the latter often providing better power, particularly when the losses functions are heteroskedastic

USAGE:

```
[C] = bsds_studentized(BENCH,MODELS,B,W)
[C,U,L] = bsds_studentized(BENCH,MODELS,B,W,TYPE,BOOT)
```

INPUTS:

BENCH - Losses from the benchmark model
 MODELS - Losses from each of the models used for comparison
 B - Number of Bootstrap replications
 W - Desired block length
 TYPE - String, either 'STANDARD' or 'STUDENTIZED'. 'STUDENTIZED' is the default, and generally leads to better power.
 BOOT - [OPTIONAL] 'STATIONARY' or 'BLOCK'. Stationary is used as the default.

OUTPUTS:

C - Consistent P-val(Hansen)
 U - Upper P-val(White) (Original RC P-val's)
 L - Lower P-val(Hansen)

COMMENTS:

This version of the BSDS operates on quantities that should be 'bads', such as losses. The null hypothesis is that the average performance of the benchmark is as small as the minimum average performance across the models. The alternative is that the minimum average loss across the models is smaller than the the average performance of the benchmark.

If the quantities of interest are 'goods', such as returns, simple call bsds_studentized with $-1*BENCH$ and $-1*MODELS$

EXAMPLES:

```
Standard Reality Check with 1000 bootstrap replications and a window size of 12
  bench = randn(1000,1).^2;
  models = randn(1000,100).^2;
  [c,realityCheckPval] = bsds(bench, models, 1000, 12)
Standard Reality Check with 1000 bootstrap replications, a window size of 12 and a circular
block bootstrap
  [c,realityCheckPval] = bsds(bench, models, 1000, 12, 'BLOCK')
Hansen's P-values
  SPAPval = bsds(bench, models, 1000, 12)
Both Pvals on "goods"
  bench = .01 + randn(1000,1);
  models = randn(1000,100);
  [SPAPval,realityCheckPval] = bsds(-bench, -models, 1000, 12)
```

See also MCS

8.2.2 Model Confidence Set `mcs`

Implementation of [Hansen, Lunde & Nason's \(2005\)](#) Model Confidence Set (MCS).

Examples

```
% MCS with 5% size, 1000 bootstrap replications and an average block length of 12
losses = bsxfun(@plus,chi2rnd(5,[1000 10]),linspace(.1,1,10));
[includedR, pvalsR] = mcs(losses, .05, 1000, 12)
% MCS on "goods"
gains = bsxfun(@plus,chi2rnd(5,[1000 10]),linspace(.1,1,10));
[includedR, pvalsR] = mcs(-gains, .05, 1000, 12)
% MCS with circular block bootstrap
[includedR, pvalsR] = mcs(losses, .05, 1000, 12, 'BLOCK')
```

Required Inputs

```
[outputs] = mcs(LOSSES,ALPHA,B,W)
```

- LOSSES: T by M matrix of model losses. If “goods” (e.g returns) , multiply by -1.
- ALPHA: Size to use when constructing the MCS
- B: Scalar integer number of bootstrap replications to perform.
- W: Scalar integer containing the average window length (stationary bootstrap) or window length (block bootstrap).

Optional Inputs

```
[outputs] = mcs(LOSSES,ALPHA,B,W,BOOT)
```

- BOOT: String value, either 'STATIONARY' (default) or 'BLOCK'. Determines the type of bootstrap used.

Outputs

```
[INCLUDEDR,PVALSR,EXCLUDEDR,INCLUDEDSQ,PVALSSQ,EXCLUDEDSQ] = mcs(inputs)
```

- INCLUDEDR: Indices of included models using R type comparison.
- PVALSR: P-values of models using R type comparison. The p-values correspond to the the indices in the order [EXCLUDEDR; INCLUDEDR].
- EXCLUDEDR: Indices of excluded models using R type comparison.
- INCLUDEDSQ: Indices of included models using SQ type comparison.
- PVALSSQ: P-values of models using R type comparison. The p-values correspond to the the indices in the order [EXCLUDEDSQ; INCLUDEDSQ].
- EXCLUDEDSQ: Indices of excluded models using SQ type comparison.

Comments

Compute the model confidence set of Hansen, Lunde and Nason

USAGE:

```
[INCLUDEDR] = mcs(LOSSES,ALPHA,B,W)
```

```
[INCLUDEDR,PVALSR,EXCLUDEDR,INCLUDEDSQ,PVALSSQ,EXCLUDEDSQ] = mcs(LOSSES,ALPHA,B,W,BOOT)
```

INPUTS:

```
LOSSES    - T by K matrix of losses
ALPHA     - The final pval to use in the MCS
B         - Number of bootstrap replications
W         - Desired block length
BOOT      - [OPTIONAL] 'STATIONARY' or 'BLOCK'. Stationary will be used as default.
```

OUTPUTS:

```
INCLUDEDR - Included models using R method
PVALSR    - Pvals using R method
EXCLUDEDR - Excluded models using R method
INCLUDEDSQ - Included models using SQ method
PVALSSQ   - Pvals using SQ method
EXCLUDEDSQ - Excluded models using SQ method
```

COMMENTS:

This version of the MCS operates on quantities that should be 'bad', such as losses. If the quantities of interest are 'goods', such as returns, simply call MCS with `-1*LOSSES`

EXAMPLES

MCS with 5% size, 1000 bootstrap replications and an average block length of 12

```
losses = bsxfun(@plus,chi2rnd(5,[1000 10]),linspace(.1,1,10));
[includedR, pvalsR] = mcs(losses, .05, 1000, 12)
```

MCS on "goods"

```
gains = bsxfun(@plus,chi2rnd(5,[1000 10]),linspace(.1,1,10));
[includedR, pvalsR] = mcs(-gains, .05, 1000, 12)
```

MCS with circular block bootstrap

```
[includedR, pvalsR] = mcs(losses, .05, 1000, 12, 'BLOCK')
```

See also BSDS

Chapter 9

Helper Functions

9.1 Date Functions

9.1.1 Excel Date Transformation: `x2mdate`

The function `x2mdate` converts Excel dates to MATLAB dates, and is a work-a-like to the Mathworks provided function of the same name for users who do not have the Finance toolbox.

Examples

```
xlsdate = [35000 40000 41000];
mldate = x2mdate(xlsdate)
stringDate = datestr(mldate)

mldate =
    728960    733960    734960

stringDate =
28-Oct-1995
06-Jul-2009
01-Apr-2012
```

Required Inputs

```
[outputs] = x2mdate(XLSDATE)
```

The required inputs are:

- XLSDATE: Scalar or vector containing Excel dates.

Optional Inputs

```
[outputs] = x2mdate(XLSDATE,TYPE)
```

The optional inputs are:

- TYPE: 0 or 1 indicating whether the base date for conversion is Dec-31-1899 (TYPE = 1) or Jan 1, 1904 (TYPE = 0).

Outputs

```
[MLDATE] = x2mdate(inputs)
```

- MLDATE: Vector with same size as XLSDATE containing MATLAB serial date values.

Comments

X2MDATE provides a simple method to convert between excel dates and MATLAB dates.

USAGE:

```
[MLDATE] = x2mdate(XLSDATE)
[MLDATE] = x2mdate(XLSDATE, TYPE)
```

INPUTS:

XLSDATE - A scalar or vector of Excel dates.
TYPE - [OPTIONAL] A scalar or vector of the same size as XLSDATE that describes the Excel basedate. Can be either 0 or 1. If 0 (default), the base date of Dec-31-1899 is used. If 1, the base date is Jan 1, 1904.

OUTPUTS:

MLDATE - A vector with the same size as XLSDATE consisting of MATLAB dates.

EXAMPLE:

```
XLSDATE = [35000 40000 41000];
MLDATE = x2mdate(XLSDATE);
datestr(MLDATE)
    28-Oct-1995
    06-Jul-2009
    01-Apr-2012
```

COMMENTS:

This is a reverse engineered clone of the MATLAB function x2mdate and should behave the same. You only need it if you do not have the financial toolbox installed.

See also C2MDATE

9.1.2 CRSP Date Transformation: `c2mdate`

The function `c2mdate` converts CRSP dates to MATLAB dates. CRSP dates are of the form YYYYMMDD and are numeric.

Examples

```
crspdate = [19951028 20090706 20120401];
mldate = c2mdate(crspdate)
stringDate = datestr(mldate)

mldate =
    728960    733960    734960

stringDate =
28-Oct-1995
06-Jul-2009
01-Apr-2012
```

Required Inputs

```
[outputs] = c2mdate(CRSPDATE)
```

The required inputs are:

- `XLSDATE`: Scalar or vector containing Excel dates.

Outputs

```
[MLDATE] = c2mdate(inputs)
```

- `MLDATE`: Vector with same size as `CRSPDATE` containing MATLAB serial date values.

Comments

`C2MDATE` provides a simple method to convert between CRSP dates provided by WRDS and MATLAB dates.

USAGE:

```
[MLDATE] = c2mdate(CRSPDATE)
```

INPUTS:

`CRSPDATE` - A scalar or vector of CRSP dates.

OUTPUTS:

`MLDATE` - A vector with the same size as `CRSPDATE` consisting of MATLAB dates.

EXAMPLE:

```
CRSPDATE = [19951028 20090706 20120401]';
MLDATE = c2mdate(CRSPDATE);
datestr(MLDATE)
    28-Oct-1995
    06-Jul-2009
```

01-Apr-2012

COMMENTS:

This is provided to make it easy to move between CRSP and MATLAB dates.

See also X2MDATE

Bibliography

- Baxter, M. & King, R. G. (1999), 'Measuring Business Cycles: Approximate Band-Pass Filters For Economic Time Series', *The Review of Economics and Statistics* **81**(4), 575–593. [45](#)
- Berkowitz, J. (2001), 'Testing density forecasts, with applications to risk management', *Journal of Business and Economic Statistics* **19**, 465–474. [110](#)
- Hansen, P. R. (2005), 'A Test for Superior Predictive Ability', *Journal of Business and Economic Statistics* **23**(4), 365–380. [116](#)
- Hansen, P. R., Lunde, A. & Nason, J. M. (2005), Model confidence sets for forecasting models. Federal Reserve Bank of Atlanta Working Paper 2005-7. [118](#)
- Hodrick, R. J. & Prescott, E. C. (1997), 'Postwar U.S. Business Cycles: An Empirical Investigation', *Journal of Money, Credit and Banking* **29**(1), 1–16. [47](#)
- White, H. (2000), 'A Reality Check for Data Snooping', *Econometrica* **68**(5), 1097–1126. [116](#)

Index

- ARMA, 13
 - acf, 37
 - aicsbic, 29
 - arma_forecaster, 31
 - armaroots, 26
 - armaxfilter_simulate, 9
 - armaxfilter, 13
 - heterogeneousar, 19
 - ljungbox, 41
 - lmtest1, 43
 - pacf, 39
 - sacf, 33
 - spacf, 35
 - tsresidualplot, 23
 - LM test for serial correlation, 43
 - Autocorrelation, 37
 - Characteristic Roots, 26
 - Estimation, 13
 - Heterogeneous, 19
 - Ljung-Box Q statistic, 41
 - Partial Autocorrelation, 39
 - Residual Plotting, 23
 - Simulation, 9
- Autocorrelation
 - ARMA, 37
 - Sample, 33
- Autoregressive Moving Average, *see* ARMA
- Bootstrap
 - block_bootstrap, 113
 - stationary_bootstrap, 115
 - Block, 113
 - Stationary, 115
- Density Estimation, 103
 - pltdens, 103
- Dickey-Fuller, 55, 58
 - augdfautolag, 58
 - augdf, 55
- Augmented Dickey-Fuller test, 55
- Automatic lag selections, 58
- Distributional Testing
 - berkowitz, 110
 - jarquebera, 106
 - kolmogorov, 108
- GARCH, 73, 84
 - agarch, 94
 - aparch_simulate, 78
 - egarch_simulate, 76
 - egarch, 89
 - figarch_simulate, 81
 - figarch, 100
 - igarch, 97
 - pltdens, 103
 - tarch_simulate, 73
 - tarch, 84, 91
- Generalized Autoregressive Conditional Heteroskedasticity, *see* GARCH
- Information Criteria
 - Akaike, 29, 58
 - Schwartz/Bayes, 29, 58
- Ljung-Box Q statistic, 41
- Multiple Hypothesis Tests
 - bsds, 116
 - mcs, 118
 - Model Confidence Set, 118
 - Reality Check, 116
 - SPA, 116
- Partial Autocorrelation
 - ARMA, 39
 - Sample, 35

Regression, 5

ols, 5

Unit Roots, 55, 58

augdfautolag, 58

augdf, 55

Automatic lag selections, 58

Augmented Dickey-Fuller test, 55

VAR, 61

grangercause, 67

impulseresponse, 70

vectorar, 61

Estimation, 61

Granger Causality, 67

Impulse Response, 70

Vector Autoregression , *see* VAR

Volatility Modeling, 84

AGARCH, 94

EGARCH, 89

FIGARCH, 100

GARCH, 84, 91

IGARCH, 97

Volatility Simulation, 73

APARCH, 78

EGARCH, 76

FIGARCH, 81

GARCH, 73